GARDEN SILK MILLS LIMITED

DC / GSML / EC 18-19 / 12

July 18, 2018

GPCB ID: 20700

SRT : 863(7)

The Director
Ministry of Environment & Forest
Regional Office, Western Region,
Kendriya Paryavaran Bhavan,
Link Road No.: 03,
Ravi Shankar Nagar,
Bhopal - 452 016 (MP)

SUB: COMPLIANCE TO ENVIRONMENT CLEARANCE TO EXPANSION OF PRODUCTION PLANT AND POWER PLANT AT SURAT BY M/s. GARDEN SILK MILLS LTD FOR THE TERM OCTOBER 2017 TO MARCH 2018.

REF: 1. MINISTRY'S LETTER NO. J-11011/1048/2007-IA II (I), DATED: 07/04/08 AND AMENDMENTS

 MINISTRY'S LETTER NO. J-11011/124/2009-IA II (I), DATED: 10/06/09 AND AMENDMENTS

 MINISTRY'S LETTER NO. J-11011/624/2010-IA II (I), DATED: 10/05/13

Dear Sir,

With reference to the Environmental Clearance obtained from MoEF vide letter dated: 07/04/2008, 10/06/2009 and 10/05/2013 we are hereby enclosing the six monthly Compliance Report (**October 2017 – March 2018**) of Environmental Clearance issued to us.

We hope that you will find it in order and do the needful.

Thanking you,

Yours Faithfully,

For Garden Silk Mills Limited

CP DIVISION - JOLWA

Debdutta Chatterjee

Sr. Vice President & Authorised Signatory

Copy to: To

The Member Secretary

Gujarat Pollution Control Board

Paryavaran Bhavan,

Sector: 10 - A

Gandhinagar - 382 043

Garden.

COMPLIANCE OF ENVIRONMENTAL CLEARANCE MINISTRY'S LETTER NO.: J-11011/1048/2007-IA II (I), DATED: 07/04/2008 OCTOBER 2017 -MARCH 2018

S.		со	REMARKS			
2	The Ministry of Environment and Forests has examined the proposal and noted that the proposal is for environmental clearance for expansion of Polyester Chips and Polyester Filament Yarn Production Plant at Village Jolwa, Palsana Taluka, Surat, Gujarat by M/s. Garden Silk Mills Ltd. The cost of the project is Rs. 365 Crores. The unit has green belt in 8,000 m² and has proposed additional green belt in 4,500 m². The unit will install a natural gas based Captive Power Plant of 8.4 MW. In case of non availability of the gas, furnace oil may be used as fuel. The details of existing and proposed products and their capacities are as given below:					We have obtained consolidated consent order no CCA-SRT-863(7)/ID_20700/360995, dated 28/06/2016, valid up to 31/12/2020. CC&A amendment for the Coal based Power Plant (18 MW) vide GPCB letter no.: GPCB/CCA-SRT-863()/ ID_20700/102858,
	S.	Name of		duction capacity (MTA)		dated 25 th January 2012.
	No.	products	Existing	Proposed	Total	CC&A Amendment for
	1.	Polyester Chips	1,55,000		3,92,600	Product Mix was obtained
	2.	Polyester Filament Yarn	1,33,000	2,57,000	3,32,000	vide GPCB letter no. CCA- SRT-863(5)/ ID_20700/
		Partially Oriented Yarn	61,000	29,600	90,600	120135 dated 1 st Aug 2012.
		Fully Drawn Yarn		19,900	19,900	CC&A amendment for 21 MW power plant vide
	3.	By-Products- Degraded Polymer (Oligomer)	12	15	27	letter no GPCB/CCA-SRT- 863(7)/ ID_20700/212045
	4.	Captive Power Plant (MW)	6.74	8.4	15.14	dated 3 rd May 2014. Annexure - I - Copy of last valid consent. Production details are as Annexure II.
	and pipe	er generation will be discharged into the K line. The unit has two ETP.	adodara Kh	nadi through	own 1 km	within mentioned limits. Treated effluent is discharged into the Kadodara Khadi through closed RCC pipeline of 1.7 km.
4	cate	project activity is ligory 'A' and was con	nsidered ar	d appraised		
5	level as para 7(ii) of EIA Notification 2006. The Ministry of Environment and Forest hereby accords environmental clearance to the above project under the provisions of EIA Notification dated 14 th September, 2006 subject to compliance of the following specific and general conditions.			under the ber, 2006		
A.		CIFIC CONDITIONS				
i)	The company shall install full-fledged ETP to comply with the GPCB norm for discharge of effluent into sea and all necessary clearances shall be obtained.			Full-fledged ETP in our premises to bring GPCB prescribed norms. Analysis report are enclosed as Reference Annexure III		
ii)	efflu the t into	company shall consent and shall carry or created effluent into the Khadi. The reports stry's Regional Office a	ut the bioa he guard p shall be su	ssay test by ond before d	collecting lischarging	Analysis report of Bioassay test are enclosed as Refer Annexure III
iii)	Ministry's Regional Office at Bhopal. The water consumption shall not exceed 7,083 KLD and waste water generation shall not exceed 2,849 KLD. The company shall install the waste water monitoring facility and records shall be maintained.			KLD. The	The water requirement & waste water generation is within mentioned limits. Consumption and	



		generation are enclosed in Annexure IV.
iv)	The company shall obtain for drawl of ground water from the Central Ground Water Authority/Central Ground Water Board and copy shall be submitted to the Ministry's Regional Office.	We use water from existing bore wells as well as canal. Permission obtained from CGWA and irrigation department for industrial use is attached as Annexure V
v)	The company shall run the power plant only with gas as a fuel and only in case of non-availability of natural gas furnace oil shall be used only such period when natural gas is not available. During use of furnace oil as fuel the company shall ensure the emission of SO ₂ as per the norms prescribed by the SPCB and height of the stacks shall be as per CPCB norms of SO ₂ emission.	Stack Monitoring results are attached as Annexure VI
vi)	The company shall provide the monitoring arrangement with the stack and regular monitoring shall be carried out and reports submitted to the SPCB, CPCB and Ministry's Regional Office at Bhopal.	Monitoring arrangement with stack is provided. Monitoring results are attached as Annexure VI
vii)	The project authority shall obtain the membership of TSDF within three months for disposal of solid and hazardous waste and copy of the same shall be submitted to the Ministry and Ministry's Regional Office at Bhopal. The company shall maintain valid member ship.	We have already obtained membership certificate of TSDF of M/s. BEIL. Annexure IX.
viii)	The company shall develop 12,500 sq. m. out of the total area as green belt as per the CPCB guidelines to mitigate the effect of fugitive emissions.	We have completed the Plantation required in around 28000 sq. m. of area within our premises. We are maintaining the plantation.
ix)	Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.	Regular occupational health surveillance are carried out for worker and records are maintained as per Act and certificate from CIH is attached as Annexure XIV
x)	The company shall make arrangement for protection of possible fire hazards during manufacturing process in material handling.	We have provided proper arrangement for fire hazards during manufacturing process and material handling and have updated the On-site emergency plan.
В.	GENERAL CONDITIONS	
ı	The project authorities shall strictly adhere to the stipulations of the SPCB/state government or any statutory body.	We adhere to the stipulations by the GPCB and other relevant statutory body.
II	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment and Forests. In case of deviations or alterations in the project proposal form those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of condition imposed and to add additional environmental protection measures required, if any.	No further expansion or modifications in the plant will be carried out without prior approval of the Ministry of Environment and Forests
iii	The project authorities shall strictly comply with the rules and regulation under Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989 as amended Authorization from the SPCB shall be obtained for collection, treatment, storage and disposal of hazardous wastes.	We will comply with the rules and regulation under Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989 as amended. Waste is send to GPCB authorized

, <u>h</u>



		vendor. Six monthly solid waste generation details enclosed in Annexure VIII
iv	Ambient air quality monitoring stations be set up in the downwind direction as well as where maximum ground level concentration are anticipated in consultation with the State Pollution Control Board.	Monitoring results are attached as Annexure X
V	For control process emissions stacks of appropriate height as per the Central Pollution Control Board guidelines shall be provided.	Adequate stack height have been provided, Stack analysis results are enclosed in Annexure VI
vi	The company shall undertake following Waste Minimization measures; • Meeting of quantities of active ingredients to minimize waste. • Re-use of by-products from the process as raw materials or as raw material substitutes in other processes. • Maximizing recoveries • Use of automated material transfer system to minimize spillage. • Use of "Closed Feed" system into batch reactors.	Packing material are recovered maximum time. Waste MEG from polymerization is recycled back in process PTA powder during unpacking are used back Polyester melt & polyester chips are pneumatically conveyed. Additional 3rd chipper is installed at CP-1/2 to minimize polymer waste
vii	The project authorized must strictly comply with the rules and regulations with regard to handling and disposal of hazardous wastes in accordance with the Hazardous Wastes (Management and Handling) Rules, 2003. Authorization form the SPCB shall be obtained for collections/treatment/storage/disposal of hazardous wastes.	We have already obtained authorization enclosed is Annexure IX
vili	The overall Noise levels in and around the plant area, shall be kept well within the standards (85 dBA) by providing noise control measures including acoustic hoods, Silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environmental (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (daytime) and 70 dBA (night time)	Monitoring report are enclosed as Annexure XI
ix.	A separate Environmental Management Cell equipped with full fledged laboratory facilities shall be set up to carry out the Environmental management and monitoring functions.	Our unit has a separate Environment Management Cell. Refer Annexure XIII
x.	Financial provisions should be made in the budget of the project for implementation of the above suggested environmental safeguards. Fund so earmarked shall not be diverted for any other purposes.	Expenditure on Environment Protection Measures already submitted.
xi.	The project authorities shall provide rainwater harvesting system and ground water recharge.	Two recharge wells are provided for rainwater harvesting system and ground water recharge.
xii.	The implementation of the project vis-a-vis environmental action plans shall be monitored by Ministry's Regional Office / SPCB / CPCB. A six monthly compliance status report shall he submitted to monitoring agencies.	Regularly, we send compliance status to concern authorities.
xiii.	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB and may also be seen at Website of the Ministry at http://envfor.nic.in . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two-local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and. a copy of the same shall be forwarded to the Ministry's Regional Office.	Complied. We had already given an advertisement in local newspaper.

-

.



xiv.	The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date/of start of the project.	Complied. Details already submitted
6.	The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	Agreed.
7.	The Ministry reserves the right to stipulate additional conditions, if found necessary. The company in a time bound manner shall implement these conditions.	The conditions are complied and accordingly report is submitted.
8.	Any appeal against this environmental clearance shall lie with the National Environmental Appellate Authority, if preferred within a period of 30 days as prescribed under section 11 of the National Environment Appellate Authority Act, 1997.	Point is noted.
9	The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act 1974, Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection), 1986, Hazardous Wastes (Management and Handling) Rules, 2003 and the Public Liability Insurance Act, 1991 along with their amendments and rules.	Point is noted.



COMPLIANCE OF ENVIRONMENTAL CLEARANCE CORRIGENDUM MINISTRY'S LETTER NO.: F. No. J-11011/1048/2007-IA-II (I), DATED: April 25, 2008 OCTOBER 2017 -MARCH 2018

S. NO.		co	NDITION	S		REMARKS
1	even exam plant Minis and	is in continuation No. dated 7 th Aprined with respect to s for which repretry. In view of repreproposed product/fonmental clearance	oril. 2008. capacity of sentation resentation acilities me	The matter f existing cap made by you the details entioned in	was re- tive power ou to the of existing para 2 of	We have obtained consolidated consent order no CCA-SRT-863(7)/ID_20700/360995, dated 28/06/2016, valid up to 31/12/2020. CC&A amendment for the
	S.	Name of		ion Capacity		Coal based Power Plant
	No.	Products	Existing	Proposed	Total	(18 MW) vide GPCB letter
	1	Polyester Chips	1,55,000	2,37,600	3,92,600	no.: GPCB/CCA-SRT-
	2	Polyester Filament Yarn				863(5)/ ID_20700/102858, dated
		Partially Oriented Yarn	61,000	29,600	90,600	25 th January 2012. CC&A Amendment for
		Fully Drawn Yarn	-	19,900	19,900	Product Mix was obtained vide GPCB letter no. CCA-
	3	By-Products- Degraded Polymer (Oligomer)	12	15	27	SRT-863(5)/ ID_20700/ 120135 dated 1 st Aug 2012.
	4	Captive Power Plant (MW)	6.74	8.4	15.14	CC&A amendment for 21 MW power plant vide
						letter no GPCB/CCA-SRT-863(7)/ ID_20700/212045 dated 3 rd May 2014. Annexure - I - Copy of last valid consent. Production details are as Annexure II.
2	envir	the specific and gonmental clearance in the same.				
3	This	letter shall be k ance letter	ept attach	ned with th	e original	



COMPLIANCE OF ENVIRONMENTAL CLEARANCE CORRIGENDUM MINISTRY'S No.: F. No. J-11011/1048/2007-IA-II (I), (VIDE DATED: 12/03/09) OCTOBER 2017 -MARCH 2018

S. NO.	CONDITIONS	REMARKS
	Your letter no.: nil dated: 23 rd September, 2008 requesting for change in fuel in heaters from gas/FO based to coal based heaters and subsequent communication vide your letter dated: 11 th December, 2008.	
1	The Ministry has examined the request and noted the company is proposing 2 nos. of Coal based heaters in addition to existing gas based heater facility in the proposed expansion project of polyester chips and polyester Filament yarn at village Jolwa, Taluka Palsana in district Surat in Gujarat by M/s. Garden Silk Mills Ltd.	Complied. We have received granted CC&A vide letter no.: GPCB/CCA/SRT – 863 (2)/17154, dated: 07/08/09
2	The matter was discussed in 89 th meeting of the Expert Appraisal Committee (industry) Meeting held during 22 nd and 23 rd December, 2008. The Committee has recommended for no objection subject to that "The company shall install the ESP with the coal fired boiler to keep the emission of particulates within 100 mg/Nm ³ ".	Complied. We have installed the ESP to the coal fired boiler to keep the emission of particulates within limit.
3	The above recommendation of the Expert Appraisal Committee has been accepted as such for installation of 2 nos. of coal based heaters subject to the condition mentioned above and the norms as specified in the environmental clearance letter issued vide No. J-I 101 I/1048/2007-IA-II(I) dated April 7, 2008.	
4	This has the approval of the Competent Authority.	



COMPLIANCE OF ENVIRONMENTAL CLEARANCE MINISTRY'S LETTER NO.: J-11011/124/2009-IA II (I), DATED: 10/06/2009 OCTOBER 2017 -MARCH 2018

S. NO.	CONDITIONS	REMARKS
2.	The Ministry of Environment and Forests has examined your application. It is noted that M/s. Garden Silk Mills Ltd. have proposed for expansion of Polyester Chips and Polyester Filament Yarn manufacturing unit at Village: Jolwa, Tal.: Palsana, Dist.: Surat in Gujarat. Production capacity of Polyester Chips will increase from 3,92,600 MTPA to 5,45,600 MTPA fully drawn yarn from 19,900 MTPA to 23,000 MTPA. The Ministry has earlier accorded Environmental Clearance for the existing capacity on 7 th April, 2008. The production capacity of polyester oriented yarn will be same as 90,600 MTPA. Capacity of by-products Degraded Polymers (Oligomer) will increase from 27 MTPA to 39 MTPA. The Captive Power generation of existing and proposed plant will be 6.74 MW x 2 Nos., 8.4 MW x 1 No. and 18 MW x 1 No.; 10.5 MW x 1 No. respectively. Out of total proposed polyester chips, 23,000 MTPA will be produced by using the existing manufacturing facilities. Similarly, 3,100 MTPA of fully drawn yarn will be produced by using the existing manufacturing facilities. No ecosensitive areas are located within 10 km radius of the plant. The proposed expansion will be within the existing unit having land area of 20 acres. Cost of the project is 13,275.00 lacs.	We have obtained consolidated consent order no CCA-SRT-863(7)/ID_20700/360995, dated 28/06/2016, valid up to 31/12/2020. CC&A amendment for the Coal based Power Plant (18 MW) vide GPCB letter no.: GPCB/CCA-SRT-863(5)/ID_20700/102858, dated 25 th January 2012. CC&A Amendment for Product Mix was obtained vide GPCB letter no. CCA-SRT-863(5)/ID_20700/120135 dated 1 st Aug 2012. CC&A amendment for 21 MW power plant vide letter no GPCB/CCA-SRT-863(7)/ID_20700/212045 dated 3 rd May 2014. Annexure I - Copy of last valid consent. Production details are as Annexure II.
3.	It is noted that the water requirement will increase from 7,153 m³/d to 8,828 m³/d which will be sourced from the ground water source. The waste water generation will be 3,523.8 m³/day. The domestic effluent will be disposed through septic tank followed by soak pit. The industrial waste water will be treated in the modified effluent treatment plant. The company has existing effluent treatment plant for primary, secondary involving two stage activated sludge process and tertiary treatment facility. The company will provide additional primary and secondary treatment to the existing treatment facility for treatment of additional effluent. The final treated effluent as per the prescribed norms of GPCB/CPCB will be sent to Kadodara Khadi through own existing pipeline that finally meets the Arabian Sea.	We use water from existing bore wells as well as canal. The final treated effluent is sent to Kadodara Khadi as per prescribed norms of GPCB. Analysis report for raw and treated effluent and ETP sludge is enclosed as Annexure III.
4.	Power requirement will be met through Captive Power Plant. One coal based boiler 90 TPH of capacity, one fuel oil fired thermic fluid heating system of 40 Kcal/capacity and one FO engine has been installed. Fuel for the boiler would be 288-360 MTPD of imported/Indian coal and 78 TPD of furnace oil for fuel oil engine and heat transfer fluid system (3 heaters). About 0.34 MTPD of lubricant oil will be used as fuel.	We have obtained consolidated consent order no CCA-SRT-863(7)/ID_20700/360995, dated 28/06/2016, valid up to 31/12/2020. CC&A amendment for the Coal based Power Plant (18 MW) vide GPCB letter no.: GPCB/CCA-SRT-863(5)/ID_20700/102858, dated 25 th January 2012. CC&A Amendment for Product Mix was obtained vide GPCB letter no. CCA-SRT-863(5)/ID_20700/



S. NO.	CONDITIONS	REMARKS
110.		120135 dated 1 st Aug 2012. CC&A amendment for 21 MW power plant vide letter no GPCB/CCA-SRT- 863(7)/ ID_20700/212045 dated 3 rd May 2014.
5.	To control the particulate emissions from the coal fired boiler, electrostatic precipitators with stack height of 90 meter is proposed. Stack height of 60 meter is proposed for FO engine and stack height of 52 meter for Heat Transfer Fluid (common stack for 3 heaters) for dispersion of gaseous emission. To control the fugitive emission, all process pumps, reactors and treatment vessels would have mechanical seals. To strip off gases, stripper columns and off gas treatment tower will be provided. Fly ash conveyers from ESP hopper to silos would be totally enclosed.	Monitoring copy is enclosed herewith as Annexure VI APC system and Adequate stack height has been provided. Fugitive emission (workplace ambient air) monitoring results are enclosed in Annexure VII
6.	Solid waste generation will be in the form of lubricant oil (1,050 MT/Year existing and 0.5 MT/Year, proposed) and HFO sludge (1.2 MT/Year, proposed) will be sold MoEF authorized reprocessors. Catalyst drum lot or additive drum (220 Nos./Month, existing and 140 Nos./Month, proposed) and PP liner lot (150 kg/month, existing and 4.5 MT/M, proposed) will be sold to GPCB authorized vendors. ETP sludge (10.55 MT/M existing and 2.5 MT/M proposed) will be disposed at M/s. NEPL (Naroda Enviro Projects Ltd.). Polymer waste (5.5 MT/M existing and 40 MT/M, proposed). Chip waste (69 MT/M, existing and 6 MT/M, proposed), sweeping PTA waste lot (12 MT/M, existing) and 10 MT/M proposed), FDY-waste (17.5 MT/M, existing) and POY-waste (13.2 MT/M, existing) will be sold to actual end users. The quantity of the polymer waste may be varying due to power failure and break down. Ash (9 MTPD existing and 38-60 MTPD, proposed) will be sold to end-user like RMC (Ready Mix Concrete) plant operators, brick manufacturers, concrete block manufacturers and cement manufacturers etc.	We send our total hazardous/solid waste to TSDF of M/s. BEIL, Ankleshwar, Membership certificate enclosed in Annexure IX Discarded containers will be sold to GPCB authorized Vendors. Polymer waste, Chip waste, Sweeping PTA waste lot, FDY-waste and POY-waste will be sold to actual end users. Fly Ash sold to end-user like RMC (Ready Mix Concrete) plant operators & cement manufacturers etc. last six months Solid waste generation Refer Annexure VIII
7.	The Petrochemical based processing units are listed at Serial No. 5(e) of schedule of EIA Notification, 2006 and categorized under "A" or "B" category depending upon the location of the plant outside or inside the notified industrial area. In the instant case the unit is located outside the notified industrial area, hence it is "A' Category project. The Expert Appraisal Committee (I) considered the project in its 93 rd meeting held on 14-16 th April, 2009 and committee recommended the proposal for grant of environmental clearance as per para 7(ii) of EIA Notification, 2006 exempting the project from public hearing.	
8.	Based on the information submitted by the project proponent, the Ministry Environment and Forests hereby accords environmental clearance to above project under the provisions of EIA Notification, dated 14 th September 2006 subject to the compliance of the following Specific and General Conditions.	
A.	SPECIFIC CONDITIONS:	
i)	The company shall install full-fledged ETP to comply with the GPCB norm for discharge of effluent into sea and all necessary clearances shall also be obtained. The company shall construct a guard pond for treated effluent and shall carry out the bioassay test by collecting the treated	Full-fledged ETP in our premises to bring GPCB prescribed norms. We have constructed a Guard Pond for treated

ď,



S. NO.	CONDITIONS	REMARKS
1101	effluent into the guard pond before discharging into Khadi. The reports shall be submitted to CPCB and Ministry's Regional Office at Bhopal.	effluent. Analysis report by third party is enclosed as Refer Annexure III
ii)	The water consumption shall not exceed 8, 828 m³/d and waste water generation shall not exceed 3,523 m³/d. The company shall install the waste water monitoring facility and records shall be maintained.	Water consumption is always below or equal as per given limits from the board. Water consumption and waste water generation of last six months are enclosed in Annexure IV
iii)	The company shall obtain permission for drawl of ground water from the Central Ground Water Authority/Central Ground Water Board as may be applicable and copy shall be submitted to the Ministry's Regional Office.	We have already obtained permission from Irrigation department to take water for industrial use, having capacity of 1,438 KL/Day and also obtained permission from CGWA enclosed in Annexure V. Monitoring and analysis report of water quality in study area Annexure X.
iv)	Particulate emissions from the coal fired boiler and coal fired heaters shall be controlled by installation of electrostatic precipitators and emissions shall be dispersed through stack of adequate height as per CPCB standards. During use of furnace oil as fuel the company shall ensure the emission of SO ₂ as per the norms prescribed by the SPCB and height of the stacks shall be as per CPCB norms. The company shall provide the monitoring agreement with the stack and regular monitoring shall be carried out and reports submitted to the SPCB, CPCB and Ministry's Regional Office at Bhopal.	We have provided adequate stack height and installed electrostatic precipitators to control emission. We ensure you that our norms will not be increased then the GPCB prescribed norms. Monitoring results reports enclosed in Annexure VI.
v)	The proponent shall upload the status of compliance of the stipulated environmental clearance conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the State Pollution Control Board. The pollutant levels namely, SPM, RSPM, SO2, NOx (ambient levels as well as stack emissions) shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.	We will regularly update it. Monitoring details are as Annexure VI & VII
vi)	Fugitive emissions in the work zone environment, product, and raw material storage area shall be regularly monitored. The emissions shall confirm to the limits imposed by SPCB.	Point is noted. Please refer Annexure VII
vii)	The project authorities shall strictly comply with the rules and regulation and guidelines under Manufacture, Storage and Import of Hazardous Chemicals Rules 1989 as amended Authorization from the SPCB shall be obtained for collection, treatment, storage and disposal of hazardous wastes.	The rules and regulation and guidelines under Manufacture, Storage and Import of Hazardous Chemicals Rules 1989 as amended Authorization from the SPCB are obtained for collection, treatment, storage and disposal of hazardous wastes. Details of last six months hazardous waste are attached in Annexure VIII
viii)	The project authority shall obtain the membership of TSDF within three months for disposal of solid and hazardous waste and copy of the same shall be submitted to the	We have already obtained membership of TSDF of



S. NO.	CONDITIONS	REMARKS
	Ministry and Ministry's Regional Office at Bhopal. The company shall maintain valid member ship.	the disposal of Solid/ Hazardous waste details attached in Annexure IX
ix)	The company shall develop 12,500 sq. m. out of the total area as green belt as per the CPCB guidelines to mitigate the effect of fugitive emissions.	We have completed the Plantation required in around 28000 sq. m. of area within our premises. We are maintaining the plantation.
x)	Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.	Regular medical check- up has been carried out for workers and records are maintained
xi)	The company shall make arrangement for protection of possible fire hazards during manufacturing process in material handling.	We have provided proper arrangement for fire hazards during manufacturing process in material handling and have updated the On-site emergency plan.
В.	GENERAL CONDITIONS	
i)	The project authorities shall strictly adhere to the stipulations made by the SPCB/state government or any statutory body.	We adhere to the stipulations by the GPCB and other relevant statutory body.
ii)	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment and Forests. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required. If any.	No further expansion or modifications in the plant will be carried out without prior approval of the Ministry of Environment and Forests We have obtained consent order no CCA-SRT-863(7)/ID_20700/360995, dated 28/06/2016, valid up to 31/12/2020. CC&A amendment for the Coal based Power Plant (18 MW) vide GPCB letter no.: GPCB/CCA-SRT-863(5)/ID_20700/102858, dated 25 th January 2012. CC&A Amendment for Product Mix was obtained vide GPCB letter no. CCA-SRT-863(5)/ ID_20700/120135 dated 1 st Aug 2012. CC&A amendment for 21 MW power plant vide letter no GPCB/CCA-SRT-863(7)/ ID_20700/212045 dated 3 rd May 2014.
iii)	At no time, the emissions shall exceed the prescribed limits. In the event of failure of any pollution control system adopted by the unit, the unit shall be immediately put out of operation and shall not be restated until the desired efficiency has been achieved.	pollution control system
iv)	The gaseous emissions (NOx, SO2 and SPM) and Particulate matter along with RSPM levels from various	Stack Monitoring results



S. NO.	CONDITIONS	REMARKS
	process units shall conform to the standards prescribed by the concerned authorities from time to time. At no time, the emission levels shall go beyond the stipulated standards. In the event of failure of pollution control systems(s) adopted by the unit, the respective to achieve the desired efficiency. Stack monitoring for SO2, NOx and SPM shall be carried.	Annexure VI
v)	The gaseous emissions (NOx, SO2 and SPM) and Particulate matter along with RSPM levels from various process units shall conform to the standards prescribed by the concerned authorities from time to time. At no time, the emission levels shall go beyond the stipulated standards. In the event of failure of pollution control systems(s) adopted by the unit, the respective unit shall not be restarted until the control measures are rectified to achieve the desired efficiency. Stack monitoring for SO2, NOx and SPM shall be carried.	We have provided adequate stack height to control process emission. Stack monitoring details as Annexure VI
vi)	The locations of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (SPCB) and it shall be ensured that at least one stations is installed in the up wind and downwind direction as well as where maximum ground level concentrations are anticipated.	Ambient monitoring results are attached as Annexure X
vii)	The Overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dbA (day time) and 70 dBA (night time).	Noise levels in and around plant are attached as Annexure XI
viii)	The project proponent shall also comply with all the environment protection measures and safeguards proposed in the project report submitted to the Ministry. All the recommendations made in respect of environmental management measures project shall be implemented.	Complying with all the environment protection measures and safeguards. All the recommendations made in respect of environmental management measures project shall be implemented.
ix)	The company will undertake all relevant measures for improving the Socioeconomic conditions of the surrounding area CSR activates will be undertaken by involving local villages and administration.	CSR activities are carried out and are Complied.
x)	The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.	We undertake eco- developmental measures including community welfare measures in the project area for the overall improvement of the environment.
xi)	A separate Environmental Management Cell equipped with full fledged laboratory facilities shall be set up carry out the Environmental Management and Monitoring functions.	We have provided our separate environment management cell.
xii)	The a project authorities shall earmark adequate funds to implement the conditions stipulated by the Ministry of Environment and Forests as well as the State Government along with the implantation schedule for all the conditions stipulated herein. The funds so provided shall not be diverted for any other purpose.	Funds are earmarked to implement the EMP.
xiii)	The implementation of project vis-à-vis environmental action plans shall be monitored by concerned Regional Office of the Ministry/SPCB/CPCB A six monthly compliance status report shall be submitted to monitoring agencies and	Regularly, we send compliance status to concern authorities.



S. NO.	CONDITIONS	REMARKS
	shall be posted on the website of the Company.	
xiv)	A copy of the clearance letter shall be sent by the proponent to concerned Panchayat, Zila Parisad/ Municipal Corporation, Urban local Body and the local NGO, if any from who suggestions/ representations if any were receives while processing the proposal.	Done on issuance to letter
xv)	The project proponent shall also submit six monthly status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the State Pollution Control Board.	Regularly, we send compliance status to concern authorities.
xvi)	The project proponent shall inform the public that project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with SPCB/Committee and may also be seen at Website of the Ministry at http://envfor.nic.in This shall be advertised within seven days from the date of issue of the clearance letter at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.	Company had already given notice in the local news papers regarding Environ-mental Clearance. It has been advertised in one Gujarati news paper "Sandesh" and one English news paper "Times of India" dated 22/06/'09 and we have informed GPCB and MOEF, too.
xvii)	The project authorities shall inform the regional Office as well as the Ministry, the date of financial closure and final approval of the concerned authorities and the date of start of the project.	Financial closure - 5 th Jan 2011 & project is already commenced and Valid CC&A is already obtained from the GPCB.
9.	The Ministry revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory	Point is noted.
10.	The Ministry reserves the right to stipulate additional conditions, if found necessary the company in a time bound manner will implement conditions.	Point is noted.
11.	Any appeal against this environmental clearance shall lie with the National Appellate Authority, if preferred within a period of 30 days as prescribed under section 11 of the National Environment Appellate Authority Act, 1997	Point is noted.
12.	The above conditions will be enforced, inter-alia the provisions of the Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of water Pollution) Act, 1981 the Environment (Protection) Act, 1986 Hazardous Wastes (Management and Handling) Rules, 2003/ 2008 and the Public Liability Insurance Act, 1991 along with their amendments and rules.	Point is noted.



COMPLIANCE OF AMENDMENT ENVIRONMENTAL CLEARANCE MINISTRY'S LETTER NO.: J-11011/124/2009-IA II (I), DATED 24TH JULY 2012 OCTOBER 2017 -MARCH 2018

S. NO.	CONDITIONS	REMARKS
1	This is in continuation of this Ministry's letter of even no. dated 10.06.2009 and your subsequent communication dated 5.02.2012, 24.04.2012 and 23.05.2012 requesting the Ministry for amendment of environmental clearance dated 10.06.2009 due to increase in the coal requirement from 288-360 MTPD to 328-360 MTPD.	
2	It is noted that in para 4 of environmental clearance of even no. dated 10.06 2009, that fuel requirement for the boiler has been mentioned as 288-360 TPD of Imported/Indian coal. The quantity of coal as per the environmental clearance was based on the following Gross Calorific Value (GCV): i. Gross Calorific Value (GCV) of imported coal 5500kcal/kg and quantity of coal for the 12 TPH boiler = 288 TPD ii. Gross Calorific Value (GCV) of Indian Coal/ lignite = 3800 kcal/kg, Quantity of coal for the 15 TPH boiler = 360 TPD	
3	However, the GCV of actual imported coal received is 3800 kcal/kg and coal requirement is 410 TPD. Due to non availability of Indian coal, company proposes to use lignite along with Indian coal for which the GCV is 3300 kcal/kg. The coal requirement would be 450 TPD. Since the import of coal and coal mining is closed in monsoon season, there is fluctuation in coal availability and hence, it is proposed to use petcoke (20%) as a fuel in combination with Lime (20%) with normal 80% Imported / Indian coal / lignite (328-360 TPD) so that captive power plant can run on full capacity. The company has installed electrostatic participator to control the particulate emissions To control the S0 ₂ emissions; it is proposed to use 20 % of lime mix with Petcoke.	We are not using Petcoke, only Coal and lignite is used as fuel for power plant.
4	The proposal was placed before the Expert Appraisal Committee-1 (Industry) in its meeting held during 29th-30th March, 2012 (p. 326/c). After detailed deliberations, the Committee recommended for amendment in the above environmental clearance to increase the requirement of coal from 288 - 360 MTPD to 328-360 MTPD (80% imported / Indian coal / lignite) and / or to use Petcoke (20% of Petcoke - 90 MTPD and 18 MTPD of lime).	We are not using Petcoke, only Coal and lignite is used as fuel for power plant
5	The Ministry accepts the recommendation of EAC -1 (Industry) for amendment in the above environmental clearance in respect of increase in the coal requirement from 288 - 360 MTPD to 328-360 MTPD (80% imported / Indian coal / lignite) and / or to use Petcoke (20% of Petcoke - 90 MTPD of pet coke and 18 MTPD of lime) as mentioned in para 4 of environmental clearance dated 10.06.2009 subject to stipulation of following additional safeguards:	
	 To control the SO₂ emissions, lime shall be used. The emissions shall be scrubbed with caustic scrubber. 	Not applicable
	Fly ash shall be utilized as per the Fly Ash utilization Notification, 1999 and as amended in 2009	Refer Annexure VIII
	iii. Data on ambient air, stack and fugitive emissions shall be regularly submitted online to Ministry's Regional office at Bhopal, SPCB and Central Pollution Control Board as well as hard copy once in	Display board is placed visible to general public Refer Annexure VI,VII and X



S. NO.	CONDITIONS	REMARKS
	six months and display data on PM ₁₀ , SO ₂ and NOx outside the premises at the appropriate place for the general public.	
	iv. The National Ambient Air Quality Standards issued by the Ministry vide G.S.R. No. 826 (E) dated 16 th November, 2009 shall be followed.	Refer Annexure VII
	v. The project proponent shall also submit six monthly reports on the status of the compliance of the stipulated environmental conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MOEF the respective Zonal Office of CPCB and the SPCB. The Regional Office of this Ministry at Bhopal/CPCB/SPCB shall monitor the stipulated conditions.	We will submit six monthly reports on regular basis.
	vi. The environmental statement for each financial year ending 31 st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental conditions and shall also be sent to the respective Regional Offices of the MOEF by e-mail.	Form V is shown in Annexure XII
	vii. The Company shall submit within three months their policy towards Corporate Environment Responsibility which should inter-alia address (i) Standard operating process/ procedure to being into focus any infringement/deviation/violation of environmental or forest norms/conditions. (ii) Hierarchical system or Administrative order of the Company to deal with environmental issues and ensuring compliance to the environmental clearance conditions and (iii) System of reporting of non compliance/violation environmental norms to the Board of Directors of the company and/or stakeholders or shareholders	Please refer Annexure
6	The company shall comply with all the conditions stipulated vide Ministry's letter of even no. dated 10.6.2009. In future, in case of change in the scope of the project, the company shall obtain fresh environmental clearance.	Noted
	This issue with approval of the Competent Authority.	



COMPLIANCE OF AMENDMENT ENVIRONMENTAL CLEARANCE MINISTRY'S LETTER NO.: J-11011/624/2010-IA II (I), DATED 10TH MAY 2013 OCTOBER 2017 -MARCH 2018

S. NO.			CONDITIO	NS		REMARKS
1	This has reference to your letter no. Nil dated 25.6.2012 along with copies of EIA/EMP report seeking environment clearance under the provisions of EIA Notification, 2006.					
2						
3	The belo	existing and the w:	ne proposed	configuration	on are given	We have obtained consolidated consent
		Name of Products	Existing (MTPA)	Proposed (MTPA)	Total (MTPA)	order no CCA-SRT- 863(7)/ID_20700/360995,
	2.	Polyester Chips Polyester Filament Yarn (PFY)			3,33,524	dated 28/06/2016, valid up to 31/12/2020. CC&A amendment for deletion of PSF vide
	a.	Partially Oriented Yarn (POY)	2,28,192		2,28,192	letter No. GPCB/CCA/SRT-863(7)/ID_20700/333334, dated 01/12/2015.
	b.	Fully Drawn Yarn (FDY)	97,484		97,484	CC&A amendment for the Coal based Power Plant (18 MW) vide GPCB letter
	3.	Poly Staple Fiber (PSF)		1,08,000	1,08,000	no.: GPCB/CCA-SRT- 863(5)/
		al (TPA)	6,59,200	1,08,000	7,67,200	ID_20700/102858, dated
	a.	Degraded Polymer (Oligomer)	39	10	49	25 th January 2012. CC&A Amendment for Product Mix was obtained vide GPCB letter no. CCA-
	5.	Electric Power				SRT-863(5)/ ID_20700/
	a.	N. G. Based Captive Power Plant				120135 dated 1 st Aug 2012. CC&A amendment for 21
		& II (MW)	13.49 (2 X 6.745)		13.49 (2X 6.745)	MW power plant vide letter no GPCB/CCA-SRT-
		ii. Phase-		21	8.4 39 MW	863(7)/ ID_20700/212045 dated 3 rd May 2014. Annexure - I - Copy of
	6.	Coal Based Captive Power Plant		21	39 MW	last valid consent. Production details are as Annexure II.
4	The power requirement of 21 MW for the proposed expansion which will be met from the coal based captive power plant. D.G. sets (1x200 KVA and 1x500 KVA) will be used as a standby arrangement.			Power generation details are shown in Annexure II		
5	It is noted that to control the air emissions the unit will install Electro Static Precipitator to control air pollutants. The stacks will be attached to the air pollution control equipments to disperse the air pollutants to the satisfactory levels. Preventive maintenance of air pollution control				ESP is attached to stack of Power plant. Regular preventive maintenance of ESP is carried out o avoid major beak done. Green	



S. NO.	CONDITIONS	REMARKS
	equipment will be done regularly. A thick greenbelt is developed all around the plant boundary to act as noise attenuator. Water sprinkling will be done to control the dust emissions.	belt is developed. Water sprinkling is carried out regularly.
6	The total water requirement for the proposed expansion will be 3291 m³/day, which will be met through Canal water. The wastewater generation is 1350.6 m³/day which will be treated in the Effluent Treatment Plant.	The water requirement is shown Annexure IV , permission from irrigation department is shown in annexure V .
7	It is noted that all hazardous wastes will be handled carefully and stored in scientifically designed and constructed hazardous waste storage area within the premises. The empty containers of hazardous raw materials and Used/spent oil will be sent to GPCB registered dealer. The ETP sludge shall be sent to TSDF site for disposal through covered vehicle and process waste shall be sold to end-users.	Separate hazardous waste storage area is prepared. Details waste generation shown in Annexure VIII
8	All the manmade fibres manufacturing (Rayon) are listed at S. No. 5(d) under Category 'A' of the Schedule of EIA Notification, 2006 and appraised at the Central level.	-
9	The proposal was considered by the Reconstituted Expert Appraisal Committee (Industry) in its 4 th meeting held during 8-9 th January, 2013. The Committee recommended the proposal for environmental clearance subject to stipulation of specific conditions along with other environmental conditions. Public Hearing / Public Consultation meeting was conducted by the Gujarat Pollution Control Board on 7.6.2012.	
10	Based on the information submitted by you, presentation made by you and your consultant M/s En-vision Enviro Engineers Ltd., Surat, the Ministry of Environment and Forests hereby accords environmental clearance to the above project under the provisions of EIA Notification dated 14th September 2006 subject to strict compliance of the following Specific and General conditions:	•
i.	Electro Static Precipitator shall be installed to control particulate emission from the coal fired heater. The gaseous emissions from the coal fired heater shall be dispersed through stack of adequate height and emissions shall conform to the prescribed standards.	ESP is installed at CFH, the stack emission details are shown in Annexure VI
II.	The sulphur and ash content in the coal to be used in the captive power plant shall not exceed 0.5% and 6-8% respectively. The Gross Calorific Value of coal shall not be less than 3900 kcal/kg. In case of variation of coal quality at any point of time, fresh reference shall be made to the Ministry for amendment of the condition, whenever necessary.	We ensure of using coal with specified Sulphur and ash content. Coal with 3900 GCV will be used.
III.	Gaseous emission levels including secondary fugitive emissions from all the sources shall be controlled within the latest permissible limits issued by the Ministry vide G.S.R. 414(E) dated 30th May, 2008 and regularly monitored. Guidelines / Code of Practice issued by the CPCB should be followed.	Workplace emission monitoring and results are shown in Annexure VII
iv.	The total water requirement shall not exceed 3291 m ³ /day and permission shall be obtained to draw the canal water from the State irrigation department.	Water requirement is shown in Annexure IV
٧.	The process effluent shall be treated in the effluent treatment plant. After primary and secondary treatment, the treated effluent shall be discharged into Kadodara Khadi through pipeline after confirming to the prescribed standards. Water from polystaple fibre unit shall be used for green belt development.	Details of characteristics of raw effluent and treated effluent is shown in Annexure III



S. NO.	CONDITIONS	REMARKS
vi.	Efforts shall be made to make use of rain water harvested. If needed, capacity of the reservoir should be enhanced to meet the maximum water requirement. Only balance water requirement shall be met from other sources.	Two recharge wells are provided for rainwater harvesting system and ground water recharge.
vii	Risk & Disaster Management Plan along with the mitigation measures shall be prepared and a copy submitted to the Ministry's Regional Office at Bhopal, SPCB and CPCB within 3 months of issue of environment clearance letter.	Risk and DMP is prepared will be submitted through separate letter.
viii.	As proposed, green belt shall be developed in 33 % of the total land area. Selection of plant species shall be as per the CPCB guidelines in consultation with the DFO.	Green belt development has been done in the project area. Around 460 trees has been planted out.
ix.	Occupational health surveillance of the workers should be carried out as per the prevailing Acts and Rules.	Regular occupational health surveillance are carried out for worker and records are maintained as per Act and certificate from CIH is attached as Annexure XIV
x.	At least 5 % of the total cost of the project shall be earmarked towards the Enterprise Social Commitment based on locals need and item-wise details along with time bound action plan should be prepared and submitted to the Ministry's Regional Office at Bhopal. Implementation of such program should be ensured accordingly in a time bound manner.	CSR activity carried out for the last year is shown in Annexure XV
xi.	The company shall provide housing for construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.	Necessary infrastructure was provided during construction phase
В.	GENERAL CONDITIONS:	
i.	The National Ambient Air Quality Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16 th November, 2009 should be followed.	Monitoring of ambient air within study area of project site has been carried the results are shown in annexure X
ii.	The project authorities must strictly adhere to the stipulations made by the Gujarat Pollution Control Board and the State Government.	Noted and following the stipulation in NOC and CC&A
iii.	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment and Forests.	Noted
iv.	At least four ambient air quality monitoring stations should be established in the downward direction as well as where maximum ground level concentration of PM10, S02 and NOx are anticipated in consultation with the SPCB. Data on ambient air quality and stack emission shall be regularly submitted to this Ministry including its Regional Office at Bhopal and the SPCB/CPCB once in six months.	Data on ambient air quality and stack emission are shown in annexure VI and annexure X
v.	Industrial wastewater shall be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19 th May, 1993 and 31 st December, 1993 or as amended form time to time. The treated wastewater shall be utilized for plantation purpose.	The final treated effluent is sent to Kadodara Khadi as per prescribed norms of GPCB. Analysis report for raw and treated effluent and ETP sludge is enclosed as Annexure III
vi.	The overall noise levels in and around the plant area shall be kept well within the standards (85 dBA) by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The	Noise monitoring within premises at different location was carried out and results are shown in



S. NO.	CONDITIONS	REMARKS
110.	ambient noise levels should conform to the standards prescribed under EPA Rules, 1989 viz. 75 dBA (daytime) and 70 dBA (nighttime).	annexure XI
vii.	Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.	Regular occupational health surveillance are carried out for worker and records are maintained as per Act and certificate from CIH is attached as Annexure XIV
viii.	The company shall develop rain water harvesting structures to harvest the rain water for utilization in the lean season besides recharging the ground water table.	Two recharge wells are provided for rainwater harvesting system and ground water recharge.
ix.	The project proponent shall also comply with all the environmental protection measures and safeguards recommended in the EIA/EMP report. Further, the company must undertake socio-economic development activities in the surrounding villages like community development programmes, educational programmes, drinking water supply and health care etc.	CSR activity carried out for the last year is shown in Annexure XV
x.	Requisite funds shall be earmarked towards capital cost and recurring cost/annum for environment pollution control measures to implement the conditions stipulated by the Ministry of Environment and Forests as well as the State Government. An implementation schedule for implementing all the conditions stipulated herein shall be submitted to the Regional Office of the Ministry at Bhopal. The funds so provided shall not be diverted for any other purpose.	Funds are earmarked to implement the EMP.
xi.	A copy of clearance letter shall be sent by the proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban Local Body and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the web site of the company by the proponent.	We have informed to the concerned. Clearance letter is updated on website.
xii.	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of the MOEF at Bhopal. The respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; PM10, S02, NOx (ambient levels as well as stack emissions) or critical Sectoral parameters, indicated for the projects shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.	We will submit six monthly reports on regular basis. Display is near the main gate of the company
xiii.	The project proponent shall also submit six monthly reports on the status of the compliance of the stipulated environmental conditions including results of monitored data (both in hard copies as well as by e-mail) to the Regional Office of MOEF, the respective Zonal Office of CPCB and the SPCB. The Regional Office of this Ministry at Bhopal / CPCB / SPCB shall monitor the stipulated conditions.	We will submit six monthly reports on regular basis.
xiv.	The environmental statement for each financial year ending 31st March in Form-V, as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental conditions and shall also be sent to the respective Regional Office of the MOEF	Form V is shown in Annexure XII



S. NO.	CONDITIONS	REMARKS	
	at Bhopal by e-mail.		
xv.	The Project Proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB and may also be seen at Website of the Ministry of Environment and Forests at http://envfor.nic.in. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same should be forwarded to the Regional office at Bhopal.	It has been advertised in one Gujarati news paper "Dhabkar" and one English news paper "Times of India" dated 22/05/13 and we have informed to the regional office at Bhopal.	
xvi.	Project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of commencing the land development work.	CA certificate for the same is enclosed as Annexure XVI	
10.	The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	Point noted.	
11.	The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.	Point noted.	
12.	The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous Wastes (Management, Handling and Transboundary Movement) Rules, 2008 and the Public (Insurance) Liability Act, 1991 along with their amendments and rules.	Point noted.	



LIST OF ANNEXURE

Annexures	Particulars		
Annexure I	Copy of last valid CC&A and CTE		
Annexure II Production details for last six months			
Annexure III	ETP, Raw and treated water analysis report		
Annexure IV	Fresh Water Consumption and effluent generation for last six months		
Annexure V	Water permission from Canal Water & CGWA for Ground water		
Annexure VI	Stack Monitoring Reports		
Annexure VII Analysis report of Workplace Air Monitoring			
Annexure Solid waste generation in last six months & ETP sludge analysis report			
Annexure IX	exure IX Membership certificate with BEIL, Ankleshwar		
Annexure X	Ambient air quality and Ground and surface water monitoring report in study area		
Annexure XI Noise monitoring report			
Annexure XII	Environment Statement (Form-V)		
Annexure XIII Policy for Corporate Environment Responsibility			
Annexure XIV	Certificate of Occupational Health Surveillance		
Annexure XV	CSR project and its details		
Annexure XVI	CA certificate financial closure		



COPY OF LAST VALID CONSENT



GUJARAT POLLUTION CONTROL BOARD

FARYAVARAN BHAVAN

Sector 10-A, Gandhinagar 382 010

Phone : (079) 23226295 Fax : (079) 23232156

Website : www.gpcb.gov.in

Date:

CCA-Amendment (No. AH-84101)

NO: GPCB/CCA-SRT-863(7)/ID-20700/

TO.

M/s. Garden Silk Mills Ltd.(Cp. Div)

Plot 10:- 196,197,124/A,202-5,225/7,229,230,

Johna:- 394705.

Tal:- Palsana, Dist:- Surat.

SUB: Amendment in the consolidated consent & Authorization of the Board.

REF: 1) CCA order No: – AWH-79190, Dated-25/05/2016 under various Environmental Acts/Rules.
2) This office CTE-amendment order no:- GPCB/CCA-SRT-863(7)/ID-20700/354412. Dtd:-02/05/2016.

3) Your CCA Amendment Application Inward ID No.115040 dated 17/11/2016.

In exercise of the power conferred under section-25 of the Water (Prevention and Control of Pollution) Act-1974, under section-21 of the Air (Prevention and Control of Pollution)-1981 and Authorization under rule 3(c) & 5(5) of the Hazardous Waste (Management, Handling and Transboundary Movement) Rules-2008 & framed under the Environment (Protection) Act-1986, The Board has granted CCA vide order No. AWH-79190 issued vide this office letter no: GPCB/CCA-SRT-863(7)/ID-20700/360995 dated 28/06/2016, valid up to 31/12/2020.

The Board has right to review and amend the conditions of the said CCA order.

The said CCA order is further amended as below.

- This order shall be read as CCA-Amendment Order No. AH-84101 date of issued 10/02/2017 valid up to 31/12/2020.
- 2. The condition No-2 of the said CCA order is amended as below

The consents shall be valid up to 31/12/2020 for use of outlet for the discharge of trade effluent &
emission due to operation of industrial plant for manufacture of the following items/products;

Sr. No.	Product	Quantity as per CCA dated: 28/06/2016	Quantity as per CTE- Amendment dated:-02/05/2016	Total Quantity after CCA Amendment
1.	Polyester Chips	3,33,524 Tonne/Year	-	3,33,524 Tonne/Year
2.	Polyester Filament Yern			
	Partially Oriented Yarn (POY)	2,28,192 Tonne/Year	1.	2,28,192 Tonne/Year
	Fully Drawn Yahr (FDY)	97,484 Tonne/Year	-7,695.2 Tonne/Year	89,788.8 Tonne/Year
3.	By-Product Degraded Polymer (Oligomer)	39.0 Tonne/Year	-1.0 Tonne/Year	38.0 Tonne/Year
4.	Nylon Filament Yarn	-	7328 Tonne/Year	7328.0 Tonne/Year
5.	By-Product Nylon Yarn Waste	-	367.2	367.2 Tonne/Year
	Total:	6,59,239 Tonne/Year	-1.0 Tonne/Year	6,59,238 Tonne/Year

OMs. Garden Silk Mills Ltd. (Cp. Div) (ID-20700)

Clean Gujarat Green Gujarat

ISO-9001-2008 & ISO-14001 - 2004 Certified Organisation



	Electric Power			
	N. G. based Captive Power Plant i) Phase – 1& II	13.490 MW (2 x 6.745)	-	13.490 MW (2 x 6.745)
	ii) Phase - III	8,400 MW	-	8.400 MW
	Coal based Power Plant	18.0 & 21.0 MW	-	18.0 & 21.0 MW

SUBJECT TO THE FOLLOWING CONDITIONS: -

There shall be no increase in pollution load as per undertaking dated:- 22/03/2016.

 The rest of the conditions of the CCA order no:- AWH-79190 , Dated:-25/05/2016 shall remain unchanged. You are directed to comply with these conditions judiciously.

 There shall be no change in existing quantity of Air emission & Hazardous Waste data due to propose CCA-Amendment.

- 3. The condition No-3 of the said CCA order is amended as below:
 - 3. CONDITIONS UNDER WATER ACT, 1974;

3.1. Source of water: Borewell.

3.2. The quantity of the fresh water consumption for industrial purpose, after CCA-Amendment, shall be reduced from 10065 KL/Day to 110063 KL/Day.

3.3. There shall be no change in existing quantity of the water consumption for domestic purpose(99 KL/Day), a flor CCA-Amendment.

3.4. The quantity of the industrial effluent to be generated from the manufacturing process and other ancillary industrial operations, after CCA-Amendment, shall be reduced from 4143.4 KL/Day to 4136.4 KL/Day.

3.5. There shall be no change in existing quantity of the domestic waste water (Sewage)(76 KL/Day), after CCA-Amendment.

3.6. Industry shall provide fixed pipeline with flow meter for the reuse of effluent and maintain its records.

3.7. The applicant shall operate sewage treatment system efficiently so that treated effluent from the industrial unit shall conform to the norms mentioned below.

PARAMETERS	GPCB NORMS
PH	6.5 TO 8.5
Temperature	40° C
Colour (pt.co.scale) in units	100 units
Suspended Sollds	100 mg/1
Oil and Orease	10 mg/l
Chlorides	600 mg/l
Sulphate	1000 mg/l
BOD (3 days at 20°C)	30 mg/l
COD	100 mg/l
Total Dissolved Solids	2100 mg/l
Phenolic compounds	1 mg/1
Sulphides	2 mg/l
Ammonical Nitrogen	50 mg/l
Total Chromium	2 mg/i
Hexavelent chromium	0.1 mg/l

8. The final treated domestic effluent conforming to the above standards shall be reused upto maximum extent & remaining shall be discharged into Kadodara Khadi through closed pipeline upto final discharge point. The applicant shall provide storage tank of adequate capacity to store treated effluent during rainy season for at latest 7 days.

M/s. Garden Silk Mills Ltd.(Cp. Div)(ID-20700)



3.9. Domestic effluent shall be disposed off through septic tank/soak pit system.

3.10. The unit shall install meters for measuring category wise (category as given in water cess Act-1977 Schedule- II) consumption of water.

5. The rest of the conditions of the above referred CCA order shall remain unchanged. You are directed to comply with these conditions judiciously.

> For and on behalf of Gajarat Pollution, Control Board

> > **Environmental Engineer**

Outemand Mo. Ao Gader





GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN

Sector 10-A, Gandhinagar 382 010

Phone : (079) 23226295

"Consent to Establish" (CTE-77971)

Fax

: (079) 23232156

Website : www.gpcb.gov.in

NO: GPCB/CCA-SRT-863(7)/ID_20700/

M/a. Gazelari Silk Mills Ltd.(Cp. Div) Plot No:- 193,197,124/A,202-5,225/7,229,230, John: 394705, Tal.- Palsana, Dist:- Surat.

> Sub: Consent to Establish (NOC) Amendment under Section 25 of Water Act 1974 and Section 21 of Air Act 1981

Ref : 1) Your application no. 98257 received Dated . 28/08/2015

Witnout prejudice to the powers of his Board under the Water (Frevention and Control of Poliution) Act-1974, the Air Act-1981 and the Environment (Protection) Act-1988 and without reducing your responsibilities under the said Acts in any way, this is to inform you that this Board grants Consent to Establish-Amendment for setting up of an industrial plant/activities at Plot No:- 193,197,124/A,202-5,225/7,229,230, Johna:- 394705, Tal:-Palsana, Dist- Surat.for the manufacturing of the following items -

SR. NO.	Product	EXISTING QUANTITY	PROPOSED CHANGES	TOTAL QUANTITY
1,	Polyester Chips	3,33,524 Tonne/Year	1-0x	3,33,524 Tonne/Year
2.	Polyester Filament Yam		n	
	Partially Oriented Yam (POY)	2,28,192 Tonne/Year	1.	2,28,192 Tonne/Year
	Fully Drawn Yam (FDY)	97,484 Tonne/Year	-7,895.2 Tonne/Year	89.788.8 Tonne/Year
3.	By-Product Degraded Polymer (Oilgomer)	39.0 Tonne/Year	-1.0 Tonne/Year	38.0 Tonne/Year
4.	Nylon Filament Yarn	- 0.1	7328 Tonne/Year	7328.0 Tonne/Year
5.	By-Product Nylon Yam Waste	- 0	367.2	367.2 Tonne/Year
	Total:	6,59,239 Tonne/Year	-1.0 Tonne/Year	6,59,238 TonnelYear
6.	Electric Power	''		
	N. G. based Captive Power Plant i) Phase – J& II	(3.490 MW (2 × 6.745)	-	13.490 MW (2 x 6.745)
	ii) Phase - III	8.400 MW	-	8.400 MW
	Coal based Power Plant	18.0 & 21.0 MW	-	18.0 & 21.0 MW

SUBJECTITO THE FOLLOWING CONDITIONS: -

The validity of this order will be up to five years i.e.5/4/2021.

There shall be no increase in pollution load as per undertaking dated:- 22/03/2016.

M/s. Garden Silk Mills Ltd.(Cp. Div)(ID_20700)

Clean Gujarat Green Gujarat

ISO-9001-2008 & ISO-14001 - 2004 Certified Organisation





CONDITIONS UNDER WATER ACT 1974:

- The quantity of the industrial effluent to be generated and discharge from the manufacturing process and other ancillary industrial operations shall not exceed 10063 KL/Day.
- 2. The quantity of domestic waste water shall not exceed 99 KL/day.
- The quantity of water to be used for the mig. Process and other ancillary industrial operation shall not exceed 4136 KL/Osy
- The effluent treatment plant consisting of the following units as proposed by you shall be installed.
 - Holding tank
 - Equalization tank
 - Neutralization tank
 - Screen channel
 - Flash mixer
 - Fiocculation tank
 - Primary sattling tank
 - Aeration tank
 - Primary clanifier
 - Secondary darifier
 - Clarifier water tank
 - Pressure litter
 - Activated carbon filter
 - Treated water sump
 - Sludge sump
- 5. The quality of industrial effluent shall conform to the following standards: (Whichever is applicable)

	1 1
PARAMETERS	GPCB NORMS
PH	6 TO 8.5
Suspended Solids	100 mg/l
Oil and Grease	10 mg/l
Total Dissolved Solids	2100 mg/l
Phenolic Compounds	1 mg/l
Sulphides	2.0 mg/
Ammonical Nitrogan	50 mg/l
Total Chromium	2 mg/l
Hexavelent Chromiten	0.1 mg/l
BOD (5 days an 20°C)	30 mg/l
COO 14	700 mg/t
Chlorides	600 mg/l
Sulphale	1000 mg/l

- The treated efficient conforming to the above standards shall be discharged into Kadodara Khadi through closed pipeline upto final discharge point.
- Domestic waste water shall be disposed through septic tank/scale pit system.

CONDITIONS UNDER AIR ACT 1981;

8. A There shall be no new addition existing Flue gas stack and process emission Stack.

M/s. Garden Silk Mills Ltd.(Cp. Div)(ID 20700)

M



CONDITIONS UNDER HAZARDOUS WASTE:

- Applicant shall have to comply with provisions of Hazardous Waste (Management & Handling & Irans houndary Movement) Rules-2008 as amended from time to time.
- 10.1 The applicant shall obtain membership of common TSDF site for disposal of Haz. Waste as calegorized in Hazardous Waste (Management & Handling & trans boundary Movement.) Rules-2008 as amended from time to time.
- 10.2 The applicant shall obtain membership of common Haz. Waste incinerator for disposal of incinerable waste.
- 10.3 The applicant shall provide temporary storage facilities for each type of Haz. Waste as per Hazardous. Waste (Management & Handling & frans boundary Movement.) Rules-2008 as amended from time to time.

GENERAL CONDITION:

- 11. Adequate plantation shall be carried out all along the perphery of the industrial pramises in such a way that the density of plantation is alleast 1000 trees per acre of land and a green ball of 3 meters width is developed.
- The applicant shall have to submit the returns in prescribed form regarding water consumption and shall have to make payment of water cess to the Board under the Water Cess Aut. 1977.
- In case of change of ownership/management the name and address of the new owners /partners/ directors/ proprietor should immediately be intimated to the Board.
- 14. The applicant shall however, not without the prior consent of the Board bring into use any new or aftered outlet for the discharge of effluent or gaseous emission or sewage waste from the proposed industrial plant. The applicant is required to make applications to this Board for this purpose in the prescribed forms under the provisions of the Water Act-1974, the Air Act-1981 and the Environment (Protection) Act-1985.
- The applicant also comply with the General conditions as per Annexure -1 attached herewith (No.1 to 38) (whichever applicable).
- 16. The concentration of Noise in ambient ar within the premises of industrial unit shall not exceed following levels:

Between 6 A.M. and 10 P.M. 775,d5(A) Between 10 P.M. and 6 A.M. 70 dB(A)

Applicant is required to comply with the manufacturing, Storage and Import of Hazardous Chemicals Rules-1989 framed under the Environment (Protection) Act-1986.
 If it is established by any competent authority that the damage is caused due to their industrial activities.

18. If it is established by any competent authority that the damage is caused due to their industrial activities to any person or his property in that case they are obliged to pay the competent authority.

For and on behalf of GUJARAT POLLUTION CONTROL BOARD

(K.C.Mistry) Senior Environmental Scientist

M/s. Garden Silk Mills Ltd.(Cp. Div)(ID 20700)

3



PRODUCTION DETAILS FOR LAST SIX MONTHS:-

s.	PRODUCT		NAME OF THE MONTH										
No.		Oct. 2017	Nov 2017	Dec 2017	Jan2018	Feb 2018	March 2018						
1.	Polyester Chips (MT)	19967.46	18984.81	19011.64	20545.48	17987.02	19852.49						
2.	POY (MT)	6833.87	6902.70	7935.59	7922.03	6990.32	7798.92						
3.	FDY (MT)	3640.82	2788.80	3918.43	3813.43	3684.94	3856.22						
4	NYLON (MT)	243.251	18.288	219.181	118.051	19.502	166.395						
4.	CPP (MW) (Power generation)	28579.520	22123.580	28122.500	27943.700	24892.400	27667.600						



				Results for Month: October 2017							
	Parametei		Limit	ET	P 1	ET	P 2	ETP	CPP		
S. No.		Unit	(Outle	Inlet	Outlet	Inlet	Outlet	Inlet	Outlet		
)	Date	Date	Date	Date	Date	Date		
				28.10.201	28.10.201	28.10.201	28.10.201	04.10.201	04.10.201		
1	рН	pH Unit	6.5 - 8.5	7.20	7.17	8.51	7.53	7.08	6.78		
2	Temperat ure	° C	40	29.0	29.0	29.0	29.0	33.0	33.0		
3	Color	Pt. Co Scal e	100	60.0	50.0	80.0	40.0	60.0	50.0		
4	Total Suspende d Solids	mg /	100	52.0	42.0	64.0	38.0	42.0	36.0		
5	Total Dissolved Solids	mg /	2100	2866	2056	3418	2074	5924	2084		
6	Biochemic al Oxygen Demand for 3 days at 27°C	mg /	30	75.0	9.0	570	18.0	75.0	27.0		
7	Chemical Oxygen Demand	mg /	100	256	32.0	1760	64.0	224.0	96.0		
8	Oil & Grease	mg /	10	ND	ND	ND	ND		ND		
9	Ammonica I Nitrogen	mg /	50	ND	ND	ND	ND		ND		
10	Phenolic Compound s	mg /	1.0	ND	ND	ND	ND		ND		
11	Chlorides (as Cl ⁻)	mg /	600	950	586	1620	578	2679	592		
12	Sulphate (as SO ₄ ')	mg /	1000	300	320	342	262	470	260		
13	Sulphide (as S ⁻)	mg /	02	ND	ND	ND	ND		ND		
14	Hexavalen t Chromium	mg /	0.1	ND	ND	ND	ND		ND		



					Resul	ts for Mont	h: Novemb	er 2017	
			Limit	ET	TP 1	ET	P 2	ETP	CPP
s.	Parameter	Unit)	Inlet	Outlet	Inlet	Outlet	Inlet	Outlet
No				Date	Date	Date	Date	Date	Date
				10.11.201 7	10.11.201 7	10.11.201 7	10.11.201 7	04.11.201 7	04.11.201 7
1	рН	pH Unit	6.5 - 8.5	6.60	7.33	5.83	6.86	7.94	7.41
2	Temperatur e	° C	40	30.0	30.0	30.0	30.0	29.0	29.0
3	Color	Pt. Co Scal e	100	50.0	40.0	50.0	40.0	80.0	60.0
4	Total Suspended Solids	mg /	100	54.0	48.0	52.0	42.0	48.0	32.0
5	Total Dissolved Solids	mg /	2100	1456	2084	3472	1758	3670	2040
6	Biochemical Oxygen Demand for 3 days at 27°C	mg /	30	15.0	9.00	585	9.00	9.0	6.0
7	Chemical Oxygen Demand	mg /	100	48.0	32.0	1808	32.0	32.0	16.0
8	Oil & Grease	mg /	10						ND
9	Ammonical Nitrogen	mg /	50						ND
1	Phenolic Compounds	mg /	1.0						ND
1	Chlorides (as Cl ⁻)	mg /	600	580	586	1400	588	950	584
1 2	Sulphate (as SO ₄ ⁻)	mg /	1000	112	220	300	160	320	360
1 3	Sulphide (as S ⁻)	mg /	02						ND
1 4	Hexavalent Chromium	mg /	0.1						ND



					Result	s for Mont	h: Decemb	er 2017	
			Limit	ET	P 1	ET	P 2	ETP	CPP
S.	Parameter	Unit	(Outle	Inlet	Outlet	Inlet	Outlet	Inlet	Outlet
No)	Date	Date	Date	Date	Date	Date
				28.12.201 7	28.12.201 7	28.12.201 7	28.12.201 7	12.12.201 7	12.12.201 7
1	рН	pH Unit	6.5 - 8.5	6.81	7.02	6.71	7.17	7.06	7.11
2	Temperatur e	° C	40	29.0	29.0	29.0	29.0	28.0	28.0
3	Color	Pt. Co Scal e	100	60.0	40.0	60.0	50.0	60.0	40.0
4	Total Suspended Solids	mg /	100	72.0	56.0	62.0	48.0	48.0	32.0
5	Total Dissolved Solids	mg /	2100	2824	1984	2734	2014	3846	1920
6	Biochemica I Oxygen Demand for 3 days at 27°C	mg /	30	175	24.0	702	27.0	24.0	15.0
7	Chemical Oxygen Demand	mg /	100	560	80.0	2240	90.0	80.0	48.0
8	Oil & Grease	mg /	10						ND
9	Ammonical Nitrogen	mg /	50						ND
1	Phenolic Compound s	mg /	1.0						ND
1	Chlorides (as Cl ⁻)	mg /	600	950	582	1080	588	1880	580
1 2	Sulphate (as SO ₄ ⁻)	mg /	1000	218	212	206	175	372	336
1 3	Sulphide (as S ⁻)	mg /	02						ND
1 4	Hexavalent Chromium	mg /	0.1						ND



					Resul	ts for Mon	th: Januar	y 2018	
_			Limit	ET	P 1	ET	P 2	ETP	CPP
S. No	Parameter	Unit	(Outle	Inlet	Outlet	Inlet	Outlet	Inlet	Outlet
NC)	Date	Date	Date	Date	Date	Date
				29.01.201 8	29.01.201	29.01.201	29.01.201	12.01.201	12.01.201
1	рН	pH Unit	6.5 - 8.5	6.17	6.41	6.81	7.14	7.35	7.17
2	Temperatur e	° C	40	29.0	29.0	29.0	29.0	28.0	28.0
3	Color	Pt. Co Scal e	100	50.0	40.0	60.0	50.0	50.0	40.0
4	Total Suspended Solids	mg /	100	88.0	64.0	68.0	54.0	56.0	46.0
5	Total Dissolved Solids	mg /	2100	2154	2038	1800	2010	3838	2010
6	Biochemica I Oxygen Demand for 3 days at 27°C	mg /	30	297	21.0	525	27.0	27.0	15.0
7	Chemical Oxygen Demand	mg /	100	976	64.0	1728	96.0	80.0	48.0
8	Oil & Grease	mg /	10	ND	ND	ND	ND		ND
9	Ammonical Nitrogen	mg /	50	2.80	1.12	1.68	0.56	155	ND
1	Phenolic Compound s	mg /	1.0	ND	ND	ND	ND		ND
1	Chlorides (as Cl ⁻)	mg /	600	730	592	920	586	1700	582
1 2	Sulphate (as SO ₄ ')	mg /	1000	194	224	178	256	272	424
1	Sulphide (as S ⁻)	mg /	02	ND	ND	ND	ND		ND
1 4	Hexavalent Chromium	mg /	0.1	ND	ND	ND	ND		ND



					Result	s for Mont	h: Februar	y 2018	
			Limit	ET	P 1	ET	P 2	ETP	CPP
s.	Parameter	Unit	it(Outle	Inlet	Outlet	Inlet	Outlet	Inlet	Outlet
No				Date	Date	Date	Date	Date	Date
				19.02.201 8	19.02.201 8	19.02.201 8	19.02.201 8	13.02.201	13.02.201 8
1	pH	pH Unit	6.5 - 8.5	6.94	7.12	7.06	7.27	7.47	7.08
2	Temperatur e	° C	40	32.0	32.0	32.0	32.0	32.0	32.0
3	Color	Pt. Co Scal e	100	120	60.0	60.0	40.0	50.0	40.0
4	Total Suspended Solids	mg /	100	110	72.0	68.0	58.0	60.0	42.0
5	Total Dissolved Solids	mg /	2100	2824	2014	2550	2048	2720	2012
6	Biochemica I Oxygen Demand for 3 days at 27°C	mg /	30	1200	21.0	1050	27.0	18.0	10.0
7	Chemical Oxygen Demand	mg /	100	4032	64.0	3408	88.0	64.0	32.0
8	Oil & Grease	mg /	10						ND
9	Ammonical Nitrogen	mg /	50						ND
1	Phenolic Compound s	mg /	1.0	1					ND
1	Chlorides (as Cl ⁻)	mg /	600	850	584	900	586	650	570
1 2	Sulphate (as SO ₄ ⁻)	mg /	1000	220	195	180	200	185	340
1	Sulphide (as S ⁻)	mg /	02						ND
1	Hexavalent Chromium	mg /	0.1			:==			ND



					Resu	Its for Mo	nth: March	2018	
200			Limit	ET	P 1	ET	P 2	ETP	CPP
S.	Parameter	Unit	(Outle	Inlet	Outlet	Inlet	Outlet	Inlet	Outlet
No)	Date	Date	Date	Date	Date	Date
				26.03.201 8	26.03.201 8	26.03.201 8	26.03.201 8	09.03.201 8	09.03.201 8
1	pН	pH Unit	6.5 - 8.5	5.78	6.96	7.03	6.95	7.14	7.34
2	Temperatur e	о с	40	29.0	29.0	29.0	29.0	30.0	30.0
3	Color	Pt. Co Scal e	100	70.0	40.0	40.0	30.0	60.0	50.0
4	Total Suspended Solids	mg /	100	128	78.0	64.0	54.0	52.0	48.0
5	Total Dissolved Solids	mg /	2100	2630	2010	3460	2046	5640	2046
6	Biochemica I Oxygen Demand for 3 days at 27°C	mg /	30	705	21.0	630	27.0	15.0	9.00
7	Chemical Oxygen Demand	mg /	100	2320	64.0	2080	88.0	48.0	32.0
8	Oil & Grease	mg /	10						ND
9	Ammonical Nitrogen	mg /	50						ND
1	Phenolic Compound s	mg /	1.0						ND
1	Chlorides (as Cl ⁻)	mg /	600	980	576	1370	584	1900	586
1 2	Sulphate (as SO ₄ -)	mg /	1000	205	263	271	228	380	280
1	Sulphide (as S ⁻)	mg /	02						ND
1 4	Hexavalent Chromium	mg /	0.1						ND



ANALYSIS REPORT OF (FISH POND)

_			Limit (Outle	Results								
S. No	Parameter	Unit		October 28.10.20 17	Nov. 10.11.20 17	Dec. 28.12.20 17	January 29.01.20 18	February 19.02.20 18	March 26.03.20 18			
1	рН	pH Unit	6.5 - 8.5	7.37	7.38	7.47	7.26	7.31	7.29			
2	Temperat ure	° C	40	29.0	30.0	29.0	29.0	32.0	29.0			
3	Color	Pt. Co Scal e	100	60.0	40.0	50.0	50.0	80.0	50.0			
4	Total Suspende d Solids	mg/ L	100	48.0	38.0	42.0	72.0	92.0	88.0			
5	Total Dissolved Solids	mg/ L	2100	1986	2038	2036	2042	2060	2078			
6	Biochemic al Oxygen Demand for 3 days at 27°C	mg/ L	30	15.0	6.00	21.0	9.0	27.0	27.0			
7	Chemical Oxygen Demand	mg/ L	100	48.0	16.0	64.0	32.0	96.0	96.0			
8	Oil & Grease	mg/ L	10	ND			ND		ND			
9	Ammonica I Nitrogen	mg/ L	50	ND	**		ND		ND			
1	Phenolic Compoun ds	mg/ L	1.0	ND			ND		ND			
1	Chlorides (as Cl ⁻)	mg/ L	600	572	578	590	570	580	592			
1 2	Sulphate (as SO ₄)	mg/ L	1000	248	178	160	264	190	271			
1 3	Sulphide (as S)	mg/ L	02	ND			ND		ND			
1 4	Hexavalen t Chromium	mg/ L	0.1	ND			ND		ND			



ANNEXURE - IV

FRESH WATER CONSUMPTION AND EFFLUENT GENERATION FOR LAST SIX MONTHS

PRODUCT	NAME OF THE MONTH (Avg M ³ /Month)										
PRODUCT	Oct. 2017	Nov 2017	Dec 2017	Jan2018	Feb 2018	March 2018					
		Water	consumptio	on							
Production (CP)	89528	95934	83437	120548	79352	124095					
Power plant KL	179843	126990	175972	179549	160688	164851					
		Wastew	ater genera	tion							
Production (CP)	20872	17521	18179	19324	7698	10605					
Power plant KL	22357	16196	22290	22879	17219	20819					



માર્ડન ખેલક મીત્સ લિમ્ટિડ, દ્રોળવા ના પદ્યમાણા, જિ. સુવત-વાલાણા લાંચની આવડી દર ૩૫ પરથી પાણી ઉપાડવાની તેમજ નદેરની મંપાદિત જગીનમાં નદેરને સગતર પાડેપલાઇન પસાર કાવાની તૈજાંતિક પરવાનગી આપવા જાખત

m. I.

9396

नुश्रमात सरकार

નગંદા, હળસંત્રતિ, પાણી પુરવદા અને કશ્યસર વિભાગ, કણવ ક્રમાંક:ડબલ્યુટીઆર/૨૦૧૦/૧૧/પી સસ્ત્રિયાલય, ગાંધીનગર તા.પ્//૧૨/૨૦૧૦

વેચાણે લીધો:-

(૧) મધીશક ઇએનેસ્પી, મુરત સિંગાઇ વર્તુળ, મુસ્તના પત્રો કચાંક:
(અ! મુસિંગ/પીબી-૨/ડબલ્યુટીઅર/ગાર્ડન સિંહ મિલ્સ/૪૭૮/૨૯૯૫,તા. ૫/૧/૨૦૧૦.
(ભ! સુસિંગ/પીબી-૧/૩૯૯૫ુટીઅર/ગાર્ડન સિલ્ડ/૧૦૩૪/૬૬૭૨,તા. ૨૮/૧૦/૨૦૧૦.

 ગાર્ડન સિંહ્ક મીલ્સ લિગ્ટિડનો કાર્યપાલક ઇજનેટથી, સુરત નહેર વિભાગ, સુરતને સંભેથીને લખેલ તા. ૨૨/૧૦/૨૦૦૯નો પત.

BRRE

મુરત સિંચાઇ વર્તુળ હસ્તકના શ્રર્યપાલક ઇલનોલી, સુરત નહેર વિભાળના કાર્યક્ષેત્રમાં ગાર્ડન સિલ્ક મીલ્સ બ્રિપિટડને તેમનો કંપનીના સુરત લિશાના મોલેક એલવા, તા પલસણા, હિ સુરત ખાતેના બ્લોક તં:ર૦૨,૧૯૬ પર આવેલ તેમના પ્લન્ટ પાતેથી પ્રસાર થતી ૧૨ આર લખ માઇનોર એલ ચલ્લાણ પ્રાંચમાંથી પોલીએસ્ટર પાર્નના ઉત્પાદન અર્થે લાપિક પરપ૦૦૦ થન મીટર પાણી આપવા મોટે સંદર્ભ (૧) સામેના પત્રથી માંગણે કરેલ જે સંબંધે અવીશક ઇલ્લેસ્સ, સુરત સિંચાક વર્તુળ, સુરત એ સંલ્લે (૧) સામે દાર્વિલ પત્રોથી ૧૯૮૦ મીટર દૂર આવેલ ચલવાણ બ્રાંચની આરડી ૧૨.૩૫ પરથી દેનિક ૧૪૩૮.૩૫ લન્સીટર (૦.૩૧૬ એમ છ.ડી) પાણી ઉપાડવાની પરવાનથી આપવા તેમજ તે પાણી ઉપાડવાના હેતુથી નોરની સંપાદિત લગીનમાં નહેરને સમાંતર પાઇપકાઇન પસાર કરવાની પરવાનથી આપવા લગાના આપવા અલાગણ કરેલ.

ઉડત કંપનીએ કરેલ માંગણી સંબંધે અધીશક ઇજનેરથી, તુરત સિંમાઇ જાંૃંગ, યુરત એ સંદર્ભ (૧) સાવે દર્શાવેલ પત્રથી રજૂ કરેલ લલામણ સહિતના અધિપ્રાય મહેવાલમાં દર્શાવેલ બધ્યતોને ધ્યાને લઈને, તે સંબંધે થયેલ વિચારભાને અંતે, ગાર્ડન શિલ્મ મીલ્સ લિમિડિલે કંપનીના ઉડત સર્વે નંબરથી ૧૧૮૦ મીટર (૧ ખાવેલ ચલવાણ લાંચની ચારડી ૧૧.૩૫ ૧૨થી દૈનેક ૧૪૩૮, ૩૫ ઘનમીટર (૦.૩૧૬ એમ.છ.ડી) પાણીની જથ્યો કંપનીના સ્વબર્ચે ઉપાડવા માટે આ વિવાસના તા.૩/૨/૨૦૦૦ના કરાય ક્રમાંક: કબ્લ્યુરીઆઇ/૨૦૦૫/ ૪૧/પી ની શરતોને અધીન તેમણ બધીશક ઇજનેટલીના મત્રમાં દર્શાવેલ વિચતો/શરતોનું બ્રુસાયણે પાલન કરવાની શરતે રૈસ્ટોલિક વંજુરી સામયામાં આવે છે.

પક્ષ્મી ઉપડવાની આ શૈસાંતિક પરવાનગી સંબંધે વાસ્તવિક રીતે પાણી ઉપાડતાં પહેલાં નીચે દર્શવેલ શસ્તોનું સ્વતરીતે પાલન કરવાનું સંશે

fage 1 of 1

Y 25/12

3

SKI



- (૧) પાણી ઉપાડતાં પહેલાં માન્ય સંસ્થાનું વોટરમોડર મુકવાનું સ્ટેશે તેમજ તે વોટરમીટરનું દર વર્ષે કેલીહેશન કરાવી લેવાનું રહેશે અને તે બાબતે વિભાગીય કચેરી ક્યાએ નિયમિત અરાઇ કરી લેવાની રહેશે.
- (૨) આ સાથે સામેલ «સરનામાના મુસદામાં, નીમે દરાવિલ બાબતોને ધ્યાને લઇને દિન-૧૫માં મહીસાલ કરાવી ત્રેવાના સોરો.
 - ા કરાર રસ્તી વખતે મુસદાયાંની ખલી જગ્યાખો તસ્ત જ પૂરી લેવી.
 - ઉક્ત કંપનીએ કરદનામાં પર મહીસિસ્દા કરવા માટે અધિકૃત કરેલ હોય તેવા અધિકૃત અને સક્ષર અધિકારી શાર્ષ જ સહીલિકા કરવાના રહેશે.
 - અત્રેકી પંજુર કરવામાં આવેલ કરારનામાન. યુસદામાં પરકારથીની પૂર્વમંજૂરી વિના કોઇપણ સુધારા/વધારા/રિફાર કરવા નહિ.
 - સાલીવિયા થયેલ કરારનામાની એક નકલ અંગે મોકલવી અને પ્રમાણિત કરવું કે સાલીવિયા થયેલ કરારનામું સચ્છો મંતૃર કરેલ મુસણ મુલબ જ છે.
- 3. ગાર્ડન સિલ્ક મિસ્ત લિમિટેડને પાણી ઉપાડવાની ઉક્ત સૈઢાંતિક પરવાનગી સંબંધે તે પાણી ઉપાડવાના હેતુપી લ ચલચણ બ્રાંચ નહેરની ૧૨ અત્ર સબ માઇન્ડોરની સંપાદિત લખીનમાં અવડી ૪.૨ થી ૧૨૮૦ મીડની લંબાઇમાં નહેરને સપાંતર ,કંપનીના સ્વખર્ચે પાઇપલાઇન ૧સાર કરવા નીચેની સરતોને આપીન સૈઢાંતિક પરવાનથી આપવામાં આવે છે.
 - (૧) ગુજરાત અહેર બાંધકામ નિયમ સંગ્રહમાં જણાવ્યા ગુજબ તેમજ સસ્કારશીના આ બાબતમાં વખતોવખતના પરિયત્રમાં જણાવેલ બાબતોને ધ્યાને રાત્રવાની રહેશે તેમજ પરિયત્ર ક્રમાંક: ડખલ્યુરીઆર/૧૦૯૩/૧૦૯૩/૨૨/પી, તા.૮/૪/૦૯ ની સસ્તોનું તેમજ સમયાંતર પ્રસિદ્ધ થતી સુચનાઓનું ચુસ્તપારી પાલન કરવાનું સ્ટેશે:
 - (ર) નોટીફાર્ડડ થયેલ ન હોય તેવી નડીઓ માટે મહેલુલ વિભાગનો સંપર્ક કરવાનો રહેશે. વિભાગ લાગ નોટીફાર્ડડ થયેલ ન કોય તેવી નહીંઓના કોસિંગ મોટે અંગ્રેથી મંજૂરી આપી શકાય નહીં.
 - (૩) સંબંધિત અધીસક ઇલ્લ્નેરશીએ પધરેખાની થકાસણી કરીને વધ ઘટ કોસિંગ માટે અલગ દરખાસ્ત કરવાનો રહેશે
 - (૪) સદર ૧૭૫ લાઇન ક્રોસિંગ થી લ્યાત પોજના કે સ્થિત યોજના કે નહેરને ક્રોઈ વિપક્તિ અસર થતી નથી તે બાબતની સક્ષમ કરાયએ ખરાઇ કરાવી લેવાની રહેશે
 - (4) કોસિંગ દીઠ વિગતવાર પરવાનથી અધીક્ષક દેજનેરશ્રીએ નિયત પત્રકમાં આપવાની રહેશે. તથા પરવાનેદાર સાથે જરૂરી કરારતાનું પણ નિયત ફી લઇને અદયથી કરવાનું રહેશે.
 - (દ) મધ્યત્ર્ય આલેખન તંત્રનો અભિપ્રાય મેળત્વનો રહેશે તેમજ મધ્યત્ર્ય આલેખન તંત્ર દ્વારા અપાયેલ સૂચનો/અભિપ્રાય ધ્યાને લઇ સલાયતીની તત્રાય જવાબદારી સંબંધિત એજન્સીની વહેશે.
 - અધીસક ઇજનેરશ્રેની કરખાસ્ત્રમાં કરાંબેલ પસ્તોનું પાલન કરવાનું રહેલ.
 - (૮) સંબંધિત વિસ્તારમાં થનાર કેઇપણ વિકાસ કામ સહિતના કામો સંબંધે કોઇપણ કોસિંગનો કર બદલવાની લગ્નર જણાય ત્યારે, ઉક્ત કંપ-રિંગે તેના ખર્ચે અને એખમે વિના વિલંગે કુટ બદલવાનો સ્ક્રેરે, જે બાબતે સરકારશીની કોઇપણ પ્રકારની જવાબદારી રહેશે નહીં. આ બાબતનો સ્પષ્ટ ઉદેખ કરારનાચામાં યોગ્ય રીતે કરવાનો રહેશે.

Page 2 x13



આ કોસિંગના તમાત્ર સ્થળે એ તે કંપનીએ તેમની કંપનીના નજ , પાઈપલાઈનવા મકાર, પદાર્થ, લંબાઈ વર્તર સ્પષ્ટ વિચતો કરામિતું બોર્ડ નડલસ્થ ન અને તે કીલે લગાવવાનું પ્રોમેટ ગુજરાતના રાજ્યપાલન ફુક્રાથી અને તેમના નામે, (વી.કેન.પોલ) Charte Con york ઉપસચિવ(જવસંદ્રને) નમંદા, જ.સં., યા. યુ. અને કલ્પસર વિભાગ પતિ, ्राधीयड **उ**च्चेत्रही, मुत्रम सिंब्ह्ड कर्नुक, ગઠવા લાઇન્સ, સુરત નક્સ રચાના: (જાજ અને જરૂરી કાર્યવારી અથે) • अर्थभासाः स्थानेस्त्री पुरत नहेर विभाग, विशाह भवन, रहवा साईन्स, स्ता • ડીસ્ટર, માર્ડ- સિલ્ક મિલ્સ ત્રિમિટેડ, સ્કાલ મેટ, મુસ્ત કલ્પ ૦૧૦. • सिक्स्ट भागस्



Garden Silk Mills Linited, Johna, Taluka Palsana, District Surar Regarding permission in principle of parallel pipeline for lifting water besides the canal in the acquired land for canal from Chalthan Branck Ardi 62.35

GOVERNMENT OF GUJARAT

Narmaca, Water, Water Quantity and Kalpasur Department Resolution No. WTR/2010/11/P Sachiva ay, Gandhinagar Date: 14.12.2010

13/1/2010

Date 10 Dec 2010 No. - 1972 A.E. A.M.18/12 Branch: PB-2

Read:-

 Supertintendent Engineer, Surat Irrigation Circle, Surat Letter Ne. (a) SSV/PR/-2/WTR/Carden Silk Mills/438/2895 dt. 5.5.2010

(b) S3V/PB-2/WTR/Garden Silk/074/6677 dt. 28.10.2010
(2) Letter written by Garden Silk Mills Limited to Executive Engineer, Surat Canal Region, Surat dt. 22.10.2009

Orler-

Gurden Silk Mills Limited had asked to obtain 525000 echie nucleus of water per annum from 12 R Sub Minor Ex Chaltman Branch canal for production of Polyester Yam through a letter (2) to Executive Engineer, Surat Canal Division under the Surat Region of trigation Circle. With respect to it the Superintencing Engineer had sent his recommendations to allow lifting of 1438-35 Cubic Meter (0.36M.G.D.) per day from Chalthan Branch Antiation 1286 Meters away from the said company and to lay a parallel pipeline in the land acquired in canal purpose.

2. Perusing the recommendations of the Superintendent Engineer, Surat Irrigation Crole Sunt Letter (1) and his opinion, after discussion, a bject to the conditions/retails shown in the tener of Superintendent Engineer, Surat permission in principle is given to Guiden Siik Mills Limited Company to lift 1438.35 Cubic Metres (0.316 M.G.D) daily from Chalthan Branch RD 62.35 about 1280 meters at their own expenses vide Resolution dt, 3,2,2007 bearing No. WTR/2005/41/P.

Before lifting water actually by this permission following conditions have to be strictly followed.



- (1) Before lifting water, water meter of recognized body must be installed and this water meter is to be caliberated each year and must be approved by the divisional office.
- (2) Considering the following points the attached agreement is to be executed within fifteen days
 - (1) At the time of agreements the blanks are to be filled.
 - (2) Execution by the officer of the company is to be done by the authorized signatory only.
 - (3) No charges are to be made in the agreement without prior permission of Government
 - (4) Certified copy of the agreement is to be sent here and it must be according to the draft sent by government.
- Subject to conditions, Gardes Silk Mills Limited is given permission in principle for laying a parallel pipe line from 4.2 RD to 1280 meters parallel to the canal from Chalthan Branch Canal R Sub Minor from the acquired land, at their own expenses.
 - (1) Will have to keep in mind the provisions of Gujarat Public Construction Rules and the circulars of the State from time to time and will have to follow the conditions mentioned in Circular No. WTR/1097/1083/22/P dt.8.4.09 and the conditions that may be published then after.
 - (2) For the rivers not notified Revenue Department is to be contacted. For crossing the rivers not notified permission cannot be given from here.
 - (3) After checking the line by concerned Superintending Engineer, a separate application must be given.
 - (4) It mus be verified by competent levels that by this pipe line crossing no present or proposed plan is adversely affected.
 - (5) Superintending Engineer shall have to give separate permissions per crossings and will have to execute separate agreements for it by charging prescribed fee.
 - (6) Will have to obtain opinion of the Central Draft Commission and considering its opinion all the responsibility will be of the concerned agency.
 - (7) Will have to follow the conditions mentioned in the application to Superintending Engineer.

own expenses and Government will not be responsible in whatsoever way. This is to be specifically muntioned in the agreement.

(9) At all the crossings, company shall have to put up boards bearing name of company, nature of pipeline, length ste, such that it does not obstruct.

By and in the name of the Governor SD/-V.N.Patel Deputy Sachive (Water Resources) Narmada W., W.W and Kalpasar Department

Enclosures - As above

Fo Superinterding Engineer Surat Irrigation Circle Athwalines Surat

Ce: (For information)
Executive Engineer
Serat Canal Division
Sinchal Bhavan,
Athwa Lines Sarat

Director Garden Silk Mil's Limited, Sahara Gate Surea, 395010 Select File



ANNEXURE - V (Cont.)



Regional Director

पारत सरकार केन्द्रीय भूगि पल प्राधिकरण पल संगधन जीतालय

Gavernment of India Central Ground Water Authority Ministry of Water Resources

CKIWA/IND/Phij/2811-1145

Dated:

BONDY 2011

器 0 WOV 2011

No.21-4(875)/MCR/CGWA/2011-1-1-61

76

Mis Garden Silk Mills, Ltd. Garden Mills Compound, Samma Cate, Scraf. 395010. Guarat.

Sub: NDC for ground water withdrawal by M/s Barden Silk Mills Ltd., (CP Division – Johns) in respect of their proposed expansion of polyester chips and filament yarn production and setting up of captive power plant phase (V), at village Julwa, P ot No. 202-5, 225-7, 229, 235, 196, 197 & 124 A, Tehnii Palsana, District Surat, Gujarat – reg.

754

Kindly relat to your letter dated 25.9.2009 on the above cited school based on recommendations of Regions Director, Cantrol Ground Water Board, West Central Region, Ahmedabad vide their office letter no. 17819/WCR CGW00014 1452 dated 8.08111 and further deliberations on the subject the NOC of Cartrol Ground Water Authority is heavily accordance with Sarden Silk Mills Ltd. (CP Division - Johns) in respect of their proposed expansion of polyester chips and flament yarn production and setting up of captive power plant (phase IV), at village Johns, Pfot No. 202-5, 225-7, 229, 230, 196, 197-8, 128 A, Tohis Palsana District Surat, Gujerat. The NOC is, inoverse succept to the following candisons.

 The firm may abstract 1675 m²/day of ground water (in addition to the existing ground water withdrawal or 7153 m²/day and not extending the complative extraction of ground water of 3069830 m²/year: through existing seven (7) and proposed four (4) tubewalls only. No additional ground water abstraction structures to be constructed for this purpose without prior approval of the C/GV/M

The wells to be litted with water meer by the firm at its own cost and monitoring of ground water stistraction to be undertaken accordingly on regular basis, at loast once in a month. The ground water quality to

West Block - 2, Wing - 3, Sector - 1, R.K. Puram, New Delhi - 110265 for C11-26175362, 26176373, 36176319 - Fax: O11-26176369 Website: www.opelingov.in, www.mowe.goschi.

with gallog total gives special and conserve water - Save Life



ANNEXURE - V (Cont.)

tile manifered twice in a year during pre manifere and post monecompensate.

- 4 M/s Garden 58k Mittle Ltd., shall, in consultation with the Regional Director, Central Ground Water Besind, West Central Region, Ahmeddabad implement ground water nuclearing measures to the ture of 1.30,309 m lyear, for augmenting the ground water resources of the area.
- The photographs of the recharge structures after completion of the same are to be furnished immediately to the Regional Director. Central Grand Water Spard, West Central Region, Ahmedabad for ventigation and under intrination to this office.
- 5. The term of its own cost shall install percomplets at suitable locations and execute ground water regime monitoring programme in and around the project once on regular basis in consultation with the Cambral Ground Water Board, West Central Region, Ahmedabad.
- the ground water monitoring data in respect of S. No. 2 8 5 to be submitted to Central Ground Water Board, West Gentral Region Ahmedabad on regular basis at least once mayeur.
- 7 The firm shall ensure proper recycling and reuse of waste water after associate treatment.
- Action taken report in respect of 5: No. 1 to 7 may be submitted to CGWA within one year period.
- 9 The permission is finish to be cancelled in most of non-compliance of any of the conditions as mentioned in S. No. 1 to 8.

Ayun A Su

Copy for information to:

- The Director U. A. Qivision). Ministry of Programment and Forests. Personation Bhovoir, CGO Complex, Fodia Road, New Dietra 110003.
- The Member Secretary, Custost Pollution Control Board, Sector 10 A. Gandhiningar 35/2043, Guiarat
- The Regional Director Central Ground Wider Beam, West Central Region Almedabad This has reference to your letter no. 17849 WCR rCCAVBAS14-1462 dated 8-08-11.
- 5 To to Chairman, Central Ground Water Beard, Bhujal Bluwenn, Fundated.

Regional Director



ANALYSIS REPORT OF STACK:-

Month: October- 2017

			Stack Location		
S. No.	Parameters	Unit	Heater (CP- 1, 2)	Heater (CP - 4, 5)	Thermal Power Plant
			28.10.2017	28.10.2017	28.10.2017
1	Fuel		Coal	Coal	Coal
2	Temperature of Flue Gas	° C	129	130	133
3	Average Flue Gas Velocity	m/sec	5.51	5.46	5.42
4	Suspended Particular Matter	mg/Nm³	144.1	127.1	62.7
5	NO _X	ppm	6.90	6.70	6.70
6	SO ₂	ppm	17.4	14.9	16.7

Month: November - 2017

			Stack Location				
S. No.	Parameters	Unit	Heater (CP- 1, 2)	Heater (CP - 4, 5)	Thermal Power Plant		
			10.11.2017	10.11.2017	10.11.2017		
1	Fuel		Coal	Coal	Coal		
2	Temperature of Flue Gas	° C	126	-	131		
3	Average Flue Gas Velocity	m/sec	5.47	-	5.39		
4	Suspended Particular Matter	mg/Nm³	148.7	20	63.1		
5	NO _X	ppm	7.40	-	6.10		
6	SO ₂	ppm	18.7	-	17.1		

Month: December- 2017

				Stack Locatio	n
S. No.	Parameters	Unit	Heater (CP- 1, 2)	Heater (CP - 4, 5)	Thermal Power Plant
			28.12.2017	28.12.2017	28.12.2017
1	Fuel		Coal	Coal	Coal
2	Temperature of Flue Gas	° C	126	133	134
3	Average Flue Gas Velocity	m/sec	5.48	5.52	5.36
4	Suspended Particular Matter	mg/Nm³	142.8	131.4	66.4
5	NO _x	ppm	7.40	6.40	6.70
6	SO ₂	ppm	17.1	15.7	16.7

ANNEXURE - VI (Cont.)

ANALYSIS REPORT OF STACK:-

Month: January 2018

				Stack Location	ack Location		
S. No.	Parameters	Unit	Heater (CP- 1, 2)	Heater (CP - 4, 5)	Thermal Power Plant		
			29.01.2018	29.01.2018	29.01.2018		
1	Fuel		Coal	Coal	Coal		
2	Temperature of Flue Gas	° C	126	129	132		
3	Average Flue Gas Velocity	m/sec	5.47	5.42	5.31		
4	Suspended Particular Matter	mg/Nm³	141.1	129.7	62.7		
5	NO _X	ppm	7.40	6.40	6.10		
6	SO ₂	ppm	16.7	15.2	15.4		

Month: February 2018

				Stack Location			
S. No.	Parameters	Unit	Heater (CP- 1, 2)	Heater (CP - 4, 5)	Thermal Power Plant		
			19.02.2018	19.02.2018	19.02.2018		
1	Fuel		Coal	Coal	Coal		
2	Temperature of Flue Gas	° C	129	131	131		
3	Average Flue Gas Velocity	m/sec	5.44	5.49	5.36		
4	Suspended Particular Matter	mg/Nm³	143.4	136.3	64.8		
5	NO _x	ppm	7.10	6.70	6.40		
6	SO ₂	ppm	16.8	16.4	16.7		

Month: March 2018

				Stack Location	on
S. No.	Parameters	Unit	Heater (CP- 1, 2)	Heater (CP - 4, 5)	Thermal Power Plant
			26.03.2018	26.03.2018	26.03.2018
1	Fuel		Coal	Coal	Coal
2	Temperature of Flue Gas	° C	126	133	133
3	Average Flue Gas Velocity	m/sec	5.41	5.46	5.32
4	Suspended Particular Matter	mg/Nm³	141.3	132.4	65.7
5	NO _X	ppm	7.40	6.40	6.70
6	SO ₂	ppm	17.2	15.3	14.6



ANALYSIS REPORT OF WORKPLACE AIR MONITORING:-

Month: October 2017

				Results				
S. No.	Parameter	Davamator Unit Limit	NEAR RO PLANT	NEAR LABORATORY	NEAR SPINING CP- 4/5			
				Date	Date	Date		
				28.10.2017	28.10.2017	28.10.2017		
1	Duration of Survey	hours	-	8	8	8		
2	PM ₁₀	microgram / m ³	100	61.5	63.2	61.1		
3	NO _X	microgram / m³	80	7.70	5.70	6.10		
4	SO ₂	microgram / m³	80	5.40	4.70	4.40		

Month: November 2017

					Results		
S. No.	Parameter	Unit	Limit	NEAR ET PLANT	NEAR FISH TANK	NEAR CP-1/2	
			Date	Date	Date		
				10.11.2017	10.11.2017	10.11.2017	
1	Duration of Survey	hours	-	8	8	8	
2	PM ₁₀	microgram / m ³	100	58.7	60.2	62.9	
3	NO _x	microgram / m ³	80	7.10	6.10	6.70	
4	SO ₂	microgram / m³	80	5.10	4.90	5.40	

Month: December 2017

				Results			
S. No.	Parameter		NEAR RO PLANT	NEAR MAIN GATE	NEAR LABORATORY		
				Date	Date Date		
				28.12.2017	28.12.2017	28.12.2017	
1	Duration of Survey	hours		8	8	8	
2	PM ₁₀	microgram / m³	100	60.1	64.8	63.1	
3	NO _x	microgram / m ³	80	7.40	6.40	7.40	
4	SO ₂	microgram / m ³	80	5.70	5.10	5.70	



ANALYSIS REPORT OF WORKPLACE AIR MONITORING:-

Month: January 2018

					Results	
S. No.	Parameter	Unit	Limit	CP-1/2	CP-4/5	NEAR SPINING CP- 4/5
				Date	Date	Date
				29.01.2018	29.01.2018	29.01.2018
1	Duration of Survey	hours		8	8	8
2	PM ₁₀	microgram / m ³	100	63.1	66.7	62.3
3	NO _x	microgram / m ³	80	7.10	6.10	6.70
4	SO ₂	microgram / m ³	80	5.10	4.90	5.10

Month: February 2018

				Results				
S. No.	Parameter	Unit	Limit	NEAR RO PLANT	NEAR MAIN NEAR FISH GATE TANK			
				Date	Date	Date		
				19.02.2018	19.02.2018	19.02.2018		
1	Duration of Survey	hours		8	8	8		
2	PM ₁₀	microgram / m ³	100	62.4	66.7	61.2		
3	NO _X	microgram / m ³	80	7.10	6.10	7.10		
4	SO ₂	microgram / m ³	80	5.40	4.70	5.40		

Month: March 2018

					Results	
S. No.	Parameter	Unit	Limit	NEAR ET PLANT	NEAR LABORATORY	NEAR SPINING CP- 4/5 Date
				Date	Date	
				26.03.2018	26.03.2018	26.03.2018
1	Duration of Survey	hours	-	8	8	8
2	PM ₁₀	microgram / m ³	100	62.7	59.8	63.7
3	NO _x	microgram / m ³	80	7.40	6.10	6.70
4	SO ₂	microgram /	80	5.70	5.40	5.10



DETAILS OF SOLID WASTE GENERATION:-

SR.	SOLID WASTE			мо	NTH		
NO	GENERATIO N	Oct. 2017	Nov 2017	Dec 2017	Jan2018	Feb 2018	March 2018
1.	Waste Oil (Litre)	0	29	49	0	0	0
2.	Sweep PTA Waste (Kgs)	0	0	9630	0	0	9360
3.	Catalyst Drum (Nos.)	295	320	221	558	140	319
4.	PP Liner (Kgs)	2400	3730	4780	3980	2990	4390
5.	Polymer Waste (Kgs)	44320	21740	40700	35350	67760	102190
6.	Chips Waste (Kgs)	6370	0	0	0	0	0
7.	YARN Waste (Kgs)	133900	176720	160780	220710	133140	168810
8.	NYLON Waste (Kgs)	19550	7430	6630	10780	6160	12340
9.	Fly Ash (MT) for CP Div	582.84	392.69	589.94	778.5	423.03	542.19
10.	Fly Ash (MT) for CPP Div	1845.502	1666.68	1800.037 5	1696.042 5	1453.177 5	1680.51
	Total	209263.3	212028.3	225179.9 8	273852.5 4	212066.2 1	299631.7 0

^{*}Fly Ash disposed to following vendors:

- Ramdev Bricks, Plot No. 51, Village. Tantithaiya, Tal. Palsana, Dist. Surat.
 Classics Concretes Products, 435/3-5, Behind Hotel Bhagyoday, N.H.No. 8, Bambhora Patia, Kim Char Rasta, Tal. Mangrol, Dist. Surat.

DETAILS OF HAZARDOUS WASTE:-

SR. NO.	SOLID			NAME OF T	HE MONTH	1	
	WASTE GENERATION	Oct. 2017	Nov 2017	Dec 2017	Jan2018	Feb 2018	March 2018
1.	ETP Sludge (MT)	3.5	3	4	3.5	4	4

SLUDGE MANIFEST

DESCRIPTION	MANIFEST DATE	QUANTITY	NAME OF TSDF	MANIFEST NO.
	05/01/2018	6.04	BEIL- DAHEJ	640415
ETP Sludge	19/03/2018	14.7	BEIL- DAHEJ	676179



ANNEXURE - VIII (Cont.)

ANALYSIS REPORT OF ETP SLUDGE ANALYSIS: - OCTOBER 2017 - DECEMBER 2017

			OCTOBER 2017		NOVEME	BER 2017	DECEMBER 2017	
S. No	Parameter	Unit	ETP 1 &	ETP CPP	ETP 1 & ETP 2	ETP CPP	ETP 1 & ETP 2	ETP CPP
			Date	Date	Date	Date	Date	Date
			28.10.201	04.10.2	10.11.201	04.11.201	28.12.20	12.12.20
			7	017	7	7	17	17
1	pH	pH Unit	7.67	7.64	7.56	7.76	7.72	7.61
2	Temperature	° C	29.0	29.0	28.0	28.0	27.0	27.0
3	Total Dissolved Solids	gm / kg	13.2	12.8	13.6	11.6	12.8	12.1
4	Biochemical Oxygen Demand for 3 days at 27°C	gm / kg	3.00	0.90	3.00	0.60	6.00	0.90
5	Chemical Oxygen Demand	gm / kg	8.00	2.40	8.00	1.80	16.0	3.20
6	Oil & Grease	gm / kg	ND	ND	ND	ND	ND	ND
7	Phenolic Compounds	gm / kg	ND	ND	ND	ND	ND	ND
8	Hexavalent Chromium as Cr +6	gm / kg	ND	ND	ND	ND	ND	ND
9	Total Chromium as Cr	gm / kg	0.0092	0.0096	0.0088	0.0091	0.0096	0.0087

ANALYSIS REPORT OF ETP SLUDGE ANALYSIS: - JANUARY - MARCH 2018

			JANUA	RY 2018	FEBRUA	RY 2018	MARCH	MARCH 2018			
s.	Parameter	Unit	ETP 1 & ETP 2	ETP CPP	ETP 1 & ETP 2	ETP CPP	ETP 1 & ETP 2	ETP CPP			
No ·	No		Date		Date	Date	Date	Date	Date	Date	
			29.01.201	12.01.201	19.02.201	13.02.20 18	26.03.201	09.03.2 018			
1	рН	pH Unit	7.72	7.52	7.64	7.41	7.76	7.67			
2	Temperature	° C	28.0	28.0	29.0	29.0	28.0	28.0			
3	Total Dissolved Solids	gm / kg	12.8	12.6	13.4	13.4	12.6	14.8			



4	Biochemical Oxygen Demand for 3 days at 27°C	gm / kg	3.00	0.60	3.00	0.90	2.10	1.20
5	Chemical Oxygen Demand	gm / kg	8.00	2.40	8.00	3.20	6.40	4.80
6	Oil & Grease	gm / kg	ND	ND	ND	ND	ND	ND
7	Phenolic Compounds	gm / kg	ND	ND	ND	ND	ND	ND
8	Hexavalent Chromium as Cr +6	gm / kg	ND	ND	ND	ND	ND	ND
9	Total Chromium as Cr	gm / kg	0.0084	0.0091	0.0092	0.0086	0.0084	0.0092

ND- Not Detectable





BHARUCH ENVIRO INFRASTRUCTURE LIMITED

Date 19.03-2015

To, Garden Silk Mills Ltd. (C.P. Division) Plot No.196,197,124/A,202-5,225/7,229,230, Village Jolwa, Taluka Palsana, Dist: Surat.

Sub : Membership Certificate for Common Solid Waste Disposal Facility.

Dear Sir,

We hereby certify that you have become member for the common Solid/Hazardous waste disposal facility of Bharuch Enviro Infrastructure Ltd., at GIDC, Ankleshwar. You have booked solid waste quantity of 25 MT/year. You have also paid your capacity commitment charges. Your Membership No. is Oth/503.

Waste will be accepted after submitting valid authorization of GPCB.

Thanking you,

Yours faithfully,

FOR BHARUCH ENVIRO INFRASTRUCTURE LTD.

AUTHORISED SIGNATORY

CIN No.: U45300GJ1997PLC032696

Works Office: Plot No. 9701-16 GIDC Estate, Post Box No. 82, Ankleshwar 393 002, Dist.; Bharuch (Gujarat)

Phones (92649) 253136, 225229 - Fax : (92649) 222949 - E-mail ; panjwanla@uniphos.com

Regd. Office: Plot No. 117-118, GIDC Estate, Ankleshwar 393 002, Dist.: Bharuch. (Gujarat)



AMBIENT AIR QUALITY, GROUND AND SURFACE WATER MONITORING REPORT IN STUDY AREA

Analysis report of Ambient Air Monitoring:-

Month - DECEMBER - 2017

Secretary and the con-	He common adults of the	Duration	PM10	PM2.5	NOx	S02	
S. No.	Location	Location of Survey (Hours)	Microgram/m	microgram/m ³	microgram/m ³	microgram/m	
1	Project Site	8	71.4	42.4	16.7	14.2	
2	Jolwa	8	69.7	40.3	15.7	12.4	
3	Tantithiya	8	68.9	39.4	16.7	13.4	
4	Dastan	8	72.1	41.9	16.4	14.1	
5	Karala	8	72.9	41.7	15.4	13.1	
6	Karen	8	72.1	40.4	16.7	12.7	
7	Vareli	8	73.1	43.7	15.9	12.7	
8	Parab	8	72.3	42.1	14.5	12.4	
9	Mankna	8	716	42.1	14.1	12.1	
10	Valen	8	72.3	41.4	15.7	13.2	
11	Mirapura	8	72.7	42.1	15.1	13.4	

Analysis report of Ambient Air Monitoring:-

Month - MARCH - 2018

		Duration	PM10	PM2.5	NOx	S02
S. No.	Location	of Survey (Hours)	Microgram/m ³	microgram/m ³	microgram/m ³	microgram/m
1	Project Site	8	72.6	41.2	15.1	11.3
2	Jolwa	8	68.4	39.9	13.7	10.8
3	Tantithiya	8	67.6	38.2	15.1	12.7
4	Dastan	8	70.2	39.4	15.6	12.4
5	Karala	8	71.1	40.1	14.1	11.7
6	Karen	8	73.7	41.2	14.2	11.6
7	Vareli	8	71.2	42.3	14.2	11.6
8	Parab	8	70.2	40.6	13.4	11.8
9	Mankna	8	69.7	39.6	12.4	10.2
10	Valen	8	73.2	42.6	14.5	11.7
11	Mirapura	8	71.8	40.4	13.4	11.1



Analysis report of Ground and surface water Monitoring:-

Analysis report of Ground Water Monitoring:-

Month: December 2017

		Location	Project Site	Jolwa
S. No.	Parameter	Unit	25.12.2017	25.12017
1	pH	pH Unit	7.29	7.15
2	Total Alkalinity	mg/L	148	152
3	Total Dissolved Solids	mg/L	726	582
4	Chemical Oxygen Demand	mg/L	8.00	8.00
5	Biochemical Oxygen Demand for 3 days at 27°C	mg/L	3.00	3.00
6	Chloride	mg/L	140	110
7	Total Hardness	mg/L	265	184
8	Ca ⁺² Hardness	mg/L	72.6	48.4
9	Sulphate	mg/L	74.0	58.0

ND: Not Detectable

Month: March - 2018

S. No.	Parameter	Location	Project Site	Jolwa	
5. NO.	Parameter	Unit	07.03.2018	07.03.2018	
1	рН	pH Unit	7.06	7.11	
2	Total Alkalinity	mg/L	134	140	
3	Total Dissolved Solids	mg/L	686	560	
4	Chemical Oxygen Demand	mg/L	8.00	8.00	
5	Biochemical Oxygen Demand for 3 days at 27°C	mg/L	3.00	3.00	
6	Chloride	mg/L	120	104	
7	Total Hardness	mg/L	240	170	
8	Ca ⁺² Hardness	mg/L	68.4	44.2	
9	Sulphate	mg/L	66.0	52.0	



Analysis report of Surface Water Monitoring:-

Month: DECEMBER - 2017

S. No.	Parameter	Location	Kadodara Khadi	Canal	
J. 110.	Farameter	Date Unit	26.12.2017	26.12.2017	
1	pH	pH Unit	8.46	7.18	
2	Total Alkalinity	mg/L	372	184	
3	Total Suspended Solids	mg/L	86.0	78.0	
4	Total Dissolved Solids	mg/L	1224	574	
5	Chemical Oxygen Demand	mg/L	90.0	12.0	
6	Biochemical Oxygen Demand for 3 days at 27°C	mg/L	27.0	3.0	
7	Ammonical Nitrogen	mg/L	6.90	ND	
8	Chloride	mg/L	355	88.0	
9	Total Hardness	mg/L	388	146	
10	Ca ⁺² Hardness	mg/L	96.0	44.0	
11	Sulphate	mg/L	84.0	52.0	

Month: MARCH - 2018

S. No.	Dawamatan	Location	Kadodara Khadi	Canal
5. NO.	Parameter	Unit	08.03.2018	08.03.2018
1	pH	pH Unit	8.31	7.24
2	Total Alkalinity	mg/L	360	176
3	Total Suspended Solids	mg/L	80.0	72.0
4	Total Dissolved Solids	mg/L	1376	612
5	Chemical Oxygen Demand	nemical Oxygen Demand mg/L 80.0		8.0
6	Biochemical Oxygen Demand for 3 days at 27°C	mg/L	24.0	3.0
7	Ammonical Nitrogen	mg/L	6.72	ND
8	Chloride	mg/L	380	96.0
9	Total Hardness	otal Hardness mg/L 412		130
10	Ca ⁺² Hardness	mg/L	104	56.0
11	Sulphate	mg/L	92.0	48.0



Analysis Report of Noise Monitoring:-

Month: December - 2017

SR.NO	LOCATION	DATE	TIME	RESULTS
1	GSML ADMIN	35/13/2017	11:00 (Day Time)	63.4
1	BUILDING	25/12/2017	22:00 (Night Time)	52.4
2	CANTEEN	25/12/2017	14:00 (Day Time)	66.7
2	CANTEEN		23:00 (Night Time)	62.1
3 NEAR DG ROOM	NEAD DO DOOM		15:30 (Day Time)	70.2
	25/12/2017	23:30 (Night Time)	61.8	
	CD 4.5	25/12/2017	10:00 (Day Time)	58.9
4	CP- 4,5	25/12/2017	19:45 (Night Time)	56.8
5 CP-1.2	CD 1.2	26/12/2017	11:00 (Day Time)	61.4
5	CP-1,2		21:10 (Night Time)	59.7
6 COOLING TOWER	COOLING TOWER	25/42/2047	13:00 (Day Time)	70.6
	26/12/2017	22:35 (Night Time)	61.1	
GSML MAIN GA	GSML MAIN GATE	26/42/2047	14:00 (Day Time)	59.6
		26/12/2017	22:00 (Night Time)	57.7
	1011114	25/12/2017	15:50 (Day Time)	62.7
8	JOLWA	26/12/2017	23:00 (Night Time)	57.9

Month: March 2018

SR.NO	LOCATION	DATE	TIME	RESULTS
1	GSML ADMIN	26/02/2019	11:00 (Day Time)	64.1
1	BUILDING	26/03/2018	22:00 (Night Time)	53.1
2	2 CANTEEN	26/03/2018	14:00 (Day Time)	65.8
2			23:00 (Night Time)	61.2
3 NEAR DG ROOM	NEAD DC DOOM	26/02/2010	15:30 (Day Time)	69.3
	26/03/2018	23:30 (Night Time)	60.7	
	CD 4 5	26/02/2019	10:00 (Day Time)	59.1
4	4 CP- 4,5	26/03/2018	19:45 (Night Time)	55.9
5 CP- :	CD 1.2	20/02/2010	11:00 (Day Time)	62.1
5	CP-1,2	28/03/2018	21:10 (Night Time)	58.8
6 COOLING TOWER	COOL THIS TOWER	28/03/2018	13:00 (Day Time)	69.4
	28/03/2018	22:35 (Night Time)	60.8	
7	GSML MAIN GATE (SH)	28/03/2018	14:00 (Day Time)	58.9
′			22:00 (Night Time)	56.8
0		28/03/2018	15:50 (Day Time)	61.9
8	JOLWA		23:00 (Night Time)	56.7



GUJARAT POLLUTION CONTROL BOARD

SECTOR: 10-A, GANDHINAGAR: 382 043

Date: 19/06/2018

ENVIRONMENTAL AUDIT REPORT

Under the provisions of Sub Rule 14 of the Environment (Protection) Rules, 1986 of the Environment (Protection) Act-1986

"14 Submission of Environmental Audit Report:-

Every person carrying on an industry, operation or process requiring consent under section 25 of the Water (Prevention and Control of Pollution) Act, 1974 (6 of 1974) or under section 21 of the Air (Prevention and Control of Pollution) Act, 1981 (14 of 1981) or both or authorisation under the Hazardous Wastes (Management and Handling) Rules, 1989 issued under the environment (Protection) Act, 1986 (29 of 1986) shall submit an environmental audit report for the financial year ending the 31st March in form – V to the concerned State Pollution Control Board on or before the 30th September every year, beginning 1993.

FORM - V

(See rule 14)

Environmental Audit Report for the financial year ending the 31st March 2018

PART: A

 Name and address of the Owner/Occupier of the industry, Operation or Process. M/s. GARDEN SILK MILLS LTD.

(CP DIVISION - JOLWA),

PLOT NO.: 202-05, 225-7, 229, 230, 196, 197, & 124-A, VILLAGE: JOLWA, TAL.: PALSANA,

DIST.: SURAT

 Date of the last environmental audit report submitted. 27/06/2017





PART: B

Water and Raw Material Consumption

(1) Water Consumption in M3/Day.

Process + Washing:

96.00

Cooling +Boiler:

3131.00

Domestic+Gardening:

48.00

Total (Industrial):

DELUSTRING AGENT

ADDITIVE CATALYST

POY-POLYMER

FDY-POLYMER

3227.00

Name of Products		Water consumption per unit of products.			
	Fin	ring the previous nancial year. PRIL - 16 TO RCH - 17)	During the current Financial year. (APRIL - 17 TO MARCH - 18)		
		(1)	(2)		
POLYESTER CHIPS		0.037 M ³ /MT	5.5 M ³ /MT		
COAL BASED POWER PLANT (18 + 21 MW)		3.74 M ³ /MW	3.62 M ³ /MW		
		Consumation of a	motorial respect of output		
(ii) Raw Material consumpt Name of Raw Materials	Name of products		material per unit of output.		
	Name of	During the previous Financial year.	S During the current Financial year.		
	Name of	During the previous Financial year. (APRIL - 16 TO	S During the current Financial year. O (APRIL - 17 TO MARCH		

0.0017

0.00053

1.03

1.00

POY

FDY



0.0014

1.03

1.00

control facilities

PART: C

Pollution Generated

(Parameter as specified in the consent issued)

(i) Pollutants	Quantity of pollution generated	Percentage of variation from prescribed standards with reasons.
(a) Water	ALL THE PARAMETERS ARE WITHIN	THE LIMITS PRESCRIBED BY THE BOARD.
(b) Air	ALL THE PARAMETERS ARE WITHIN	THE LIMITS PRESCRIBED BY THE BOARD.

PART: D

Hazardous Wastes

(As specified under Hazardous Wastes (Management and Handling) Rules, 1989)

	Total Quantity (kg.)			
During the previous	During the current			
Financial year.	Financial year.			
(APRIL - 16 TO MARCH - 17)	(APRIL - 17 TO MARCH - 18)			

PART: E Solid Wastes

	During the previous	Doning the
CONTRACTOR OF THE PARTY OF THE	Financial year. (APRIL - 16 TO MARCH - 17)	During the current Financial year. (APRIL - 17 TO MARCH - 18)
1) LUBRICATING OIL	300 LIT/YEAR	3400 LIT/YEAR
2) POLYMER WASTE	459.451 MT/YEAR	676.32 MT/YEAR
3) CHIP WASTE	71.086 MT/YEAR	41.18 MT/YEAR
4) POY WASTE		
5) FDY WASTE	1962.0 MT/YEAR	1986.65 MT/YEAR
6)NYLON WASTE	-	108.29 MT/YEAR
1) CATALYST DRUM LOT 2) PP LINER LOT	3320 NOS./YEAR 35980 KG/YEAR	3276 NOS./YEAR 30830 KG/YEAR
3) SWEEPING PTA WASTE LOT	48.96 MT/YEAR	53.02 MT/YEAR
	2) POLYMER WASTE 3) CHIP WASTE 4) POY WASTE 5) FDY WASTE 6)NYLON WASTE 1) CATALYST DRUM LOT 2) PP LINER LOT	MARCH - 17) 1) LUBRICATING OIL 300 LIT/YEAR 2) POLYMER WASTE 459.451 MT/YEAR 3) CHIP WASTE 71.086 MT/YEAR 4) POY WASTE 1962.0 MT/YEAR 6) NYLON WASTE 1) CATALYST DRUM LOT 3320 NOS./YEAR 2) PP LINER LOT 35980 KG/YEAR 3) SWEEPING PTA 48.96 MT/YEAR



PART: F

Please specify the characteristics (in terms of concentration and quantum) of Hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.

ETP SLUDGE IS STORED IN HAZARDOUS WASTE STORAGE AREA HAVING IMPERVIOUS LAYER AND LEACHATE COLLECTION SYSTEM AND FINALLY DISPOSED TO M/s. BEIL. DISCARDED CONTAINER, POLYMER WASTE, CHIP WASTE, PO WASTE, SWEEPING PTA WASTE LOT IS STORED IN SEPARATE IDENTIFIED AREA AND SELLING TO ACTUAL END USERS.

PART: G

Impact of the pollution control measures on conservation of natural resources and consequently on the cost of production.

- * CAPITAL COST OF TREATMENT UNIT = Rs. 70,12,500/-
- COST OF MONITORING AND CONSULTANCY = Rs. 4,00,000/-

*** OPERATION AND MAINTENEACE COST**

ELECTRICITY = Rs. 79,45,000/-

CHEMICAL = Rs. 10 /-

PART: H

Additional investment proposal for environmental protection including abatement of pollution.

NIL

PART: I

Miscellaneous

Any other particulates in respect of environmental protection and abatement of pollution

WE ARE TRYING TO MINIMISE THE POLLUTION FROM OUR UNIT TO THE LOWEST AS POSSIBLE.

Signature:

Name: YOGESH C. PAPATYA
Designation: EXECUTIVE

Date: 19/06/2018

Submitted to

Member Secretary

Gujarat Pollution Control Board,

Sector: 10-A,

Gandhinagar 382 043

From: M/s. GARDEN SILK MILLS LTD.

(CP DIVISION - JOLWA)

VILL: JOLWA, TAL.: PALSANA,

DIST .: SURAT



POLICY FOR CORPORATE ENVIRONMENT RESPONSIBILITY


POLICY FOR CORPORATE ENVIRONMENT RESPONSIBILITY.

Garden Silk Mills limited is a long time established Corporate Entity in the premier Textile Manufacturing Hub of Gujarat i.e. Surat. It has got a long history of association with the city and its local population.

It undertakes socially responsible work on its own and works closely with the Gram Panchayats to cater to the social and infra-structural needs of the surrounding populace. The two villages nearby its location of the factories, i.e. Jolwa and Vareli have benefited by means of Employment, Social infra-structure and Environment Protective Activities of Garden Silk Mills Limited.

The following policy of Corporate Environment Responsibility has been formulated by Senior Management and is reflective of the Eco-sensitiveness owned by the Company.

I. Hierarchical Authority of Environment Management Committee.





II. STANDARD OPERATING PROCEDURE - EMP :

- Every Environment Clearance (EC) and Consent should be discussed by the H.O. and Plant team immediately after issual of the same. Environment Consultant will participate in all such meetings. At the end of each meeting, the salient bullet points are to be brought to the notice of Unit Head and the Occupier Director.
- All Capital and Revenue Expenses arising out of Environment Compliance will be budgeted by the Plant and vetted by the Environment Management Committee for final approval of Unit Head and the Occupier Director.
- Test Results of Effluent Treatment Plants and Stack Emissions against various norms stipulated by EC and Consent shall be escalated by Utility Head to the Environment Consultant at pre-determined period.
- 4. Any departure from the norms as stipulated by Central and State Environment Bodies shall be escalated to the Committee, the Unit Head and the Occupier Director. All rectification actions shall be taken within fixed time limits after consensus within the body.
- In any case, the Environment Management Committee will meet at regular intervals, which shall not be more than two months.
- 6. For all visits by Government Officials, it is the duty of the Plant to ensure that all inspections and checks go on smoothly. All the members of the Committee including H.O. members shall get involved in such inspections. Any points arising out of the inspections have to be informed to the Unit Head and closed within a fixed time limit.
- It is the duty of the H.O. Co-ordinator and members of the Committee to ensure that Legal and Statutory Compliances are regularly done. Any departure should be brought to the notice of the Unit Head and the Occupier Director.

Issue Date: January 1, 2013

File Name: CER-1



SAI INDUSTRIAL HEALTH SERVICES



Dr. B. G. DODIA

M.B.B.S., C.I.H. Reg. No. G 8571



SENIOR INDUSTRIAL HEALTH CONSULTANT

DATE:

-201

June 19, 2018

TO WHOM SO EVER IT MAY CONCERN

This is to certify that, we had examined 1562 employees of M/s Garden Silk Mills Ltd., CP Division, Surat for the year 2018 – 2019.

No Occupational Disease was detected for the above strenght of employees, for other non-occupational illness employees were advised as per requirement.

For Sai Industrial Health Services

Dr. B. G. Dodia
MBBS, CIH
Sr. Industrial Health Consultant
Sai Industrial Health Services
Reg No.: G8571

Bussix

Dr. B. G. DODIA

Regd. No. G-8571 M.B.B.S., C.L.

RESIDENCE: 904, SHUBH LAXMI HEIGHTS,
NEAR ADAJAN FIRE STATION, Opp. STAR BAZAR, ADAJAN, SURAT.

MOBILE: 97265 19999, 98251 41857



CSR PROJECT AND ITS DETAILS

CSR between 2017-2018

PERIOD	AMOUNT(Rs	
PERIOD	DESCRIPTION	AMOUNT (KS.)
Aug-17	AS PER MEMO TOWARDS INDENPENDENCE DAY SCHOOL UNIFORM&SCHOOL BAG FREE DISTRIBUTION	30,000.00
Feb-18	PAYMENT TOWARDS TRIBAL SHISKHASAN DEVLOPMNT TO JOLWA GRAM PANCHAYAT	11,000.00
Nov-17	Computer donated for social purpose	50,100.00
	TOTAL	91,100.00





Bipin J. Modi B. Com. FCA, DISA Alok A. Gandhi M.Com, ACA

Bipinchandra J. Modi & Co.

Chartered Accountants
B.No. 18/A, Prakash Co-Op.Hsg.Society
B/h Intelligent Guidance Classes
Athwalines, Surat 395 001

Phone :- 2665349

Mobile: 9376822354/9099001224 Email: bjmodi@gmail.com

PAN: AAHFB2203M

STC No.: AAHFB2203MST001

CERTIFICATE

We refer to the Company's Expansion projects envisaging capacity expansion in 21 M.W. Coal Based Captive Power Plant, covered under EC F. No. J-11011/624/2010-IA 11 (I) Dated 10/05/2013.

The total project cost was Rs.75 Crores, which was financed by IDBI Bank's Term Loan of Rs.56.25 Crores and Internal Accruals of Rs.18.75 Crores.

The total expenditure incurred towards this project was Rs.78.04 Crores and the Term Loan availed from IDBI Bank was Rs.56.25 Crores and the balance amount of Rs.21.79 was brought from Internal Cash Accruals.

The projects have already commenced production.

The above have been verified on the basis of information and explanation given to us from the books of accounts maintained by the Company and found the same to be correct.

For BIPINCHANDRA J. MODI & CO. Chartered Accountants,

Place: Surat

Date: 31st March, 2013

B. J. MODI Partner

M. No.: 31687

