



GARDEN SILK MILLS PRIVATE LIMITED

(Formerly GARDEN SILK MILLS LIMITED)

DC / GSMPL / EC 24-25 / 01

April 20, 2024
GPCB ID: 20700

IRO Gandhinagar, MOEFCC
Ministry of Environment, Forest and Climate Change,
Room No., A-407, "ARANYA BHAWAN",
Near CH-3 Circle, Sector 10A.
Gandhinagar – 382010. Gujarat.

SUB: SUBMISSION OF HALF YEARLY ENVIRONMENT COMPLIANCE FOR THE TERM OCTOBER- 2023 TO MARCH-2024 BY M/s. GARDEN SILK MILLS PRIVATE LIMITED (erstwhile GARDEN SILK MILLS LIMITED)

REF: 1. MINISTRY'S LETTER NO. J-11011/1048/2007-IA II (I), DATED: 07/04/08 AND AMENDMENTS
2. MINISTRY'S LETTER NO. J-11011/124/2009-IA II (I), DATED: 10/06/09 AND AMENDMENTS
3. MINISTRY'S LETTER NO. J-11011/624/2010-IA II (I), DATED: 10/05/13

Dear Sir,

With reference to the Environmental Clearance obtained from MoEF vide letter dated: 07/04/2008, 10/06/2009 and 10/05/2013 we are hereby enclosing the half yearly Compliance Report (**OCTOBER-2023 TO MARCH- 2024**) of Environmental Clearance issued to us.

We hope that you will find it in order and do the needful.

Thanking you,

Yours faithfully,
For, M/s. GARDEN SILK MILLS PRIVATE LIMITED
(erstwhile GARDEN SILK MILLS LIMITED)
CP DIVISION - GPCB ID: 20700

Debdutta Chatterjee
President - Corporate Affairs



Copy to:

The Member Secretary
State Level Environment Impact Assessment Authority (SEIAA),
Gujarat State Pollution Control Board
Paryavaran Bhavan, Sector: 10 – A, Gandhinagar - 382 010


Registered Office:
Bengal Eco Intelligent Park,
Tower-1, 3rd Floor, Block-EM,
Plot No. 3, Salt Lake City, Sector-V,
Kolkata - 700 091, West Bengal, India.

Corporate Office:
Solarium Business Centre
7th Floor, VIP Main Road,
Vesu, Surat - 395 007.
☎ +91 261 4105222

Jolwa Factory:
Village: Jolwa, Taluka: Palsana,
Surat - 394 305.
☎ +91 90990 01238, +91 90990 01612
✉ info@gardenvareli.com



Vareli Factory:
Village: Vareli, Taluka: Palsana,
Surat - 394 327.
☎ +91 90990 01240
✉ customer.service.fabric@gardenvareli.com


COMPLIANCE OF ENVIRONMENTAL CLEARANCE MINISTRY'S**File NO.: J-11011/1048/2007-IA II (I), DATED: 07/04/2008****October 2023 To March 2024**



October 2023 To March 2024																																						
SN	CONDITIONS	COMPLIANCE STATUS																																				
1	<p>The Ministry of Environment and Forests has examined the proposal and noted that the proposal is for environmental clearance for expansion of Polyester Chips and Polyester Filament Yarn Production Plant at Village Jolwa, Palsana Taluka, Surat, Gujarat by M/s. Garden Silk Mills Ltd. The cost of the project is Rs. 365 Crores. The unit has green belt in 8,000 m² and has proposed additional green belt in 4,500 m². The unit will install a natural gas based Captive Power Plant of 8.4 MW. In case of non-availability of the gas, furnace oil may be used as fuel. The details of existing and proposed products and their capacities are as given below:</p> <table><tr><th rowspan="2">S. No.</th><th rowspan="2">Name of products</th><th colspan="3">Production capacity (MTA)</th></tr><tr><th>Existing</th><th>Proposed</th><th>Total</th></tr><tr><td>1.</td><td>Polyester Chips</td><td>1,55,000</td><td>2,37,600</td><td>3,92,600</td></tr><tr><td rowspan="3">2.</td><td>Polyester Filament Yarn</td><td></td><td></td><td></td></tr><tr><td>Partially Oriented Yarn</td><td>61,000</td><td>29,600</td><td>90,600</td></tr><tr><td>Fully Drawn Yarn</td><td>--</td><td>19,900</td><td>19,900</td></tr><tr><td>3.</td><td>By-Products-Degraded Polymer (Oligomer)</td><td>12</td><td>15</td><td>27</td></tr><tr><td>4.</td><td>Captive Power Plant (MW)</td><td>6.74</td><td>8.4</td><td>15.14</td></tr></table>	S. No.	Name of products	Production capacity (MTA)			Existing	Proposed	Total	1.	Polyester Chips	1,55,000	2,37,600	3,92,600	2.	Polyester Filament Yarn				Partially Oriented Yarn	61,000	29,600	90,600	Fully Drawn Yarn	--	19,900	19,900	3.	By-Products-Degraded Polymer (Oligomer)	12	15	27	4.	Captive Power Plant (MW)	6.74	8.4	15.14	<p>Application of CCA renewal has been applied vide Application No. 105241 Dated 8/01/2021 and Granted on 28/06/2021.CTE/CTO Valid up to 07/01/2026.Copy of valid consent attached in ANNEXURE- 1. Production details are as ANNEXURE-2.</p> <p>Also the CCA amendment under product mix obtained vide consent No. AWH-132594, CCA Amendment No. 304024, Valid upto 07/01/2026. The provisional order copy is attached in Annexure-15. Final amended CCA is yet to be received.</p>
S. No.	Name of products			Production capacity (MTA)																																		
		Existing	Proposed	Total																																		
1.	Polyester Chips	1,55,000	2,37,600	3,92,600																																		
2.	Polyester Filament Yarn																																					
	Partially Oriented Yarn	61,000	29,600	90,600																																		
	Fully Drawn Yarn	--	19,900	19,900																																		
3.	By-Products-Degraded Polymer (Oligomer)	12	15	27																																		
4.	Captive Power Plant (MW)	6.74	8.4	15.14																																		
2	<p>The total water requirement after expansion will be 7,083 KLD and will be sourced from own bore well. Total waste water generation will be 2,849 KLD which shall be treated and discharged into the Kadodara Khadi through own 1 km pipe line. The unit has two ETP's and proposes to install one new ETP.</p>	<p>The water requirement & waste water generation is within permissible limits during this period.</p> <p>Treated effluent is discharged into the Kadodara, Khadi, through a closed RCC pipeline of 1.7 km, only after achieving GPCB prescribed norms.</p>																																				
3	<p>The project activity is listed at S.N. 5 (d &e) under category 'A' and was considered and appraised at center level as para 7(ii) of EIA Notification 2006.</p>	<p>Noted</p>																																				
4	<p>The Ministry of Environment and Forest hereby accords environmental clearance to the above project under the provisions of EIA Notification dated 14thSeptember, 2006 subject to compliance of the following specific and general conditions.</p>	<p>Noted</p> <div></div>																																				
A.	SPECIFIC CONDITIONS																																					
	<p>The company shall install full-fledged ETP to comply with the GPCB norm for discharge of effluent into sea and all necessary clearances shall be obtained.</p>	<p>In our premises full-fledged ETP was installed to bring GPCB prescribed norms. The test reports were submitted by NABL approved laboratory. The analysis test reports were submitted by NABL approved laboratory M/s. En-Vision Environmental Services, Surat is appointed NABL accreditation testing laboratory [NABL Certificate No. TC-5304] & valid till 15/12/2024. Attached GPCB certificate enclosed as Annexure-16</p>																																				



SN	CONDITIONS	COMPLIANCE STATUS
		& MoEF certificate enclosed as Annexure-17 . Analysis reports are enclosed as Refer Annexure 3 .
	The company shall construct a guard pond for treated effluent and shall carry out the bioassay test by collecting the treated effluent into the guard pond before discharging into Khadi. The reports shall be submitted to CPCB and Ministry's Regional Office at Bhopal.	The guard pond of capacity 2500 KL is provided for holding treated effluent from the ETP before discharge. Bioassay analysis report of test is enclosed as Annexure 3 .
	The water consumption shall not exceed 7,083 KLD and wastewater generation shall not exceed 2,849 KLD. The company shall install the wastewater monitoring facility and records shall be maintained.	The water requirement & waste water generation is within permissible limits. Water Consumption and wastewater generation details are enclosed in Annexure -4 . M/s. En-Vision Environmental Services, Surat is appointed NABL accreditation Testing laboratory, [NABL Certificate No.TC-5304] & Valid till 15/12/2024. Results of wastewater analysis test reports have been attached Annexure 3 .
	The company shall obtain for drawl of ground water from the Central Ground Water Authority/Central Ground Water Board and copy shall be submitted to the Ministry's Regional Office.	Unit is using water from existing bore wells as well as from canal. Permission obtained from CGWA and irrigation department for industrial use is attached as Annexure 5A and Renewable CGWA NOC is attached as Annexure 5B . CGWA NOC No.: CGWA/NOC/IND/ORIG/2021/12877.
	The company shall run the power plant only with gas as a fuel and only in case of non-availability of natural gas furnace oil shall be used only such period when natural gas is not available. During use of furnace oil as fuel the company shall ensure the emission of SO ₂ as per the norms prescribed by the SPCB and height of the stacks shall be as per CPCB norms of SO ₂ emission.	Unit is provided stack height as per CPCB norms and also Monitoring arrangement is provided with Stack. Regular monitoring is carried out by unit. Stack Monitoring results are attached as Annexure 6 .
	The company shall provide the monitoring arrangement with the stack and regular monitoring shall be carried out and reports submitted to the SPCB, CPCB and Ministry's Regional Office at Bhopal.	The Stack Monitoring reports were submitted by NABL approved laboratory M/s. En-Vision Environmental Services, Surat is appointed NABL accreditation Testing laboratory, [NABL Certificate No.TC - 5304] & Valid till-15/12/2024.
	The project authority shall obtain the membership of TSDF within three months for disposal of solid and hazardous waste and copy of the same shall be submitted to the Ministry and Ministry's Regional Office at Bhopal. The company shall maintain valid member ship.	M/s Garden Silk Mills Private Limited has obtained Common Solid Waste Disposal Facility membership for Quantity 180.6 MT/Y from M/s. BEIL. Six monthly solid/ hazardous waste generation details are enclosed for Oct 2023 to March 2024 as Annexure 9 . M/s Garden Silk Mills Private Limited has obtained Common Solid Waste Disposal Facility membership from M/s. BEIL Refer Annexure 7 .



SN	CONDITIONS	COMPLIANCE STATUS
	The company shall develop 12,500 sq.m. out of the total area as green belt as per the CPCB guidelines to mitigate the effect of fugitive emissions.	<p>Green belt development has been done in the project area. Around 1000 numbers of trees were planted. 12700 sq.m greenbelt area is covered within the premises. Photographs of green belt developed within the premises.</p> 
	Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.	Regular occupational health surveillance is carried out for worker and records are maintained as per Act and certificate from CIH is attached as Annexure 12 .
	The company shall make arrangement for protection of possible fire hazards during manufacturing process in material handling.	Proper arrangements for fire hazards during manufacturing process and material handling have been provided.
B. GENERAL CONDITIONS		
	The project authorities shall strictly adhere to the stipulations of the SPCB/state government or any statutory body.	Noted & complied
	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment and Forests. In case of deviations or alterations in the project proposal form those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of condition imposed and to add additional environmental protection measures required, if any.	Noted & complied
	The project authorities shall strictly comply with the rules and regulation under Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989 as amended Authorization from the SPCB shall be obtained for collection, treatment, storage and disposal of hazardous wastes.	<p>We are complied with the rules and regulation under Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989 as amended. CCA from GPCB is obtained. Waste is sent to GPCB authorized vendor. Six monthly solid/ hazardous waste generation details enclosed in Annexure 9.</p> 

SN	CONDITIONS	COMPLIANCE STATUS																				
	Ambient air quality monitoring stations be set up in the downwind direction as well as where maximum ground level concentration are anticipated in consultation with the State Pollution Control Board.	The location of ambient air quality monitoring stations had been decided in consultation with GPCB. One up wind, one downwind and one maximum ground level concentration stations were selected for AAQM monitoring. M/s. En-Vision Environmental Services, Surat is appointed NABL accreditation Testing laboratory,[NABL Certificate No.TC – 5304] & Valid till-15/12/2024. Monitoring results are attached as Annexure 8 .																				
	For control process emissions stacks of appropriate height as per the Central Pollution Control Board guidelines shall be provided.	Adequate stack height has been provided according to CPCB guidelines.																				
	The company shall undertake following Waste Minimization measures:- <ul style="list-style-type: none">Meeting of quantities of active ingredients to minimize waste.Re-use of by-products from the process as raw materials or as raw material substitutes in other processes.Maximizing recoveriesUse of automated material transfer system to minimize spillage.Use of “Closed Feed” system into batch reactors.	Noted & complied Maximum time packing materials are recovered. Waste MEG from polymerization is recycled back in process. PTA powder during unpacking is used back. Polyester melt & polyester chips are pneumatically conveyed. Additionally, 3 rd chipper is installed at CP-1/2 to minimize polymer waste.																				
	The project authorized must strictly comply with the rules and regulations with regard to handling and disposal of hazardous wastes in accordance with the Hazardous Wastes (Management and Handling) Rules, 2003. Authorization from the SPCB shall be obtained for collections/treatment/storage/disposal of hazardous wastes.	Noted & complied M/s. Garden Silk Mills Pvt. Ltd. (CP division) is, hereby, granted an authorization for following hazardous wastes on the premises situated at Plot No. 196, 197, 124/A, 202-5, 225/7, 229, 230, Jolwa, Tal.: Palsana, Dist: Surat. <table><tr><th>Sr. No.</th><th>Waste</th><th>Quantity</th><th>Schedule-I Process</th><th>Facility</th></tr><tr><td>1</td><td>ETP Waste</td><td>180.6 MT/Month</td><td>34.3</td><td>Collections, Storage, Transportation, Disposal at GPCB approved TSDF site.</td></tr><tr><td>2</td><td>Used Oil</td><td>5.25 MT/Year</td><td>5.1</td><td>Collections, Storage, Transportation, Disposal by selling to GPCB approved registered re-refiners.</td></tr><tr><td>3</td><td>Discarded Containers/ Barrels/ Liners</td><td>72.9 MT/ Month</td><td>33.3</td><td>Collection, Storage transportation and Disposal to authorized dicontaminator</td></tr></table>	Sr. No.	Waste	Quantity	Schedule-I Process	Facility	1	ETP Waste	180.6 MT/Month	34.3	Collections, Storage, Transportation, Disposal at GPCB approved TSDF site.	2	Used Oil	5.25 MT/Year	5.1	Collections, Storage, Transportation, Disposal by selling to GPCB approved registered re-refiners.	3	Discarded Containers/ Barrels/ Liners	72.9 MT/ Month	33.3	Collection, Storage transportation and Disposal to authorized dicontaminator
Sr. No.	Waste	Quantity	Schedule-I Process	Facility																		
1	ETP Waste	180.6 MT/Month	34.3	Collections, Storage, Transportation, Disposal at GPCB approved TSDF site.																		
2	Used Oil	5.25 MT/Year	5.1	Collections, Storage, Transportation, Disposal by selling to GPCB approved registered re-refiners.																		
3	Discarded Containers/ Barrels/ Liners	72.9 MT/ Month	33.3	Collection, Storage transportation and Disposal to authorized dicontaminator																		
	The overall Noise levels in and around the plant area, shall be kept well within the standards (85 dBA) by providing noise control measures including acoustic hoods, Silencers, enclosures etc. On all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environmental (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (daytime) and 70 dBA (night time).	Noise monitoring within premises at different location was carried out and results from M/s. En-Vision Environmental Services, Surat is appointed NABL accreditation Testing laboratory,[NABL Certificate No.TC – 5304] & Valid till-15/12/2024. Around Boundary of plant area noise level Monitoring reports are enclosed as Annexure 10 . <div></div>																				

SN	CONDITIONS	COMPLIANCE STATUS
	A separate Environmental Management Cell equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental management and monitoring functions.	Separate Health, Safety & Environment Department exist where the Environment matters are handled. 
	Financial provisions should be made in the budget of the project for implementation of the above suggested environmental safeguards. Fund so earmarked shall not be diverted for any other purposes.	<p>Noted & complied. Complied. CA certificate for the same is enclosed Here.</p> <div data-bbox="855 864 959 943"> </div> <div data-bbox="855 954 975 1021"> <p>Bipin J. Modi B. Com. FCA, USA Atul A. Gandhi M. Com. ACA</p> </div> <div data-bbox="1118 864 1422 898"> <p>Bipinchandra J. Modi & Co.</p> </div> <div data-bbox="1182 898 1422 1032"> <p>Chartered Accountants B.No. 18/A, Prakash Co-Op. Hsg. Society B/H Intelligent Guidance Classes Ashwathin, Surat-395 001 Phone : 2665349 Mobile : 932822354, 9099601224 Email : bipinchand@rediffmail.com PAN : AAHPH2300M STC No. : AAHPH230AMST001</p> </div> <div data-bbox="1062 1055 1206 1077"> <p>CERTIFICATE</p> </div> <div data-bbox="855 1099 1422 1155"> <p>We refer to the Company's Expansion projects envisaging capacity expansion to 21 M.W. Coal Based Captive Power Plant, covered under EC F. No. J-11011/624/2010-IA-11 (I) Dated 10/05/2013.</p> </div> <div data-bbox="855 1155 1422 1200"> <p>The total project cost was Rs.75 Crores, which was financed by IDBI Bank's Term Loan of Rs.55.25 Crores and Internal Accruals of Rs.19.75 Crores.</p> </div> <div data-bbox="855 1200 1422 1256"> <p>The total expenditure incurred towards this project was Rs.78.04 Crores and the Term Loan availed from IDBI Bank was Rs.55.25 Crores and the balance amount of Rs.22.79 was brought from Internal Cash Accruals.</p> </div> <div data-bbox="855 1256 1190 1290"> <p>The projects have already commenced production.</p> </div> <div data-bbox="855 1290 1422 1346"> <p>The above have been verified on the basis of information and explanation given to us from the books of accounts maintained by the Company and found the same to be correct.</p> </div> <div data-bbox="1134 1346 1430 1391"> <p>For BIPINCHANDRA J. MODI & CO. Chartered Accountants,</p> </div> <div data-bbox="855 1435 1070 1491"> <p>Place : Surat Date : 31st March, 2013</p> </div> <div data-bbox="1078 1469 1262 1581"> </div> <div data-bbox="1270 1402 1430 1503"> <p><i>B. J. Modi</i> B. J. MODI Partner M. No. : 31687</p> </div>
	The project authorities shall provide rainwater harvesting system and ground water recharge.	Two recharge wells are provided for rainwater harvesting system and ground water recharge.
	The implementation of the project vis-a-vis environmental action plans shall be monitored by Ministry's Regional Office / SPCB / CPCB. A six monthly compliance status report shall be submitted to monitoring agencies.	Regular six monthly compliance statuses are sent to concern authorities. 
	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB and may also be seen at Website of the Ministry at	Complied. Already advertisement has been given in local newspaper. Complied. Please find copy of EC advertisement as below;

SN	CONDITIONS	COMPLIANCE STATUS
	<p>http://envfor.nic.in. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two-local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and. A copy of the same shall be forwarded to the Ministry's Regional Office.</p>	<p>1. English Newspaper</p>  <p>2. Gujarati Newspaper</p> 
	The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date/of start of the project.	Complied. Details already submitted. CA certificate for the same is enclosed as Annexure 13 .
5	The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	Agreed.
6	The Ministry reserves the right to stipulate additional conditions, if found necessary. The company in a time bound manner shall implement these conditions.	Agreed.
7	Any appeal against this environmental clearance shall lie with the National Environmental Appellate Authority, if preferred within a period of 30 days as prescribed under section 11 of the National Environment Appellate Authority Act, 1997.	Noted.
8	The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act 1974, Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection), 1986, Hazardous Wastes (Management and Handling) Rules, 2003 and the Public Liability Insurance Act, 1991 along with their amendments and rules.	Noted



COMPLIANCE OF ENVIRONMENTAL CLEARANCE CORRIGENDUM MINISTRY'S LETTER
NO.: F. No. J-11011/1048/2007-IA-II (I), DATED: April 25, 2008

OCTOBER-2023 TO MARCH- 2024

SN		CONDITIONS			COMPLIANCE STATUS																																				
1	This is in continuation of this Ministry's earlier letter of even No. dated 7 th April. 2008. The matter was re-examined with respect to capacity of existing captive power plants for which representation made by you to the Ministry. In view of representation the details of existing and proposed product/facilities mentioned in para 2 of environmental clearance shall be replaced as follows:				Application of CCA renewal has been applied vide Application No. 105241 Dated 8/01/2021 and Granted on 28/06/2021 . CTE/CTO Valid up to 07/01/2026 . Copy of valid consent attached in ANNAXURE- 1 . Production details are as Annexure 2 .																																				
	<table><tr><th rowspan="2">S. No.</th><th rowspan="2">Name of Products</th><th colspan="3">Production Capacity (MTA)</th></tr><tr><th>Existing</th><th>Proposed</th><th>Total</th></tr><tr><td>1</td><td>Polyester Chips</td><td>1,55,000</td><td>2,37,600</td><td>3,92,600</td></tr><tr><td rowspan="3">2</td><td>Polyester Filament Yarn</td><td></td><td></td><td></td></tr><tr><td>Partially Oriented Yarn</td><td>61,000</td><td>29,600</td><td>90,600</td></tr><tr><td>Fully Drawn Yarn</td><td>-</td><td>19,900</td><td>19,900</td></tr><tr><td>3</td><td>By-Products-Degraded Polymer (Oligomer)</td><td>12</td><td>15</td><td>27</td></tr><tr><td>4</td><td>Captive Power Plant (MW)</td><td>6.74</td><td>8.4</td><td>15.14</td></tr></table>	S. No.	Name of Products	Production Capacity (MTA)			Existing	Proposed	Total	1	Polyester Chips	1,55,000	2,37,600	3,92,600	2	Polyester Filament Yarn				Partially Oriented Yarn	61,000	29,600	90,600	Fully Drawn Yarn	-	19,900	19,900	3	By-Products-Degraded Polymer (Oligomer)	12	15	27	4	Captive Power Plant (MW)	6.74	8.4	15.14				Also the CCA amendment under product mix obtained vide consent No. AWH-132594 , CCA Amendment No. 304024 , Valid upto 07/01/2026 . The provisional order copy is attached in Annexure-15 . Final amended CCA is yet to be received.
S. No.	Name of Products			Production Capacity (MTA)																																					
		Existing	Proposed	Total																																					
1	Polyester Chips	1,55,000	2,37,600	3,92,600																																					
2	Polyester Filament Yarn																																								
	Partially Oriented Yarn	61,000	29,600	90,600																																					
	Fully Drawn Yarn	-	19,900	19,900																																					
3	By-Products-Degraded Polymer (Oligomer)	12	15	27																																					
4	Captive Power Plant (MW)	6.74	8.4	15.14																																					
2	All the specific and general conditions stipulated in environmental clearance order dated April 7, 2008 shall remain the same.				Noted																																				
3	This letter shall be kept attached with the original clearance letter				Noted																																				



COMPLIANCE OF ENVIRONMENTAL CLEARANCE CORRIGENDUM MINISTRY'S
NO.: F. No. J-11011/1048/2007-IA-II (I), (VIDE DATED: 12/03/2009)


OCTOBER-2023 TO MARCH- 2024


SN	CONDITIONS	COMPLIANCE STATUS
	Your letter no.: nil dated: 23 rd September, 2008 requesting for change in fuel in heaters from gas/FO based to coal-based heaters and subsequent communication vide your letter dated: 11 th December, 2008.	
1	The Ministry has examined the request and noted the company is proposing 2 nos. of Coal based heaters in addition to existing gas-based heater facility in the proposed expansion project of polyester chips and polyester Filament yarn at village Jolwa, Taluka Palsana in district Surat in Gujarat by M/s. Garden Silk Mills Ltd.	Application of CCA renewal has been applied vide Application No. 105241 Dated 8/01/2021 and Granted on 28/06/2021 . CTE/CTO Valid up to 07/01/2026 . Copy of valid consent attached in ANNEXURE- 1 . Production details are as ANNEXURE 2 .
2	The matter was discussed in 89 th meeting of the Expert Appraisal Committee (industry) Meeting held during 22 nd and 23 rd December, 2008. The Committee has recommended for no objection subject to that "The company shall install the ESP with the coal fired boiler to keep the emission of particulates within 100 mg/Nm ³ ".	Complied. To keep emission of particulates within limit ESP for coal fired boiler has been installed.
3	The above recommendation of the Expert Appraisal Committee has been accepted as such for installation of 2 nos. of coal-based heaters subject to the condition mentioned above and the norms as specified in the environmental clearance letter issued vide No. J-11011/1048/2007-IA-II(I) dated April 7, 2008.	Noted
4	This has the approval of the Competent Authority.	Noted




COMPLIANCE OF ENVIRONMENTAL CLEARANCE MINISTRY'S LETTER NO.:
J-11011/124/2009-IA II (I), DATED: 10/06/2009

OCTOBER-2023 TO MARCH- 2024



SN	CONDITIONS	COMPLIANCE STATUS
1.	The Ministry of Environment and Forests has examined your application. It is noted that M/s. Garden Silk Mills Ltd. Have proposed for expansion of Polyester Chips and Polyester Filament Yarn manufacturing unit at Village: Jolwa, Tal.: Palsana, Dist.: Surat in Gujarat. Production capacity of Polyester Chips will increase from 3, 92,600 MTPA to 5, 45,600 MTPA fully drawn yarn from 19,900 MTPA to 23,000 MTPA. The Ministry has earlier accorded Environmental Clearance for the existing capacity on 7 th April, 2008. The production capacity of polyester oriented yarn will be same as 90,600 MTPA. Capacity of by-products Degraded Polymers (Oligomer) will increase from 27 MTPA to 39 MTPA. The Captive Power generation of existing and proposed plant will be 6.74 MW x 2 Nos., 8.4 MW x 1 No. and 18 MW x 1 No.; 10.5 MW x 1 No. respectively. Out of total proposed polyester chips, 23,000 MTPA will be produced by using the existing manufacturing facilities. Similarly, 3,100 MTPA of fully drawn yarn will be produced by using the existing manufacturing facilities. No eco-sensitive areas are located within 10 km radius of the plant. The proposed expansion will be within the existing unit having land area of 20 acres. Cost of the project is 13,275.00 lacs.	Application of CCA renewal has been applied vide Application No. 105241 Dated 8/01/2021 and Granted on 28/06/2021 . CTE/CTO Valid up to 07/01/2026 . Annexure 1 - Copy of last valid consent. Production details are as Annexure 2 .
2.	It is noted that the water requirement will increase from 7,153 m ³ /d to 8,828 m ³ /d which will be sourced from the ground water source. The waste water generation will be 3,523.8 m ³ /day. The domestic effluent will be disposed through septic tank followed by soak pit. The industrial waste water will be treated in the modified effluent treatment plant. The company has existing effluent treatment plant for primary, secondary involving two stage activated sludge process and tertiary treatment facility. The company will provide additional primary and secondary treatment to the existing treatment facility for treatment of additional effluent. The final treated effluent as per the prescribed norms of GPCB/CPCB will be sent to Kadodara, Khadi through own existing pipeline that finally meets the Arabian Sea.	Water is being used from existing bore wells as well as from canal. ETP are installed for treatment of effluent with primary, secondary & tertiary treatment. The final treated effluent is sent to Kadodara Khadi as per prescribed norms of GPCB. Analysis report of treated effluent is enclosed as Annexure 3 .
3.	Power requirement will be met through Captive Power Plant. One coal based boiler 90 TPH of capacity, one fuel oil fired thermic fluid heating system of 40 Kcal/capacity and one FO engine has been installed. Fuel for the boiler would be 288-360 MTPD of imported/Indian coal and 78 TPD of furnace oil for fuel oil engine and heat transfer fluid system (3 heaters). About 0.34 MTPD of lubricant oil will be used as fuel.	Application of CCA renewal has been applied vide Application No. 105241 Dated 8/01/2021 and Granted on 28/06/2021 . CTE/CTO Valid up to 07/01/2026 . 



SN	CONDITIONS	COMPLIANCE STATUS
4.	To control the particulate emissions from the coal fired boiler, electrostatic precipitators with stack height of 90 meter is proposed. Stack height of 60 meter is proposed for FO engine and stack height of 52 meter for Heat Transfer Fluid (common stack for 3 heaters) for dispersion of gaseous emission. To control the fugitive emission, all process pumps, reactors and treatment vessels would have mechanical seals. To strip off gases, stripper columns and off gas treatment tower will be provided. Fly ash conveyers from ESP hopper to silos would be totally enclosed.	Unit is provided APC system and stack height as per CPCB norms and also Monitoring arrangement are provided with Stack. Regular monitoring is carried out by unit. Stack Monitoring results are attached as Annexure 6 .
5.	Solid waste generation will be in the form of lubricant oil (1,050 MT/Year existing and 0.5 MT/Year, proposed) and HFO sludge (1.2 MT/Year, proposed) will be sold MoEF authorized reprocessors. Catalyst drum lot or additive drum (220 Nos./Month, existing and 140 Nos./Month, proposed) and PP liner lot (150 kg/month, existing and 4.5 MT/M, proposed) will be sold to GPCB authorized vendors. ETP sludge (10.55 MT/M existing and 2.5 MT/M proposed) will be disposed at M/s. NEPL (Naroda Enviro Projects Ltd.). Polymer waste (5.5 MT/M existing and 40 MT/M, proposed). Chip waste (69 MT/M, existing and 6 MT/M, proposed), sweeping PTA waste lot (12 MT/M, existing and 10 MT/M proposed), FDY-waste (17.5 MT/M, existing) and POY-waste (13.2 MT/M, existing) will be sold to actual end users. The quantity of the polymer waste may be varying due to power failure and break down. Ash (9 MTPD existing and 38-60 MTPD, proposed) will be sold to end-user like RMC (Ready Mix Concrete) plant operators, brick manufacturers, concrete block manufacturers and cement manufacturers etc.	Our total hazardous/solid waste are sent to TSDF of M/s. BEIL, Ankleshwar. Membership certificate enclosed in Annexure 7 . Discarded containers will be sold to GPCB authorized Vendors. Polymer waste, Chip waste, Sweeping PTA waste lot, FDY-waste and POY-waste will be sold to actual end users. Fly Ash sold to end-user like RMC (Ready Mix Concrete) plant operators & Brick manufacturers etc. last six months Solid waste generation Refer Annexure- 9 .
6.	The Petrochemical based processing units are listed at Serial No. 5(e) of schedule of EIA Notification, 2006 and categorized under "A" or "B" category depending upon the location of the plant outside or inside the notified industrial area. In the instant case the unit is located outside the notified industrial area, hence it is "A" Category project. The Expert Appraisal Committee (I) considered the project in its 93 rd meeting held on 14-16 th April, 2009 and committee recommended the proposal for grant of environmental clearance as per para 7(ii) of EIA Notification, 2006 exempting the project from public hearing.	Noted
7.	Based on the information submitted by the project proponent, the Ministry Environment and Forests hereby accords environmental clearance to above project under the provisions of EIA Notification, dated 14 th September 2006 subject to the compliance of the following Specific and General Conditions.	Noted 
A.	SPECIFIC CONDITIONS:	

SN	CONDITIONS	COMPLIANCE STATUS
i)	The company shall install full-fledged ETP to comply with the GPCB norm for discharge of effluent into sea and all necessary clearances shall also be obtained. The company shall construct a guard pond for treated effluent and shall carry out the bioassay test by collecting the treated effluent into the guard pond before discharging into Khadi. The reports shall be submitted to CPCB and Ministry's Regional Office at Bhopal.	In our premises ETP was installed to bring GPCB prescribed norms. Analysis report is enclosed as Annexure 3 . Bioassay analysis report of test is enclosed as Annexure 3 .
ii)	The water consumption shall not exceed 8,828 m ³ /d and waste water generation shall not exceed 3,523 m ³ /d. The company shall install the waste water monitoring facility and records shall be maintained.	The water requirement & waste water generation is within permissible limits. Water Consumption and wastewater generation details are enclosed in Annexure 4 .
iii)	The company shall obtain permission for drawl of ground water from the Central Ground Water Authority/Central Ground Water Board as may be applicable and copy shall be submitted to the Ministry's Regional Office.	Unit is used water from existing bore wells as well as from canal. Permission obtained from CGWA and irrigation department for industrial use is attached as Annexure 5A & 5B .
iv)	Particulate emissions from the coal fired boiler and coal fired heaters shall be controlled by installation of electrostatic precipitators and emissions shall be dispersed through stack of adequate height as per CPCB standards. During use of furnace oil as fuel the company shall ensure the emission of SO ₂ as per the norms prescribed by the SPCB and height of the stacks shall be as per CPCB norms. The company shall provide the monitoring agreement with the stack and regular monitoring shall be carried out and reports submitted to the SPCB, CPCB and Ministry's Regional Office at Bhopal.	Unit is provided adequate stack height and electrostatic precipitators as per CPCB norms and also Monitoring arrangement are provided with Stack. Regular monitoring is carried out by unit. Stack Monitoring results are attached as Annexure 6 . Monitoring & Analysis results for Ambient air are enclosed in Annexure 8 .
v)	The proponent shall upload the status of compliance of the stipulated environmental clearance conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the State Pollution Control Board. The pollutant levels namely, SPM, RSPM, SO ₂ , Nox (ambient levels as well as stack emissions) shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.	
vi)	Fugitive emissions in the work zone environment, product, and raw material storage area shall be regularly monitored. The emissions shall confirm to the limits imposed by SPCB.	
vii)	The project authorities shall strictly comply with the rules and regulation and guidelines under Manufacture, Storage and Import of Hazardous Chemicals Rules 1989 as amended in October, 1994 and January, 2000 and Hazardous Waste (Management, Handling and Transboundary Movement) Rule, 2008 as amended from time to time. Authorization from the SPCB shall be obtained for collection, treatment, storage and disposal of hazardous wastes. All Transportation of Hazardous Chemicals shall be as per MVA, 1989.	Noted & complied Unit is strictly complied with the rules and regulations and guidelines under Manufacture, Storage and Import of Hazardous Chemicals Rules 1989 as amended in October, 1994 and January, 2000 and Hazardous Waste (Management, Handling and Transboundary Movement) Rule, 2008 as amended from time to time & its amendment. Details of last six months hazardous waste are attached in Annexure 9 .

SN	CONDITIONS	COMPLIANCE STATUS
viii)	The project authority shall obtain the membership of TSDF within three months for disposal of solid and hazardous waste and copy of the same shall be submitted to the Ministry and Ministry's Regional Office at Bhopal. The company shall maintain valid member ship.	We have already obtained membership of TSDF of M/s. BEIL, Ankleshwar for the disposal of Solid/ Hazardous waste details attached in Annexure 7 .
ix)	The company shall develop 12,500 sq. m. out of the total area as green belt as per the CPCB guidelines to mitigate the effect of fugitive emissions.	Complied
x)	Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.	Regular occupational health surveillance is carried out for worker and records are maintained as per Act and certificate from CIH is attached as Annexure 12 .
xi)	The company shall make arrangement for protection of possible fire hazards during manufacturing process in material handling.	Proper arrangements for fire hazards during manufacturing process and material handling have been provided.
B.	GENERAL CONDITIONS	
i)	The project authorities shall strictly adhere to the stipulations made by the SPCB/state government or any statutory body.	Noted & complied
ii)	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment and Forests. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required. If any.	Noted & complied
iii)	At no time, the emissions shall exceed the prescribed limits. In the event of failure of any pollution control system adopted by the unit, the unit shall be immediately put out of operation and shall not be restated until the desired efficiency has been achieved.	We ensure that in the event of failure of any pollution control system adopted by the unit, the unit will be immediately put out of operation.
v)	The gaseous emissions (NOx, SO2 and SPM) and Particulate matter along with RSPM levels from various process units shall conform to the standards prescribed by the concerned authorities from time to time. At no time, the emission levels shall go beyond the stipulated standards. In the event of failure of pollution control systems(s) adopted by the unit, the respective unit shall not be restarted until the control measures are rectified to achieve the desired efficiency. Stack monitoring for SO2, Nox and SPM shall be carried.	We have provided adequate stack height to control process emission. Stack Monitoring results reports enclosed in Annexure 6 .
vi)	The locations of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (SPCB) and it shall be ensured that at least one stations is installed in the up wind and downwind direction as well as where maximum ground level concentrations are anticipated.	The locations of ambient air quality monitoring station installed in the all the direction include the up-wind and Down-Wind Direction. The Ambient monitoring location and results are attached as Annexure 8 . M/s. En-Vision Environmental Services, Surat is appointed NABL accreditation Testing laboratory, [NABL Certificate No.TC-5304] & Valid till-15/12/2024.
vii)	The Overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules,	Noise level measurement at GSMPL, Jolwa site , Noise levels around plant are attached as Annexure 10 . M/s. En-Vision Environmental Services, Surat is appointed NABL accreditation Testing laboratory, [NABL Certificate No.TC – 5304] & Valid till-15/12/2024. Around Boundary of plant area noise level Monitoring reports are enclosed as Annexure 10 .



SN	CONDITIONS	COMPLIANCE STATUS
	1989 viz. 75 dbA (day time) and 70 dBA (night time).	
viii)	The project proponent shall also comply with all the environment protection measures and safeguards proposed in the project report submitted to the Ministry. All the recommendations made in respect of environmental management measures project shall be implemented.	Noted & complied.
ix)	The company will undertake all relevant measures for improving the Socioeconomic conditions of the surrounding area CSR activities will be undertaken by involving local villages and administration.	Noted.
x)	The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.	Noted & complied.
xi)	A separate Environmental Management Cell equipped with full-fledged laboratory facilities shall be set up carry out the Environmental Management and Monitoring functions.	<p>Separate Health, Safety & Environment Department exist where the Environment related matters are handled</p>  <pre> graph TD COO[Chief Operations Officer] --> HSE[Head HSE] HSE --> HH[Health Head] HSE --> EH[Environment Head] HSE --> SH[Safety Head] HH --> MO[Medical Officer] MO --> Nurses[Nurses] Nurses --> Drivers[Drivers] EH -.-> QC[QC] EH -.-> EL[Env. Lab] EL --> LAO[Lab Assistant/Operator] SH --> SO[Safety Officer] SO --> FT[Fire Team] </pre>
xii)	The project authorities shall earmark adequate funds to implement the conditions stipulated by the Ministry of Environment and Forests as well as the State Government along with the implantation schedule for all the conditions stipulated herein. The funds so provided shall not be diverted for any other purpose.	Noted & complied.
xiii)	The implementation of project vis-à-vis environmental action plans shall be monitored by concerned Regional Office of the Ministry/SPCB/CPCB A six monthly compliance status report shall be submitted to monitoring agencies and shall be posted on the website of the Company.	Regular compliance statuses are sent to concern authorities.
xiv)	A copy of the clearance letter shall be sent by the proponent to concerned Panchayat, Zila Parishad/ Municipal Corporation, Urban local Body and the local NGO, if any from who suggestions/ representations if any were receives while processing the proposal.	<p>Proof of EC Grant Intimation to Palsana Dist. Mamlatdar is attached herewith.</p> 

SN	CONDITIONS	COMPLIANCE STATUS
		<p style="text-align: center;">GARDEN SILK MILLS LIMITED</p> <p>તા. ૮મી જુલાઈ, ૨૦૧૨</p> <p>મનિ, તથાતી કમ મેંબીસી, મોજે જોલવા, તા. મજાલણ, જી. સુરત.</p> <p><u>વિષય: પ્રદુષણ નિયંત્રણ (એન્વાયરમેન્ટ કન્ટ્રોલ-સ) અંગેનું પ્રમાણપત્ર જમા કરવા બાબત.</u></p> <p>મા. સાહેબ,</p> <p>આમ આદત સહ ઉપરોક્ત વિષય બાબતે આપણીને જણ થાય કે અમારી કંપની જોલવા પુકામે આવેલ છે તે અને પ્રદુષણ નિયંત્રણ (એન્વાયરમેન્ટ કન્ટ્રોલ-સ) અંગેનું પ્રમાણપત્ર અમોને મળેલ છે જે નકલ આ પાલ સાથે આપણીની કોપીએ જમા કરાવીએ છીએ. આપના સાથે સહકારની અપેક્ષા સત્.</p> <p>આભાર સત્,</p> <p>આપની વિશ્વાસુ, મુકેશ સીંઘ મીસા ટીપીટી વતી</p> <p>(અધિકૃત સહીકર્તા)</p> <p>વિદ્યાલ: પ્રદુષણ નિયંત્રણ (એન્વાયરમેન્ટ કન્ટ્રોલ-સ) અંગેના પ્રમાણપત્રની નકલ</p> <div style="text-align: center;">   <p><i>Garden</i></p> <p><small>Registered Office: Tolstoy Gate Surat 394 002, Gujarat. 2221911 2221912 2221913 Fax: 2221914 2221915 Surat Office: Tolstoy Gate 18, Sur 394 002, Gujarat. 2221911 2221912 2221913 Fax: 2221914 2221915</small></p> </div>
xv)	The project proponent shall also submit six monthly status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the State Pollution Control Board.	Regular compliance statuses are sent to concern authorities.
xvi)	The project proponent shall inform the public that project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with SPCB/Committee and may also be seen at Website of the Ministry at http://envfor.nic.in This shall be advertised within seven days from the date of issue of the clearance letter at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.	Complied Already advertisement has been given in local newspaper.
xvii)	The project authorities shall inform the regional Office as well as the Ministry, the date of financial closure and final approval of the concerned authorities and the date of start of the project.	Complied. Details already submitted. CA certificate for the same is enclosed as Annexure 13 .
9.	The Ministry revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory	Agreed.
10.	The Ministry reserves the right to stipulate additional conditions, if found necessary the company in a time bound manner will implement conditions.	Agreed

SN	CONDITIONS	COMPLIANCE STATUS
11.	Any appeal against this environmental clearance shall lie with the National Appellate Authority, if preferred within a period of 30 days as prescribed under section 11 of the National Environment Appellate Authority Act, 1997	Noted
12.	The above conditions will be enforced, inter-alia the provisions of the Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of water Pollution) Act, 1981 the Environment (Protection) Act, 1986 Hazardous Wastes (Management and Handling) Rules, 2003/ 2008 and the Public Liability Insurance Act, 1991 along with their amendments and rules.	Noted





COMPLIANCE OF AMENDMENT ENVIRONMENTAL CLEARANCE MINISTRY'S LETTER
NO.: J-11011/124/2009-IA II (I), DATED 24th July, 2012

OCTOBER- 2023 TO MARCH-2024

S. NO.	CONDITIONS	COMPLIANCE STATUS
1	This is in continuation of this Ministry's letter of even no. dated 10.06.2009 and your subsequent communication dated 5.02.2012, 24.04.2012 and 23.05.2012 requesting the Ministry for amendment of environmental clearance dated 10.06.2009 due to increase in the coal requirement from 288-360 MTPD to 328-360 MTPD.	Noted.
2	It is noted that in para 4 of environmental clearance of even no. dated 10.06 2009, that fuel requirement for the boiler has been mentioned as 288-360 TPD of Imported/Indian coal. The quantity of coal as per the environmental clearance was based on the following Gross Calorific Value (GCV): i. Gross Calorific Value (GCV) of imported coal 5500kcal/kg and quantity of coal for the 12 TPH boiler = 288 TPD ii. Gross Calorific Value (GCV) of Indian Coal/ lignite = 3800 kcal/kg, Quantity of coal for the 15 TPH boiler = 360 TPD	Noted.
3	However, the GCV of actual imported coal received is 3800 kcal/kg and coal requirement is 410 TPD. Due to non-availability of Indian coal, company proposes to use lignite along with Indian coal for which the GCV is 3300 kcal/kg. The coal requirement would be 450 TPD. Since the import of coal and coal mining is closed in monsoon season, there is fluctuation in coal availability and hence, it is proposed to use Petcoke (20%) as a fuel in combination with Lime (20%) with normal 80% Imported / Indian coal / lignite (328-360 TPD) so that captive power plant can run on full capacity. The company has installed electrostatic participator to control the particulate emissions To control the SO ₂ emissions; it is proposed to use 20 % of lime mix with Petcoke.	We are not using Petcoke, only Imported & Indian coal is used as fuel for power plant.
4	The proposal was placed before the Expert Appraisal Committee-I (Industry) in its meeting held during 29 th -30 th March, 2012 (p. 326/c). After detailed deliberations, the Committee recommended for amendment in the above environmental clearance to increase the requirement of coal from 288 – 360 MTPD to 328-360 MTPD (80% imported / Indian coal / lignite) and / or to use Petcoke (20% of Petcoke – 90 MTPD and 18 MTPD of lime).	We are not using Petcoke, only Imported & Indian coal is used as fuel for power plant.
5	The Ministry accepts the recommendation of	We are not using Petcoke, only Imported & Indian coal is used



S. NO.	CONDITIONS	COMPLIANCE STATUS
	EAC -1 (Industry) for amendment in the above environmental clearance in respect of increase in the coal requirement from 288 – 360 MTPD to 328-360 MTPD (80% imported / Indian coal / lignite) and / or to use Petcoke (20% of Petcoke – 90 MTPD of pet coke and 18 MTPD of lime) as mentioned in para 4 of environmental clearance dated 10.06.2009 subject to stipulation of following additional safeguards:	as fuel for power plant
	i. To control the SO ₂ emissions, lime shall be used. The emissions shall be scrubbed with caustic scrubber.	We have started to add lime dosing and same system have been implemented
	ii. Fly ash shall be utilized as per the Fly Ash utilization Notification, 1999 and as amended in 2009	Noted & complied.
	iii. Data on ambient air, stack and fugitive emissions shall be regularly submitted online to Ministry's Regional office at Bhopal, SPCB and Central Pollution Control Board as well as hard copy once in six months and display data on PM10, SO2 and Nox outside the premises at the appropriate place for the general public.	<p>Display board is placed visible to general public Status of every Compliance of the stipulated environmental clearance conditions including result of monitored data is uploaded Regular Basis on Garden vareli Website named www.gardenvareli.com. Screenshot of Website is attached here.</p>  <p>Refer Annexure 6 & 8</p>
	iv. The National Ambient Air Quality Standards issued by the Ministry vide G.S.R. No. 826 (E) dated 16 th November, 2009 shall be followed.	Noted & Complied.
	v. The project proponent shall also submit six monthly reports on the status of the compliance of the stipulated environmental conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MOEF the respective Zonal Office of CPCB and the SPCB. The Regional Office of this Ministry at Bhopal/CPCB/SPCB shall monitor the stipulated conditions.	<p>Regular compliance statuses are sent to concern authorities. Sets of Hard copies of Each Half Yearly EC Compliance are also sent to this authority.</p> <p>1. Integrated Regional Office, Gandhinagar, MOEFCC Room No A-407, "ARANYA BHAWAN", Near CH-3 circle Sector-10A, Gandhinagar-382010, Gujarat Gandhinagar – 382010.</p> <p>2. The Member Secretary State level Environment Impact Assessment Authority (SEIAA) Gujarat Pollution Control Board Paryavaran Bhavan, Sector – 10 – A Gandhinagar – 382010</p> 


S. NO.	CONDITIONS	COMPLIANCE STATUS
	vi. The environmental statement for each financial year ending 31 st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company alongwith the status of compliance of environmental conditions and shall also be sent to the respective Regional Offices of the MOEF by e-mail.	Environmental Statement (Form V) for 2022-2023 is attached in Annexure-17 . The Environment Statement for 2023-24 will be submitted before the due date in Sept'2024.
	vii. The Company shall submit within three months their policy towards Corporate Environment Responsibility which should inter-alia address (i) Standard operating process/ procedure to being into focus any infringement/deviation/violation of environmental or forest norms/conditions. (ii) Hierarchical system or Administrative order of the Company to deal with environmental issues and ensuring compliance to the environmental clearance conditions and (iii) System of reporting of non-compliance/violation environmental norms to the Board of Directors of the company and/or stakeholders or shareholders	Details of CER activities and Time targeted Action plan for CER Activity is CER Activity is given in Annexure 11 . We received CER Award from GPCB & SGCCI for our initiatives towards CER. Refer the CER Award as Annexure-18 .
6	The company shall comply with all the conditions stipulated vide Ministry's letter of even no. dated 10.6.2009. In future, in case of change in the scope of the project, the company shall obtain fresh environmental clearance.	Noted
	This issue with approval of the Competent Authority.	Noted



COMPLIANCE OF AMENDMENT ENVIRONMENTAL CLEARANCE MINISTRY'S LETTER
NO.: J-11011/624/2010-IA II (I), DATED 10th May 2013

OCTOBER 2023 TO MARCH 2024

SN	CONDITIONS	COMPLIANCE STATUS																																																																	
1	The Ministry of Environment and Forests has examined the application for the above project. It is noted that M/s Garden Silk Mills Limited has proposed for expansion of Polyester Stable Fibre and Captive Power Plant (CPP) at Village Jolwa, Taluka Palsana, District Surat, Gujarat. Proposed expansion project is located outside the Notified Industrial Area. The total land requirement for the proposed plant is 36395.4 m ² (3.63 Ha). The power requirement will be met from the CPP. Coal requirement for the CPP would be met from M/s. Adani Enterprises Limited. The total cost of the project will be Rs. 277.3 Crores, Rs.6 Crores and Rs.95 Lakhs will be earmarked towards total capital cost and recurring cost/annum for environmental pollution control measures	Application of CCA renewal has been applied vide Application No. 105241 Dated 8/01/2021 and Granted on 28/06/2021.CTE/CTO Valid up to 07/01/2026. Copy of Consent order is attached in ANNAXURE- 1 . Production details are as ANNEXURE 2 . Also the CCA amendment under product mix obtained vide consent No. AWH-132594 , CCA Amendment No. 304024 , Valid upto 07/01/2026 . The provisional order copy is attached in Annexure-15 . Final amended CCA is yet to be received.																																																																	
2	<p>The existing and the proposed configuration are given below:</p> <table><tr><th>S. No</th><th>Name of Products</th><th>Existing (MTPA)</th><th>Proposed (MTPA)</th><th>Total (MTPA)</th></tr><tr><td>1.</td><td>Polyester Chips</td><td>3,33,524</td><td>--</td><td>3,33,524</td></tr><tr><td>2.</td><td>Polyester Filament Yarn (PFY)</td><td>--</td><td>--</td><td>--</td></tr><tr><td>a.</td><td>Partially Oriented Yarn (POY)</td><td>2,28,192</td><td>--</td><td>2,28,192</td></tr><tr><td>b.</td><td>Fully Drawn Yarn (FDY)</td><td>97,484</td><td>--</td><td>97,484</td></tr><tr><td>3.</td><td>Poly Staple Fiber (PSF)</td><td>--</td><td>1,08,000</td><td>1,08,000</td></tr><tr><td colspan="2">Total (TPA)</td><td>6,59,200</td><td>1,08,000</td><td>7,67,200</td></tr><tr><td>4.</td><td>By-Products</td><td></td><td></td><td></td></tr><tr><td>a.</td><td>Degraded Polymer (Oligomer)</td><td>39</td><td>10</td><td>49</td></tr><tr><td>5.</td><td colspan="4">Electric Power</td></tr><tr><td>a.</td><td>N.G Based Captive Power Plant</td><td></td><td></td><td></td></tr><tr><td></td><td>i. Phase – I & II (MW)</td><td>13.49 (2 X 6.745)</td><td>--</td><td>13.49 (2X 6.745)</td></tr><tr><td></td><td>ii. Phase-III (MW)</td><td>8.4</td><td>--</td><td>8.4</td></tr></table>	S. No	Name of Products	Existing (MTPA)	Proposed (MTPA)	Total (MTPA)	1.	Polyester Chips	3,33,524	--	3,33,524	2.	Polyester Filament Yarn (PFY)	--	--	--	a.	Partially Oriented Yarn (POY)	2,28,192	--	2,28,192	b.	Fully Drawn Yarn (FDY)	97,484	--	97,484	3.	Poly Staple Fiber (PSF)	--	1,08,000	1,08,000	Total (TPA)		6,59,200	1,08,000	7,67,200	4.	By-Products				a.	Degraded Polymer (Oligomer)	39	10	49	5.	Electric Power				a.	N.G Based Captive Power Plant					i. Phase – I & II (MW)	13.49 (2 X 6.745)	--	13.49 (2X 6.745)		ii. Phase-III (MW)	8.4	--	8.4	
S. No	Name of Products	Existing (MTPA)	Proposed (MTPA)	Total (MTPA)																																																															
1.	Polyester Chips	3,33,524	--	3,33,524																																																															
2.	Polyester Filament Yarn (PFY)	--	--	--																																																															
a.	Partially Oriented Yarn (POY)	2,28,192	--	2,28,192																																																															
b.	Fully Drawn Yarn (FDY)	97,484	--	97,484																																																															
3.	Poly Staple Fiber (PSF)	--	1,08,000	1,08,000																																																															
Total (TPA)		6,59,200	1,08,000	7,67,200																																																															
4.	By-Products																																																																		
a.	Degraded Polymer (Oligomer)	39	10	49																																																															
5.	Electric Power																																																																		
a.	N.G Based Captive Power Plant																																																																		
	i. Phase – I & II (MW)	13.49 (2 X 6.745)	--	13.49 (2X 6.745)																																																															
	ii. Phase-III (MW)	8.4	--	8.4																																																															





SN	CONDITIONS					COMPLIANCE STATUS
	6.	Coal Based Captive Power Plant	18	21	39 MW	
3	The power requirement of 21 MW for the proposed expansion which will be met from the coal based captive power plant. D.G. sets (1x200 KVA and 1x500 KVA) will be used as a standby arrangement.					Power generation details are as Annexure 2 .
4	It is noted that to control the air emissions the unit will install Electro Static Precipitator to control air pollutants. The stacks will be attached to the air pollution control equipment to disperse the air pollutants to the satisfactory levels. Preventive maintenance of air pollution control equipment will be done regularly. A thick greenbelt is developed all around the plant boundary to act as noise attenuator. Water sprinkling will be done to control the dust emissions.					ESP is attached to stack of Power plant. Regular preventive maintenance of ESP is carried out and avoid major beak done. Green belt is developed around the coal yard. Water sprinkling is carried out regularly.
5	The total water requirement for the proposed expansion will be 3291 m ³ /day, which will be met through Canal water. The wastewater generation is 1350.6 m ³ /day which will be treated in the Effluent Treatment Plant.					The water requirement & waste water generation is within permissible limits. Water Consumption and wastewater generation details are enclosed in Annexure 4 . And also permission from irrigation department is shown in Annexure 5 .
6	It is noted that all hazardous wastes will be handled carefully and stored in scientifically designed and constructed hazardous waste storage area within the premises. The empty containers of hazardous raw materials and Used/spent oil will be sent to GPCB registered dealer. The ETP sludge shall be sent to TSDF site for disposal through covered vehicle and process waste shall be sold to end-users.					Separate hazardous waste storage area is prepared. Details waste generation shown in Annexure 9 . Membership certificate of TSDF of M/s. BEIL are already obtained which is attached as Annexure 7 .
7	All the manmade fibres manufacturing (Rayon) are listed at S. No. 5(d) under Category 'A' of the Schedule of EIA Notification, 2006 and appraised at the Central level.					Noted
8	The proposal was considered by the Reconstituted Expert Appraisal Committee (Industry) in its 4 th meeting held during 8-9 th January, 2013. The Committee recommended the proposal for environmental clearance subject to stipulation of specific conditions along with other environmental conditions. Public Hearing / Public Consultation meeting was conducted by the Gujarat Pollution Control Board on 7.6.2012.					Noted
9	Based on the information submitted by you, presentation made by you and your consultant M/s En-vision Enviro Engineers Ltd., Surat, the Ministry of Environment and Forests hereby accords environmental clearance to the above project under the provisions of EIA Notification dated 14 th September 2006 subject to strict compliance of the following Specific and General conditions:					Noted
A.	SPECIFIC CONDITIONS:					
i.	Electro Static Precipitator shall be installed to control particulate emission from the coal fired					ESP is installed at CFH, the stack emission details are shown in Annexure 6 .









SN	CONDITIONS	COMPLIANCE STATUS
	heater. The gaseous emissions from the coal fired heater shall be dispersed through stack of adequate height and emissions shall conform to the prescribed standards.	
ii.	The sulphur and ash content in the coal to be used in the captive power plant shall not exceed 0.5% and 6-8% respectively. The Gross Calorific Value of coal shall not be less than 3900 kcal/kg. In case of variation of coal quality at any point of time, fresh reference shall be made to the Ministry for amendment of the condition, whenever necessary.	We ensure of using coal with specified Sulphur and ash content. Coal with less than 3900 Kcal/Kg GCV will not be used.
iii.	Gaseous emission levels including secondary fugitive emissions from all the sources shall be controlled within the latest permissible limits issued by the Ministry vide G.S.R. 414(E) dated 30 th May, 2008 and regularly monitored. Guidelines / Code of Practice issued by the CPCB should be followed.	The location of ambient air quality monitoring stations had been decided with GPCB consultation. One up wind, one downwind and one maximum ground level concentration stations were selected for AAQM monitoring. M/s. En-Vision Environmental Services, Surat is appointed NABL accreditation Testing laboratory, [NABL Certificate No.TC – 5304] &Valid till-15/12/2024. Results of AAQM monitoring test reports have been attached in Annexure 8 .
iv.	The total water requirement shall not exceed 3291 m ³ /day and permission shall be obtained to draw the canal water from the State irrigation department.	The water requirement is within permissible limits. Water Consumption details are enclosed in Annexure 4 . And also, permission from irrigation department is shown in Annexure 5 .
v.	The process effluent shall be treated in the effluent treatment plant. After primary and secondary treatment, the treated effluent shall be discharged into Kadodara, Khadi through pipeline after confirming to the prescribed standards. Water from polystaple fibre unit shall be used for green belt development.	Noted &Complied. Details of characteristics of treated effluent is shown in Annexure 3 .
vi.	Efforts shall be made to make use of rain water harvested. If needed, capacity of the reservoir should be enhanced to meet the maximum water requirement. Only balance water requirement shall be met from other sources.	Noted &Complied. Two recharge wells are provided for rainwater harvesting system and ground water recharge.
Vii	Risk & Disaster Management Plan along with the mitigation measures shall be prepared and a copy submitted to the Ministry's Regional Office at Bhopal, SPCB and CPCB within 3 months of issue of environment clearance letter.	Noted &Complied.
viii.	As proposed, green belt shall be developed in 33 % of the total land area. Selection of plant species shall be as per the CPCB guidelines in consultation with the DFO.	Green belt development has been done in the project area. Around 1000 numbers of trees were planted within the premises. Photographs of green belt developed within the premises has been Attached in Specific Condition of EC granted 2008.
ix.	Occupational health surveillance of the workers should be carried out as per the prevailing Acts and Rules.	Regular occupational health surveillance are carried out for worker and records are maintained as per Act and certificate from CIH is attached as Annexure 12 .
x.	At least 5 % of the total cost of the project shall be earmarked towards the Enterprise Social Commitment based on locals need and item-wise details along with time bound action plan should be prepared and submitted to the Ministry's Regional Office at Bhopal. Implementation of such program should be ensured accordingly in a time bound manner.	Noted.
xi.	The company shall provide housing for	Necessary infrastructure was provided during construction



SN	CONDITIONS	COMPLIANCE STATUS
	construction labor within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, safe drinking water, medical health care, 22rèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.	phase.
B.	GENERAL CONDITIONS:	
i.	The National Ambient Air Quality Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16 th November, 2009 should be followed.	Noted & Complied
ii.	The project authorities must strictly adhere to the stipulations made by the Gujarat Pollution Control Board and the State Government.	Noted & Complied
iii.	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment and Forests.	Noted
iv.	At least four ambient air quality monitoring stations should be established in the downward direction as well as where maximum ground level concentration of PM10, SO2 and NOx are anticipated in consultation with the SPCB. Data on ambient air quality and stack emission shall be regularly submitted to this Ministry including its Regional Office at Bhopal and the SPCB/CPCB once in six months.	Data on ambient air quality and stack emission are shown in Annexure 8 and Annexure 6 respectively. M/s. En-Vision Environmental Services, Surat is appointed NABL accreditation Testing laboratory, [NABL Certificate No.TC – 5304] & Valid till-15/12/2024.
v.	Industrial wastewater shall be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19 th May, 1993 and 31 st December, 1993 or as amended from time to time. The treated wastewater shall be utilized for plantation purpose.	The final treated effluent is sent to Kadodara Khadi as per prescribed norms of GPCB. Analysis reports for treated effluent are attached in Annexure 3 . M/s. En-Vision Environmental Services, Surat is appointed NABL accreditation Testing laboratory, [NABL Certificate No.TC – 5304] & Valid till-15/12/2024.
vi.	The overall noise levels in and around the plant area shall be kept well within the standards (85 dBA) by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels should conform to the standards prescribed under EPA Rules, 1989 viz. 75 dBA (daytime) and 70 dBA (nighttime).	Noise monitoring within premises at different location was carried out and results are shown in Annexure 10 . M/s. En-Vision Environmental Services, Surat is appointed NABL accreditation Testing laboratory, [NABL Certificate No.TC – 5304] & Valid till-15/12/2024. Around Boundary of plant area noise level Monitoring reports are enclosed as Annexure 10 .
vii.	Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.	Regular occupational health surveillance are carried out for worker and records are maintained as per Act and certificate from is attached as Annexure 12 .
viii.	The company shall develop rain water harvesting structures to harvest the rain water for utilization in the lean season besides recharging the ground water table.	Two recharge wells are provided for rainwater harvesting system and ground water recharge.
ix.	The project proponent shall also comply with all the environmental protection measures and safeguards recommended in the EIA/EMP report. Further, the company must undertake socio-economic development activities in the surrounding villages like community development programmes, educational programmes, drinking water supply and health care etc.	Noted
x.	Requisite funds shall be earmarked towards capital cost and recurring	Noted & Complied



SN	CONDITIONS	COMPLIANCE STATUS
	cost/annum for environment pollution control measures to implement the conditions stipulated by the Ministry of Environment and Forests as well as the State Government. An implementation schedule for implementing all the conditions stipulated herein shall be submitted to the Regional Office of the Ministry at Bhopal. The funds so provided shall not be diverted for any other purpose.	
xi.	A copy of clearance letter shall be sent by the proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban Local Body and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the web site of the company by the proponent.	Noted & Complied
xii.	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of the MOEF at Bhopal. The respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; PM10, SO2, NOx (ambient levels as well as stack emissions) or critical Sectoral parameters, indicated for the projects shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.	<p>Regular compliance statuses are sent to concern authorities. Display board is placed visible to general public. Status of every Compliance of the stipulated environmental clearance conditions including result of monitored data is uploaded Regular Basis on Garden Vareli Website named www.gardenvareli.com.</p> 
xiii.	The project proponent shall also submit six monthly reports on the status of the compliance of the stipulated environmental conditions including results of monitored data (both in hard copies as well as by e-mail) to the Regional Office of MOEF, the respective Zonal Office of CPCB and the SPCB. The Regional Office of this Ministry at Bhopal / CPCB / SPCB shall monitor the stipulated conditions.	<p>Refer Annexure 6 & 8.</p> <p>Regular compliance statuses are sent to concern authorities.</p>
xiv.	The environmental statement for each financial year ending 31 st March in Form-V, as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental conditions and shall also be sent to the respective Regional Office of the MOEF at Bhopal by e-mail.	<p>Environmental Statement (Form V) for 2022-2023 is attached in Annexure-17. The Environment Statement for 2023-24 will be submitted before the due date in Sept'2024.</p> 

SN	CONDITIONS	COMPLIANCE STATUS
xv.	The Project Proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB and may also be seen at Website of the Ministry of Environment and Forests at http://envfor.nic.in . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same should be forwarded to the regional office at Bhopal.	<p>Complied</p> <p>Already advertisement has been given in local newspaper.</p> <p>Complied.</p> <p>Already advertisement has been given in local newspaper.</p> <p>Complied.</p> <p>Please find copy of EC advertisement as below;</p> <p>1. English Newspaper</p>  <p>2. Gujarati Newspaper</p> 
xvi.	Project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of commencing the land development work.	<p>Complied. Details already submitted. CA certificate for the same is enclosed as Annexure 13.</p> 
10.	The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	Agreed.
11.	The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.	Agreed
12.	The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous Wastes (Management, Handling and Transboundary Movement) Rules, 2008 and the Public (Insurance) Liability Act, 1991 along with their amendments and rules.	<p>Noted</p> 

LIST OF ANNEXURE

ANNEXURES	PARTICULARS
Annexure – 1	Copy of valid CC&A and CTE
Annexure – 2	Production details for Last Six Months
Annexure – 3	ETP Treated Waste Water Analysis Report
Annexure – 4	Fresh Water Consumption and Effluent Generation for Last Six Months
Annexure – 5A	Water permission from Canal Water & CGWA for Ground water
Annexure – 5B	Renewal Application for CGWA
Annexure – 6	Stack Monitoring Reports
Annexure – 7	Membership certificate with BEIL, Ankleshwar
Annexure – 8	Analysis report of Ambient Air Monitoring
Annexure – 9	Solid waste generation in last six months report
Annexure – 10	Noise monitoring report
Annexure – 11	Policy for Corporate Environment Responsibility
Annexure – 12	Certificate of Occupational Health Surveillance
Annexure – 13	CA certificate financial closure
Annexure – 14	NABL certificate
Annexure – 15	CCA Amendment Provisional Order Copy
Annexure – 16	GPCB Schedule II Auditor Certificate
Annexure – 17	Environment Statement Form-V (2022-23)
Annexure – 18	CER Award



ANNEXURE -1 CC & A



GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN

Sector-10-A, Gandhinagar-382 010

Phone : (079) 23226295

Fax : (079) 23232156

Website : www.gpcb.gov.in

By R.P.A.D

In exercise of the power conferred under section-25 of the Water (Prevention and Control of Pollution) Act-1974, under section-21 of the Air (Prevention and Control of Pollution)-1981 and Authorization under rule 6(2) of the Hazardous And Other Waste (Management and Transboundary) Rules, 2016 framed under the Environmental (Protection) Act-1986. This Board is empowered to Grant CC&A.

And whereas Board has received consolidated consent application letter no. **185241** dated **08-01-2021** for the **Consolidated Consent and Authorization (CC & A)** of this Board under the provisions / rules of the aforesaid Acts. Consents & Authorization are hereby granted as under:

CONSENTS AND AUTHORISATION:

(Under the provisions /rules of the aforesaid environmental acts)

To,

M/s. Garden Silk Mills Ltd. (Cp Div.)

Plot no: 196,197, 124/A, 202-5, 225/7, 229, 230,

Jotwa-394705,

Tal: Palsana, Dist: Surat.

1. Consent Order No. **AWH-113457** Date of issue: **28-06-2021**.
2. The consents shall be **valid upto 07-01-2026** for the use of outlet for the discharge of treated effluent and emission due to operation of industrial plant for manufacturing of the following items/ products:

Sr. No.	Product	Total Quantity
1)	Polyester Chips	3,33,524 MT/Year
2)	Polyester Filament Yarn	
a)	FDY	89,788.8 MT/Year
b)	POY	2,28,192 MT/Year
3)	By Product Degraded Polymer (oligomer)	38 MT/Year
4)	Nylon Filament Yarn	7328 MT/Year
5)	By Product Nylon Yarn Waste	367.2 MT/Year
6)	Power	
a)	(1) N.G. Based Power Plant (Phase I & II)	13.490 MW
	(2) N.G. Based Power Plant (Phase III)	8.4 MW
b)	Coal Based Power Plant	39 MW

Page 1 of 7

M/s. Garden Silk Mills Ltd. (Cp Div.)(ID-20700)

Clean Gujarat Green Gujarat

ISO - 9001 - 2008 & ISO - 14001 - 2004 Certified Organisation



Subject to specific condition:

1. You shall comply with MOEFCC notification no GSR 243(E) dated 31/03/2021 as committed vide letter no: DC/GSML/EC 21-22/09, dated: 08/06/2021.
2. Industry shall manage Solid Wastes generated from industrial activities as per Solid Waste Management Rules-2016 (solid waste as defined in Rule-3(46)).
3. As per Provisions of Rule 18 of Solid Waste Management Rules-2016 you are directed to make an arrangement in Utilities to replace at least five percent (5%) of your solid fuel requirement by 'refused derived fuel'.
4. Industry shall obtain NOC from CGWA as per order of Hon. National Green Tribunal for the withdrawal of ground water.
5. Industry shall provide dedicated storage facility for fly ash.
6. Industry shall comply with fly ash notification 1999 as amended from time to time.

3. CONDITIONS UNDER THE WATER ACT:

- 3.1. Source of Water: Borewell.
- 3.2. The quantity of the water consumption for industrial purpose shall not exceed 10063 KL/Day.
- 3.3. The quantity of the fresh water consumption for domestic purpose shall not exceed 99 KL/Day.
- 3.4. The quantity of the industrial effluent to be generated from the manufacturing process and other auxiliary industrial operations shall not exceed 4136.4 KL/Day.
- 3.5. The quantity of domestic waste water shall not exceed 76 KL/Day.
- 3.6. The applicant shall operate effluent treatment system efficiently so that treated effluent from the industrial unit shall conform to the norms mentioned below.

PARAMETERS	GPCB NORMS
pH	6.5 TO 8.5
Temperature	40 °C
Colour (Pt-Co scale) in unit	100 units
Suspended Solids	100 mg/l
Oil and Grease	10 mg/l
Chlorides	600 mg/l
Sulphate	1000 mg/l
Phenolic Compounds	1 mg/l
Sulphides	2 mg/l
Ammonical Nitrogen	50 mg/l
Total Chromium	2 mg/l
Hexavalent Chromium	0.1 mg/l
BOD (5 days at 20 °C)	30 mg/l
COD	100 mg/l
Total Dissolved Solids	2100 mg/l

- 3.7. The final treated industrial effluent conforming to the above standards shall be reused up to maximum extent & remaining shall be discharged into Kadodara Khadi through closed pipeline up to final discharge point. The applicant shall provide storage tank of adequate capacity to store treated effluent during rainy season for at latest 7 days.
- 3.8. Domestic effluent shall be disposed off through septic tank-soak pit system.

M/s. Garden Silk Mills Ltd. (Cp Div.)(ID-20700)

Page 2 of 7





GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN

Sector-10-A, Gandhinagar-382 010

Phone : (079) 23226295

Fax : (079) 23232156

Website : www.gpcb.gov.in

4. CONDITIONS UNDER THE AIR ACT:

4.1. The following shall be used as a fuel.

Sr. No.	Fuel	Quantity
1	Coal	1449 MT/Day
2	Natural Gas	16,50,792 SM ³ /Month
3	Lubricating Oil	0.340 MT/Day
4	Lurance Oil	210 KL/Day

4.2. The applicant shall install & operate comprehensive adequate air pollution control system in order to achieve prescribed norms.

4.3. The flue gas emission through stack attached to Coal fired heater, steam boiler & Others shall conform to the following standards:

Stack No.	Stack attached to	Stack height in Meter	Air Pollution Control System	Parameters	Permissible Limit
1	Coal fired Heaters -PSF-1 No.	45	Electrostatic Precipitator	Particulate Matter SO ₂ NO _x	150 mg/NM ³ 100 ppm 50 ppm
2	Coal fired Heaters - CP 4/5-1 No. with WHRB	52	Electrostatic Precipitator	Particulate Matter SO ₂ NO _x	150 mg/NM ³ 100 ppm 50 ppm
3	Steam Boiler (93 TPH, (90 TPH)	81 (common stack)	Electrostatic Precipitator	Particulate Matter SO ₂ NO _x	150 mg/NM ³ 100 ppm 50 ppm
4	Steam Boiler (1 & 2)	32	NA	Particulate Matter SO ₂ NO _x	150 mg/NM ³ 100 ppm 50 ppm
5	Thermopack-3 nos.	52	NA	Particulate Matter SO ₂ NO _x	150 mg/NM ³ 100 ppm 50 ppm
6	Heat Transfer Fluid 3 nos.	52	Cyclone + Scrubber	Particulate Matter SO ₂ NO _x	150 mg/NM ³ 100 ppm 50 ppm
7	Gas Engine & WHRB 1	30	NA	Particulate Matter SO ₂ NO _x	150 mg/NM ³ 100 ppm 50 ppm
8	Gas Engine & WHRB 2	30	NA	Particulate Matter SO ₂ NO _x	150 mg/NM ³ 100 ppm 50 ppm
9	Gas Engine & WHRB 3	30	NA	Particulate Matter SO ₂ NO _x	150 mg/NM ³ 100 ppm 50 ppm
10	Coal Fired	45	ESP	Particulate Matter	150 mg/NM ³

Page 3 of 7

M/s. Garden Silk Mills Ltd. (C.P. Div.)(ID-20700)

Clean Gujarat Green Gujarat

ISO - 9001 - 2008 & ISO - 14001 - 2004 Certified Organisation



	Heaters (2 nos.)			SO ₂ NO _x	100 ppm 50 ppm
11	Thermopack (Common Stack for 3 nos.)	52	NA	Particulate Matter SO ₂ NO _x	150 mg/NM 100 ppm 50 ppm

- 4.4. There shall be no process emission from the manufacturing process as well as any other ancillary process.
- 4.5. Industry shall take adequate measure to control dusting due to storage, transportation & handling of Coal-Lignite & fly ash.
- 4.6. Industry shall comply with Coal handling guideline of the Board.
- 4.7. Industry shall comply with fly ash notification 1999 as amended from time to time.
- 4.8. The concentration of the following parameters in the ambient air within the premises of the industry and a distance of 10 meters from the source(s) other than the stack/vent shall not exceed the following levels.

PARAMETERS	PERMISSIBLE LIMIT
PM 10	100 Microgram/m ³
PM 2.5	60 Microgram/m ³
SO ₂	80 Microgram/m ³
NO _x	80 Microgram/m ³

- 4.9. The applicant shall provide portholes, ladder, platform etc at chimney(s) for monitoring the air emissions and the same shall be open for inspection to and for use of Board's staff. The chimney(s) vents attached to various sources of emission shall be designed by numbers such as S-1, S-2, etc. and these shall be painted displayed to facilitate identification.
- 4.10. The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standards in respect of noise to less than 75dB(A) during day time and 70 dB (A) during night time. Daytime is reckoned in between 6 a.m. and 10 p.m. and nighttime is reckoned between 10 p.m. and 6 a.m.

5. AUTHORIZATION as per HAZARDOUS AND OTHER WASTE (MANAGEMENT AND TRANSBOUNDARY) RULES, 2016 Form-2 [Sec rule 6 (2)]

Form for grant of authorization for occupier or operator handling Hazardous waste

5.1 Authorization order No: **AWH-113457** date of Issue: **28-06-2021**.

5.2 **M/s. Garden Silk Mills Ltd. (Cp Div.)** is hereby granted an authorization to operate facility for following hazardous wastes on the premises situated at **Plot no: 196,197, 124/A, 202-5, 225/7, 229, 230, Jolwa-394705, Tal: Palsana, Dist: Surat.**

Sr. No	Waste	Quantity MT/Year	Schedule-I/ Category	Facility
1	ETP Waste	180.6	34.3	Collection, Storage, Transportation and disposal at GPCB authorized TSDF Site.
2	Used Oil	5.25	5.1	Collection, storage, transportation and disposal by selling to Registered re-refiners.
3	Empty barrels/containers/liners contaminated with hazardous chemicals wastes	72.9	33.1	Collection, storage transportation and disposal to authorized decontaminator

Page 4 of 7

M/s. Garden Silk Mills Ltd. (Cp Div.) (ID-20700)





GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN

Sector-10-A, Gandhinagar-382 010

Phone : (079) 23226295

Fax : (079) 23232156

Website : www.gpcb.gov.in

- 5.3 The authorization shall be valid up to **07-01-2026**.
- 5.4 The authorization is subject to the conditions stated below and such other conditions as may be specified in the rules from time to time under the Environment (Protection) Act-1986.
- 5.5 The authorization is granted to operate a facility for collection, storage within factory premises transportation and ultimate disposal of Hazardous wastes as per condition no.5.2 to the industry having valid CCA of this Board.

6. TERMS AND CONDITIONS OF AUTHORISATION

1. The applicant shall comply with the provisions of the Environment (Protection) Act-1986 and the rules made there under.
2. The authorization or its renewal shall be produced for inspection at the request of an officer authorized by the Gujarat Pollution Control Board.
3. The persons authorized shall not rent, lend, sell, and transfer or otherwise transport the hazardous wastes without obtaining prior permission of the Gujarat Pollution Control Board.
4. Any unauthorized change in personnel, equipment or working conditions as mentioned in the authorization order by the persons authorized shall constitute a breach of this authorization.
5. The person authorized shall implement Emergency Response Procedure (ERP) for which this authorization is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time;
6. The person authorized shall comply with the provisions outlined in the Central Pollution Control Board guidelines on "Implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Wastes and Penalty"
7. It is the duty of the authorized person to take prior permission of the Gujarat Pollution Control Board to close down the facility.
8. An application for the renewal of an authorization shall be made as laid down in rules 6(2) under Hazardous Waste and Other Waste Rules, 2016.
9. The imported hazardous and other wastes shall be fully insured for transit as well as for any accidental occurrence and its clean-up operation.
10. The record of consumption and fate of the imported hazardous and other wastes shall be maintained.
11. The hazardous and other wastes which gets generated during recycling or reuse or recovery or pre-processing or utilization of imported hazardous or other wastes shall be treated and disposed of as per specific conditions of authorization.
12. The importer or exporter shall bear the cost of import or export and mitigation of damages if any.
13. Any other conditions for compliance as per the Guidelines issued by the Ministry of Environment, Forest and Climate Change or Central Pollution Control Board from time to time.
14. The waste generator shall be totally responsible for (i.e. collection, storage, transportation and ultimate disposal) the wastes generated.
15. Records of waste generation, its management and annual return shall be submitted to Gujarat Pollution Control Board in Form-4 by 30th day of June of every year for the preceding period April to March.
16. In case of any accident, details of the same shall be submitted on Form-11 to Gujarat Pollution Control Board.
17. As per "Public Liability Insurance Act-91" company shall get Insurance Policy, if applicable.
18. Empty drums and containers of toxic and hazard material shall be treated as per guideline published for "Management & Handling of discarded containers". Records of the same shall be maintained and forwarded to Gujarat Pollution Control Board regularly.

Page 5 of 7

M/s. Garden Silk Mills Ltd. (Cp Div.)(ID-20700)

Clean Gujarat Green Gujarat

ISO - 9001 - 2008 & ISO - 14001 - 2004 Certified Organisation



19. In case of transport of hazardous wastes to a facility for (i.e. treatment, storage and disposal) existing in a State other than the State where hazardous wastes are generated, the occupier shall obtain 'No Objection Certificate' from the State Pollution Control Board or Committee of the concerned State of Union Territory Administration where the facility exists.
20. Unit shall take all concrete measures to show tangible results in waste generation, reduction, avoidance, reuse and recycle. Actions taken in this regard shall be submitted within three months and also along with Form-4.
21. Industry shall have to display the relevant information with regards to hazardous waste as indicated in the Hon. Supreme Court's Order in W.P. No.657 of 1995 dated 14th October, 2003.
22. Industry shall have to display on-line data outside the main factory gate with regard to quantity and nature of hazardous chemicals being handled in the plant, including wastewater and air emissions and solid hazardous wastes generated within the factory premises.

7. GENERAL CONDITIONS:-

- 7.1. Any change in personnel, equipment or working conditions as mentioned in the consents form/order should immediately be intimated to this Board.
- 7.2. Applicant shall also comply with the general conditions given in annexure 1.
- 7.3. Whenever due to accident or other unforeseen act or ever, such emissions occur or is apprehended to occur in excess of standards laid down such information shall be forthwith reported to Board, concerned Police Station, Office of Directorate of Health Service, Department of Explosives, Inspectorate of Factories and local body.
- 7.4. In case of failure of pollution control equipments, the production process connected to it shall be stopped. Remedial actions/measures shall be implemented immediately to bring entire situation normal.
- 7.5. The Environmental Management Unit/Cell shall be setup to ensure implementation on and monitoring of environmental safeguards and other conditions stipulated by statutory authorities. The Environmental Management Cell/Unit shall directly report to the Chief Executive of the organization and shall work as a focal point for internalizing environmental issues. These cells/units also coordinate the exercise of environmental audit and preparation of environmental statements.
- 7.6. The Environmental audit shall be carried out yearly and the environmental statements pertaining to the previous year shall be submitting to this State Board latest by 30th September every year.
- 7.7. The Board reserves the right to review and/or revoke the consent and/or make variations in the conditions, which the Board deems, fit in accordance with Section 27 of the Act.
- 7.8. In case of change of ownership/management the name and address of the new owners/partners/directors/proprietor should immediately be intimated to the Board.
- 7.9. Industry shall have to display the relevant information with regard to hazardous waste as indicated in the Hon. Supreme order in w.p. no. 657 of 1995 dated 14th October 2003.

8. SPECIFIC CONDITIONS:-

- 8.1. The authorized actual user of hazardous and other wastes shall maintain records of hazardous and other wastes purchased in a passbook issued by the State Pollution Control Board along with the authorization.
- 8.2. Handling over of the hazardous and other wastes to the authorized actual user shall be only after making the entry in the passbook of the actual user.





GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN

Sector-10-A, Gandhinagar-382 010

Phone : (079) 23226295

Fax : (079) 23232156

Website : www.gpcb.gov.in

- 8.3. In case of renewal of authorization, a self-certified compliance report in respect of effluent, emission standards and the conditions specified in the authorization for hazardous and other wastes shall be submitted to SPCB.
- 8.4. The occupier of the facility shall comply Standard operating procedure/guidelines published by MOEF&CC or CPCB or GPCB from time to time.
- 8.5. Unit shall comply provisions of E-Waste Management Rules-2016.
- 8.6. The disposal of Hazardous Waste shall be carried out as per the waste Management hierarchy.
- 8.7. The occupiers of facilities shall not store the hazardous and other wastes for a period not exceeding **ninety days**. Prior permission of the Board shall be obtained for extension of the storage period.
- 8.8. The occupier shall maintain the records of generation, sale, storage, transport, recycling, co processing and disposal of hazardous waste and make available during the inspection.
- 8.9. The transportation of the hazardous waste shall be carried out in GPS mounted dedicated vehicles.

For and on behalf of
Gujarat Pollution Control Board

(G.H.Trivedi)

Deputy Chief Environmental Engineer

Date:-

NO: GPCB/CCA-SRT-863(9)/ID-20700/

Issued to:

M/s. Garden Silk Mills Ltd. (Cp Div.)

Plot no: 196,197, 124/A, 202-5, 225/7, 229, 230,

Jolwa-394705, Tal: Palsana, Dist: Surat.

Page 7 of 7

M/s. Garden Silk Mills Ltd. (Cp Div.)(ID-20700)

Clean Gujarat Green Gujarat

ISO - 9001 - 2008 & ISO - 14001 - 2004 Certified Organisation



ANNEXURE – 2 PRODUCTION DETAILS

PRODUCTION DETAILS FOR LAST SIX MONTHS

SN	PRODUCT	NAME OF THE MONTH					
		Oct 2023	Nov 2023	Dec 2023	Jan 2024	Feb 2024	March 2024
1.	Polyester Chips (MT)	13904.5	8418.0	15050.9	15756.1	13615.7	8056.7
2.	POY(MT)	1847.7	7519.8	7828.3	7720.6	7386.1	7454.9
3.	FDY(MT)	1421.1	2475.3	2826.9	2659.4	2664.1	2849.2
4.	Electric Power						
a.	1. N.G based Power Plant (Phase I & II)	0	0	0	0.023	0.046	0
	2. N.G based Power Plant (Phase III)	0.008	0.02	0	0.055	0.076	0
b.	Coal Based Power Plant	16.62	20.9	25.53	29.64	31.74	30.3



ANNEXURE -3 ANALYSIS REPORT OF (FISH POND – FINAL DISCHARGE TO KHADI)

SN	Parameter	Unit	Limit (Outlet)	Results					
				Oct 2023	Nov 2023	Dec 2023	Jan 2024	Feb 2024	March 2024
1	pH	pH Unit	6.5 - 8.5	8.19	7.96	8.17	8.36	7.85	8.21
2	Temperature	⁰ C	40	29	28	27	26	27	29
3	Color	Pt. Co Scale	100	50	75	60	70	80	80
4	Total Suspended Solids	mg/L	100	79	59	54	69	73	78
5	Total Dissolved Solids	mg/L	2100	1936	2056	2014	2040	2032	2034
6	Biochemical Oxygen Demand for 3 days at 27 ⁰ C	mg/L	30	15	27	21	24	21	27
7	Chemical Oxygen Demand	mg/L	100	48	96	84	88	72	80
8	Ammonical Nitrogen	mg/L	10	BDL	BDL	BDL	BDL	BDL	BDL
9	Oil & Grease	mg/L	50	ND	ND	ND	ND	ND	ND
10	Phenolic Compounds	mg/L	1.0	BDL	BDL	BDL	BDL	BDL	BDL
11	Chlorides (as Cl ⁻)	mg/L	600	549.87	569.81	579.82	569.81	579.82	569.9
12	Sulphate (as SO ₄ ⁻²)	mg/L	1000	182.53	217	278.86	340.9	199.28	216.89
13	Sulphide (as S ⁻²)	mg/L	02	ND	ND	ND	ND	ND	ND
14	Hexavalent Chromium	mg/L	0.1	<0.05	ND	ND	ND	ND	ND
15	Total Chromium	mg/L	2	<0.05	<0.05	<0.05	<0.05	ND	ND
16	Sodium Absorption Ration	--	26	10.1	13.8	16.8	17.4	21.4	22.1
17	Sodium	%	60	58.3	58.4	58.7	58.5	58.7	57.8
18	Bio-Assay Test	% Survival	95% survival	95	—	—	95	—	—

ND – Not Detectable

BDL – Below Detection Limit



ANNEXURE – 4 WATER CONSUMPTION & EFFLUENT GENERATION FOR LAST SIX MONTHS

PRODUCT	NAME OF THE MONTH (Avg.M ³ /Month)					
	Oct 2023	Nov 2023	Dec 2023	Jan 2024	Feb 2024	March 2024
Water consumption						
Production (CP) K	63749	68011	78133	59345	86169	80284
Power plant KL	46384	52595	66697	75316	62140	66253
Waste water generation						
Production (CP) KL	18801	1501	5939	2420	16221	11477
Power plant KL	8932	11017	14527	22636	15505	19225



ANNEXURE - 5A- WATER PERMISSION FROM CANAL WATER & CGWA FOR GROUND WATER

ગાર્ડન સીલ્ક મીલ્સ લિમિટેડ, જોગવા, તા. પલસાણા, જિ. સુરત
ચલધાણ બ્રાંચની આરડી ૬૨.૩૫ પરથી પાણી ઉપાડવાની
તેમજ નહેરની સંપાદિત જમીનમાં નહેરને સમાંતર પાઇપલાઇન
પસાર કરવાની સૈદ્ધાંતિક પરવાનગી આપવા બાબત

૧૩૧૧
૧૮/૧૦/૧૦

ગુજરાત સરકાર
નર્મદા, જળસંપત્તિ, પાણી પુરવઠા અને કલ્પસર વિભાગ,
ઠરાવ ક્રમાંક: ડબલ્યુટીઆર/૨૦૧૦/૧૧/પી
સચિવાલય, માંધીનગર
તા. ૧૮/૧૨/૨૦૧૦

તારીખ	18 DEC 2010
નંબર	૧૮૭૨
વ. મ.	
કે. આ.	૫૫૮
અ. મ.	મીરા
જાણી	૧૮

વંચાણે લીધા:-

- (૧) અધીક્ષક ઇન્જનેરશ્રી, સુરત સિંચાઈ વર્તુળ, સુરતના પત્રો ક્રમાંક:
- (અ) સુસિંવ/પીબી-૨/ડબલ્યુટીઆર/ગાર્ડન સિલ્ક મિલ્સ/૪૩૮/૨૮૯૫, તા. ૧/૫/૨૦૧૦.
- (બ) સુસિંવ/પીબી-૨/ડબલ્યુટીઆર/ગાર્ડન સિલ્ક/૧૦૭૪/૬૬૭૭, તા. ૨૮/૧૦/૨૦૧૦.
- (૨) ગાર્ડન સિલ્ક મીલ્સ લિમિટેડનો કાર્યપાલક ઇન્જનેરશ્રી, સુરત નહેર વિભાગ, સુરતને સંબોધીને
લખેલ તા. ૨૨/૧૦/૨૦૦૯નો પત્ર.

ઠરાવ:

સુરત સિંચાઈ વર્તુળ હસ્તકના કાર્યપાલક ઇન્જનેરશ્રી, સુરત નહેર વિભાગના કાર્યક્ષેત્રમાં ગાર્ડન સિલ્ક મીલ્સ લિમિટેડએ તેમની કંપનીના સુરત જિલ્લાના મોજે: જોગવા, તા. પલસાણા, જિ. સુરત ખાતેના બ્લોક નં. ૨૦૨, ૧૯૬ પર આવેલ તેમના પ્લાન્ટ પાસેથી પસાર થતી ૧૨ આર સબ માઇનોર ગ્રેસ ચલધાણ બ્રાંચમાંથી પોલીએસ્ટર પાનના ઉત્પાદન અર્થે વાર્ષિક ૫૨૫૦૦૦ ઘન મીટર પાણી આપવા માટે સંદર્ભ (૨) સામેના પત્રથી માંગણી કરેલ. જે સંબંધે અધીક્ષક ઇન્જનેરશ્રી, સુરત સિંચાઈ વર્તુળ, સુરત એ સંદર્ભ (૧) સામે દર્શાવેલ પત્રોથી રજૂ કરેલ અભિપ્રાય અહેવાલમાં કંપનીના ઉક્ત સર્વે નંબરથી ૧૨૮૦ મીટર દૂર આવેલ ચલધાણ બ્રાંચની આરડી ૬૨.૩૫ પરથી દૈનિક ૧૪૩૮.૩૫ ઘનમીટર (૦.૩૧૧ એમ.ઇ.ડી) પાણી ઉપાડવાની પરવાનગી આપવા તેમજ તે પાણી ઉપાડવાના હેતુથી નહેરની સંપાદિત જમીનમાં નહેરને સમાંતર પાઇપલાઇન પસાર કરવાની પરવાનગી આપવા ભલામણ કરેલ.

૨. ઉક્ત કંપનીએ કરેલ માંગણી સંબંધે અધીક્ષક ઇન્જનેરશ્રી, સુરત સિંચાઈ વર્તુળ, સુરત એ સંદર્ભ (૧) સામે દર્શાવેલ પત્રથી રજૂ કરેલ ભલામણ સહિતના અભિપ્રાય અહેવાલમાં દર્શાવેલ ખાબતોને ધ્યાને લઈને, તે સંબંધે થયેલ વિચારણાને અંતે, ગાર્ડન સિલ્ક મીલ્સ લિમિટેડને કંપનીના ઉક્ત સર્વે નંબરથી ૧૨૮૦ મીટર દૂર આવેલ ચલધાણ બ્રાંચની આરડી ૬૨.૩૫ પરથી દૈનિક ૧૪૩૮.૩૫ ઘનમીટર (૦.૩૧૧ એમ.ઇ.ડી) પાણીનો જથ્થો કંપનીના સ્વઅર્થે ઉપાડવા માટે આ વિભાગના તા. ૩/૨/૨૦૦૭ના ઠરાવ ક્રમાંક: ડબલ્યુટીઆર/૨૦૦૫/ ૪૧/પી ની શરતોને આધીન તેમજ અધીક્ષક ઇન્જનેરશ્રીના પત્રમાં દર્શાવેલ વિગતો/શરતોનું ચૂસ્તપણે પાલન કરવાની શરતે સૈદ્ધાંતિક મંજૂરી આપવામાં આવે છે.

પાણી ઉપાડવાની આ સૈદ્ધાંતિક પરવાનગી સંબંધે વાસ્તવિક રીતે પાણી ઉપાડતાં પહેલાં નીચે દર્શાવેલ શરતોનું ચૂસ્તરીતે પાલન કરવાનું રહેશે.

Page 1 of 3



(૧) પાણી ઉપાડતાં પહેલાં માન્ય સંસ્થાનું વોટરમીટર મુકવાનું રહેશે તેમજ તે વોટરમીટરનું દર વર્ષે કેલીબ્રેશન કરાવી લેવાનું રહેશે અને તે બાબતે વિભાગીય કચેરી કક્ષાએ નિયમિત ખરાઈ કરી લેવાની રહેશે.

(૨) આ સાથે સામેલ કરારનામાના મુસદ્દામાં, નીચે દર્શાવેલ બાબતોને ધ્યાને લઈને દિન-૧૫માં સહીસિક્કા કરાવી લેવાના રહેશે.

૧. કરાર કરતી વખતે મુસદ્દામાંની ખાલી જગ્યાઓ તરત જ પૂરી લેવી.
૨. ઉક્ત કંપનીએ કરારનામા પર સહીસિક્કા કરવા માટે અધિકૃત કરેલ હોય તેવા અધિકૃત અને સક્ષમ અધિકારી સાથે જ સહીસિક્કા કરવાના રહેશે.
૩. અત્રેથી મંજૂર કરવામાં આવેલ કરારનામાના મુસદ્દામાં સરકારશ્રીની પૂર્વમંજૂરી વિના કોઈપણ સુધારા/વધારા/ફેરફાર કરવા નહિ.
૪. સહીસિક્કા થયેલ કરારનામાની એક નકલ અત્રે મોકલવી અને પ્રમાણિત કરવું કે સહીસિક્કા થયેલ કરારનામું સરકારે મંજૂર કરેલ મુસદ્દા મુજબ જ છે.

૩. ગાર્ડન સિલ્ક મિલ્સ લિમિટેડને પાણી ઉપાડવાની ઉક્ત સૈદ્ધાંતિક પરવાનગી સંબંધે તે પાણી ઉપાડવાના હેતુથી જ ચલદાણા ગ્રાંચ નહેરની ૧૨ આર સબ માઈનોરની સંપાદિત જમીનમાં આર.ડી ૪.૨ થી ૧૨૮૦ મીટરની લંબાઈમાં નહેરને સમાંતર, કંપનીના સ્વખર્ચે પાઈપલાઈન પસાર કરવા નીચેની શરતોને આધીન સૈદ્ધાંતિક પરવાનગી આપવામાં આવે છે.

- (૧) ગુજરાત બહેર બાંધકામ નિયમ સંગ્રહમાં જણાવ્યા મુજબ તેમજ સરકારશ્રીના આ બાબતમાં વખતોવખતના પરિપત્રમાં જણાવેલ બાબતોને ધ્યાને રાખવાની રહેશે તેમજ પરિપત્ર ક્રમાંક: ડબલ્યુટીઆર/૧૦૯૭/૧૦૮૩/૨૨/પી, તા.૮/૪/૦૯ ની શરતોનું તેમજ સમયાંતરે પ્રસિદ્ધ થતી સૂચનાઓનું ચૂસ્તપણે પાલન કરવાનું રહેશે.
- (૨) નોટીફાઈડ થયેલ ન હોય તેવી નદીઓ માટે મહેસૂલ વિભાગનો સંપર્ક કરવાનો રહેશે. વિભાગ દ્વારા નોટીફાઈડ થયેલ ન હોય તેવી નદીઓના કોસિંગ માટે અત્રેથી મંજૂરી આપી શકાય નહીં.
- (૩) સંબંધિત અધીક્ષક ઇન્જનેરશ્રીએ પથરેખાની ચકાસણી કરીને વધ ઘટ કોસિંગ માટે અલગ દરખાસ્ત કરવાની રહેશે.
- (૪) સદર પાઈપ લાઈન કોસિંગ થી હયાત યોજના કે સૂચિત યોજના કે નહેરને કોઈ વિપરીત અસર થતી નથી તે બાબતની સક્ષમ કક્ષાએ ખરાઈ કરાવી લેવાની રહેશે.
- (૫) કોસિંગ દીઠ વિગતવાર પરવાનગી અધીક્ષક ઇન્જનેરશ્રીએ નિયત પત્રકમાં આપવાની રહેશે. તથા પરવાનેદાર સાથે જરૂરી કરારનામું પણ નિયત ફી લઈને અલગથી કરવાનું રહેશે.
- (૬) મધ્યસ્થ આલેખન તંત્રનો અભિપ્રાય મેળવવાનો રહેશે તેમજ મધ્યસ્થ આલેખન તંત્ર દ્વારા અપાયેલ સૂચનો/અભિપ્રાય ધ્યાને લઈ સલામતીની તમામ જવાબદારી સંબંધિત એજન્સીની રહેશે.
- (૭) અધીક્ષક ઇન્જનેરશ્રીની દરખાસ્તમાં દર્શાવેલ શરતોનું પાલન કરવાનું રહેશે.
- (૮) સંબંધિત વિસ્તારમાં થનાર કોઈપણ વિકાસ કામ સહિતના કામો સંબંધે કોઈપણ કોસિંગનો ફટ બદલવાની જરૂર જણાય ત્યારે, ઉક્ત કંપનીએ તેના ખર્ચે અને જોખમે વિના વિલંબે ફટ બદલવાનો રહેશે, જે બાબતે સરકારશ્રીની કોઈપણ પ્રકારની જવાબદારી રહેશે નહીં. આ બાબતનો સ્પષ્ટ ઉક્લેષ કરારનામામાં યોગ્ય રીતે કરવાનો રહેશે.



(૧) પાણી ઉપાડતાં પહેલાં માન્ય સંસ્થાનું વોટરમીટર મુકવાનું રહેશે તેમજ તે વોટરમીટરનું દર વર્ષે કેલીબ્રેશન કરાવી લેવાનું રહેશે અને તે બાબતે વિભાગીય કચેરી કક્ષાએ નિયમિત ખરાબ કરી લેવાની રહેશે.

(૨) આ સાથે સામેલ કરારનામાના મુસદ્દામાં, નીચે દર્શાવેલ બાબતોને ધ્યાને લઈને દિન-૧૫માં સહીસિક્કા કરાવી લેવાના રહેશે.

૧. કરાર કરતી વખતે મુસદ્દામાંની ખાલી જગ્યાઓ તરત જ પૂરી લેવી.
૨. ઉક્ત કંપનીએ કરારનામા પર સહીસિક્કા કરવા માટે અધિકૃત કરેલ હોય તેવા અધિકૃત અને સક્ષમ અધિકારી સાથે જ સહીસિક્કા કરવાના રહેશે.
૩. અત્રેથી મંજૂર કરવામાં આવેલ કરારનામાના મુસદ્દામાં સરકારશ્રીની પૂર્વમંજૂરી વિના કોઈપણ મુદ્દારા/વધારા/ફેરફાર કરવા નહિ.
૪. સહીસિક્કા થયેલ કરારનામાની એક નકલ અત્રે મોકલવી અને પ્રમાણિત કરવું કે સહીસિક્કા થયેલ કરારનામું સરકારે મંજૂર કરેલ મુસદ્દા મુજબ જ છે.


૩. ગાર્ડન સિલ્ક મિલ્સ લિમિટેડને પાણી ઉપાડવાની ઉક્ત સૈદ્ધાંતિક પરવાનગી સંબંધે તે પાણી ઉપાડવાના હેતુથી જ ચલધારા ખાંચ નહેરની ૧૨ આર સબ માઈનોરની સંપાદિત જમીનમાં આરડી ૪.૨ થી ૧૨૮૦ મીટરની લંબાઈમાં નહેરને સમાંતર, કંપનીના સ્વખર્ચે પાઈપલાઈન પસાર કરવા નીચેની શરતોને આધીન સૈદ્ધાંતિક પરવાનગી આપવામાં આવે છે.

- (૧) ગુજરાત નહેર બાંધકામ નિયમ સંગ્રહમાં જણાવ્યા મુજબ તેમજ સરકારશ્રીના આ બાબતમાં વખતોવખતના પરિપત્રમાં જણાવેલ બાબતોને ધ્યાને રાખવાની રહેશે તેમજ પરિપત્ર ક્રમાંક: ડબલ્યુટીઆર/૧૦૯૭/૧૦૮૩/૨૨/પી, તા.૮/૪/૦૮ ની શરતોનું તેમજ સમયાંતરે પ્રસિદ્ધ થતી સૂચનાઓનું ચૂસ્તપણે પાલન કરવાનું રહેશે.
- (૨) નોટીફાઈડ થયેલ ન હોય તેવી નદીઓ માટે મહેસૂલ વિભાગનો સંપર્ક કરવાનો રહેશે. વિભાગ દ્વારા નોટીફાઈડ થયેલ ન હોય તેવી નદીઓના કોસિંગ માટે અત્રેથી મંજૂરી આપી શકાય નહીં.
- (૩) સંબંધિત અધીક્ષક ઇન્જનેરશ્રીએ પરદેખાની ચકાસણી કરીને વધ ઘટ કોસિંગ માટે અલગ દરખાસ્ત કરવાની રહેશે.
- (૪) સદર પાઈપ લાઈન કોસિંગ થી હયાત યોજના કે સૂચિત યોજના કે નહેરને કોઈ વિપરીત અસર થતી નથી તે બાબતની સક્ષમ કક્ષાએ ખરાબ કરાવી લેવાની રહેશે.
- (૫) કોસિંગ દીઠ વિગતવાર પરવાનગી અધીક્ષક ઇન્જનેરશ્રીએ નિયત પત્રકમાં આપવાની રહેશે. તથા પરવાનગેદાર સાથે જરૂરી કરારનામું પણ નિયત ફી લઈને અલગથી કરવાનું રહેશે.
- (૬) મધ્યસ્થ આલેખન તંત્રનો અભિપ્રાય મેળવવાનો રહેશે તેમજ મધ્યસ્થ આલેખન તંત્ર દ્વારા અપાયેલ સૂચનો/અભિપ્રાય ધ્યાને લઈ સલામતીની તમામ જવાબદારી સંબંધિત એજન્સીની રહેશે.
- (૭) અધીક્ષક ઇન્જનેરશ્રીની દરખાસ્તમાં દર્શાવેલ શરતોનું પાલન કરવાનું રહેશે.
- (૮) સંબંધિત વિસ્તારમાં થનાર કોઈપણ વિકાસ કામ સહિતના કામો સંબંધે કોઈપણ કોસિંગનો ફટ બદલવાની જરૂર જણાય ત્યારે, ઉક્ત કંપનીએ તેના ખર્ચે અને એજન્સી વિના વિલંબે ફટ બદલવાનો રહેશે, જે બાબતે સરકારશ્રીની કોઈપણ પ્રકારની જવાબદારી રહેશે નહીં. આ બાબતનો સ્પષ્ટ ઉલ્લેખ કરારનામામાં યોગ્ય રીતે કરવાનો રહેશે.



(૯) આ કોર્પોરેશનના તમામ સ્થળે જે તે કંપનીએ તેમની કંપનીના નામ, પાઈપલાઈનના પ્રકાર, પદાર્થ, લંબાઈ અને સ્પષ્ટ વિગતો દર્શાવતું બોર્ડ નકલરૂપ ન બને તે રીતે લગાવવાનું રહેશે.

ગુજરાતના રાજ્યપાલના હુકમથી અને તેમના નામે,



(વી.એન.પટેલ)

ઉપસચિવ(જળસંપત્તિ)

નર્મદા, જ.સં., પા.પુ. અને કલપસર વિભાગ

બિડાણ: ઉપર મુજબ

પ્રતિ,

✓ અધીક્ષક ઇન્જનેરશ્રી,

સુરત સિંચાઈ વતુંજ,

અઠવા લાઈન્સ, સુરત.

નકલ રવાના: (જાણ અને જરૂરી કાર્યવાહી અર્થે)

- કાર્યપાલક ઇન્જનેરશ્રી,
સુરત નહેર વિભાગ,
સિંચાઈ ભવન, અઠવા લાઈન્સ, સુરત.
- ડિરેક્ટર, ગાર્ડન સિલ્ક મિલ્સ લિમિટેડ, સહારા ગેટ, સુરત ૩૯૫ ૦૧૦.
- સિલેક્ટ ફાઇલ.



Garden Silk Mills Limited, Jolwa, Taluka Palsana, District Surat
Regarding permission in principle of parallel pipeline for lifting
water besides the canal in the acquired land for canal from
Chalthan Branch Ardi 62.35

GOVERNMENT OF GUJARAT
Narmada, Water, Water Quantity and Kalpasar Department
Resolution No. WTR/2010/11/P
Sachivalay, Gandhinagar
Date: 14.12.2010

1311/2010

Date 10 Dec 2010

No.: 1972

A.E.

A.M.18/12

Branch: PB-2

Read:-

(1) Superintendent Engineer, Surat Irrigation Circle, Surat Letter
No. (a) SSV/PB-2/WTR/Garden Silk Mills/438/2895 dt.
5.5.2010

(b) SSV/PB-2/WTR/Garden Silk/074/6677 dt. 28.10.2010

(2) Letter written by Garden Silk Mills Limited to Executive
Engineer, Surat Canal Region, Surat dt. 22.10.2009

Order:-

Garden Silk Mills Limited had asked to obtain 525000 cubic
meters of water per annum from 12 R Sub Minor Ex Chalthan
Branch canal for production of Polyester Yarn through a letter (2)
to Executive Engineer, Surat Canal Division under the Surat
Region of Irrigation Circle. With respect to it the Superintending
Engineer had sent his recommendations to allow lifting of 1438.35
Cubic Meter (0.36M.G.D.) per day from Chalthan Branch Ardi
about 1280 Meters away from the said company and to lay a
parallel pipeline in the land acquired for canal purpose.

2. Perusing the recommendations of the Superintendent
Engineer, Surat Irrigation Circle Surat Letter (1) and his opinion,
after discussion, subject to the conditions/details shown in the
letter of Superintendent Engineer, Surat permission in principle is
given to Garden Silk Mills Limited Company to lift 1438.35 Cubic
Metres (0.316 M.G.D) daily from Chalthan Branch RD 62.35
about 1280 meters at their own expenses vide Resolution dt.
3.2.2007 bearing No. WTR/2005/41/P.

Before lifting water actually by this permission following
conditions have to be strictly followed.



(1) Before lifting water, water meter of recognized body must be installed and this water meter is to be calibrated each year and must be approved by the divisional office.

(2) Considering the following points the attached agreement is to be executed within fifteen days

- (1) At the time of agreements the blanks are to be filled.
- (2) Execution by the officer of the company is to be done by the authorized signatory only.
- (3) No changes are to be made in the agreement without prior permission of Government
- (4) Certified copy of the agreement is to be sent here and it must be according to the draft sent by government.

3. Subject to conditions, Garden Silk Mills Limited is given permission in principle for laying a parallel pipe line from 4.2 RD to 1280 meters parallel to the canal from Chalthan Branch Canal R Sub Minor from the acquired land, at their own expenses.

(1) Will have to keep in mind the provisions of Gujarat Public Construction Rules and the circulars of the State from time to time and will have to follow the conditions mentioned in Circular No. WTR/1097/1083/22/P dt.8.4.09 and the conditions that may be published then after.

(2) For the rivers not notified Revenue Department is to be contacted. For crossing the rivers not notified, permission cannot be given from here.

(3) After checking the line by concerned Superintending Engineer, a separate application must be given.

(4) It must be verified by competent levels that by this pipe line crossing no present or proposed plan is adversely affected.

(5) Superintending Engineer shall have to give separate permissions per crossings and will have to execute separate agreements for it by charging prescribed fee.

(6) Will have to obtain opinion of the Central Draft Commission and considering its opinion all the responsibility will be of the concerned agency.

(7) Will have to follow the conditions mentioned in the application to Superintending Engineer.

(8) If in this area if the crossing route is required to be changed then the above company shall have to do so at their



own expenses and Government will not be responsible in whatsoever way. This is to be specifically mentioned in the agreement.

(9) At all the crossings, company shall have to put up boards bearing name of company, nature of pipeline, length etc. such that it does not obstruct.

By and in the name of the Governor

SD/-

V.N.Patel

Deputy Sachive (Water Resources)

Narmada W., W.W and Kalpasar Department

Enclosures : As above

To
Superintending Engineer
Surat Irrigation Circle
Athwalines Surat

Cc: (For information)
Executive Engineer
Surat Canal Division
Sinchai Bhavan,
Athwa Lines Surat

Director Garden Silk Mills Limited, Sahara Gate
Surat 395010
Select File



ANNEXURE – 5B RENEWAL APPLICATION FOR CGWA

01-06-2011 12:51 PM

01-06-2011 12:51 PM

01-06-2011 12:51 PM

MR D. CHATTERJI



Regional Director

भारत सरकार
केन्द्रीय भूमि जल प्राधिकरण
जल संसाधन मंत्रालय

Government of India
Central Ground Water Authority
Ministry of Water Resources

CGWA/IND/Reg/2011-1135

No 21-4(875)/WGR/CGWA/2011-1135

Dated :-

To

M/s Garden Silk Mills Ltd
Garden Mills Compound
Sahara Gate, Surat- 395010
Gujarat

01 NOV 2011

01 NOV 2011

Subj:- NOC for ground water withdrawal by M/s Garden Silk Mills Ltd., (CP Division - Jolwa) in respect of their proposed expansion of polyester chips and filament yarn production and setting up of captive power plant (phase IV), at village Jolwa, Plot No. 202-5, 225-7, 229, 230, 196, 197 & 124 A, Tehsil Palsana, District Surat, Gujarat - reg.

Sr

Kindly refer to your letter dated 25.9.2009 on the above cited subject. Based on recommendations of Regional Director, Central Ground Water Board, West Central Region, Ahmedabad vide their office letter no. T/018/WGR/CGWA/614-1462 dated 8.08.11 and further deliberations on the subject, the NOC of Central Ground Water Authority is hereby accorded to M/s Garden Silk Mills Ltd., (CP Division - Jolwa) in respect of their proposed expansion of polyester chips and filament yarn production and setting up of captive power plant (phase IV), at village Jolwa, Plot No. 202-5, 225-7, 229, 230, 196, 197 & 124 A, Tehsil Palsana, District Surat, Gujarat. The NOC is however subject to the following conditions:

1. The firm may abstract 1675 m³/day of ground water (in addition to the existing ground water withdrawal of 715 m³/day and not exceeding the cumulative extraction of ground water of 3089800 m³/year) through existing seven (7) and proposed four (4) tubewells only. No additional ground water abstraction structures to be constructed for this purpose without prior approval of the CGWA.
2. The wells to be fitted with water meter by the firm at its own cost and monitoring of ground water abstraction to be undertaken accordingly on regular basis, at least once in a month. The ground water quality to

West Block - 2, Wing - 3, Sector - 1, R.K. Puram, New Delhi - 110066
Tel: 011-26175362, 26175373, 26175379 • Fax: 011-26175268
Website: www.cgwa.gov.in, www.mwr.gov.in

संरक्षित जल - सुरक्षित जीवन
CONSERVE WATER - SAVE LIFE



be monitored twice in a year during pre-monsoon and post-monsoon periods.

4. **M/s Garden Silk Mills Ltd.** shall, in consultation with the Regional Director, Central Ground Water Board, West Central Region, Ahmedabad implement groundwater recharge measures to the tune of 1,50,339 m³/year for augmenting the ground water resources of the area.
5. The photographs of the recharge structures after completion of the same are to be furnished immediately to the Regional Director, Central Ground Water Board, West Central Region, Ahmedabad for verification and updation to this office.
6. The firm at its own cost shall install piezometers at suitable locations and execute ground water regime monitoring programme in and around the project area on regular basis in consultation with the Central Ground Water Board, West Central Region, Ahmedabad.
7. The ground water monitoring data in respect of S. No. 2 & 5 to be submitted to Central Ground Water Board, West Central Region, Ahmedabad on regular basis at least once in a year.
8. The firm shall ensure proper recycling and reuse of waste water after adequate treatment.
9. Action taken report in respect of S. No. 1 to 7 may be submitted to CGWB within one year period.
10. The permission is liable to be cancelled in case of non-compliance of any of the conditions as mentioned in S. No. 1 to 8.

Yours faithfully,


Regional Director

Copy for information to

1. The Director of A. Division, Ministry of Environment and Forests, Parvati Bhawan, CGO Complex, 14th Road, New Delhi 110003.
2. The Member Secretary, Gujarat Pollution Control Board, Sector 10 A, Gandhinagar 382045, Gujarat.
3. The Regional Director, Central Ground Water Board, West Central Region, Ahmedabad. This has reference to your letter no. T/84/WCR/CGWB/514-1482 dated 8.08.11.
4. IS to Chairman, Central Ground Water Board, Rajpal Bhawan, Lucknow.

Regional Director



ANNEXURE - 5 B CGWA NOC



भारत सरकार
जल शक्ति मंत्रालय
जल संसाधन नदी विकास
और गंगा संरक्षण विभाग
केन्द्रीय भूमि जल प्राधिकरण
Government of India
Ministry of Jal Shakti
Department of Water Resources,
River Development & Ganga Rejuvenation
Central Ground Water Authority

(भूजल निकासी हेतु अनापत्ति प्रमाण पत्र) NO OBJECTION CERTIFICATE (NOC) FOR GROUND WATER ABSTRACTION

Project Name:	M/s. Garden Silk Mills Ltd. (cp Div)		
Project Address:	Plot No.: 196,197,124/a,202-5,225/7,229,230,, Jolwa-394705, Tal: Palsana, Dist: Surat		
Village:	Jolva	Block:	Palsana
District:	Surat	State:	Gujarat
Pin Code:			
Communication Address:	1 St Floor, Tulsi Krupa Arcade, Near Aai Mata Chowk,, Puna Kumbhara Road, Dumbal. Surat-395010, Palsana, Surat, Gujarat - 394705		
Address of CGWB Regional Office :	Central Ground Water Board West Central Region, Swami Narayan College, Building, Shah Alam Tolnaka, Ahmadabad, Gujarat - 380022		

1. NOC No.:	CGWA/NOC/IND/ORIG/2021/12877		
2. Application No.:	21-4/6175/GJ/IND/2020	3. Category:	Safe
		(GWRE 2017)	
4. Project Status:	Existing Project	5. NOC Type:	New
6. Valid from:	21/08/2021	7. Valid up to:	20/08/2024
8. Ground Water Abstraction Permitted:			

Fresh Water		Saline Water		Dewatering		Total	
m ³ /day	m ³ /year	m ³ /day	m ³ /year	m ³ /day	m ³ /year	m ³ /day	m ³ /year
6995.16	2553233.40						

9. Details of ground water abstraction /Dewatering structures

Abstraction Structure*	Total Existing No.:11						Total Proposed No.:0					
	DW	DCB	BW	TW	MP	MPu	DW	DCB	BW	TW	MP	MPu
	0	0	0	11	0	0	0	0	0	0	0	0

*DW- Dug Well, DCB-Dug-cum-Bore Well, BW-Bore Well, TW-Tube Well, MP-Mine Pit MPu- Mine Pumps

10. Ground Water Abstraction/Restoration Charges paid (Rs.):		12766167.00		
11. Number of Piezometers(Observation wells) to be constructed/ monitored & Monitoring mechanism.	No. of Piezometers	Monitoring Mechanism		
		Manual	DWLR**	DWLR With Telemetry
**DWLR - Digital Water Level Recorder	2	0	1	1

(Compliance Conditions given overleaf)

This is an auto generated document & need not to be signed.

18/11, जामनगर हाउस, मानसिंह रोड, नई दिल्ली - 110011 / 18/11, Jammagar House, Mansingh Road, New Delhi 110011
Phone: (011) 23383561 Fax: 23382051, 23386743
Website: cgwa-noc.gov.in

पानी बचाये - जीवन बचाये
SAVE WATER - SAVE LIFE



Validity of this NOC shall be subject to compliance of the following conditions:

Mandatory conditions:

- 1) Installation of tamper proof digital water flow meter with telemetry on all the abstraction structure(s) shall be mandatory for all users seeking No Objection Certificate and intimation regarding their installation shall be communicated to the CGWA within 30 days of grant of No Objection Certificate.
- 2) Proponents shall mandatorily get water flow meter calibrated from an authorized agency once in a year.
- 3) Construction of purpose-built observation wells (piezometers) for ground water level monitoring shall be mandatory as per Section 14 of Guidelines. Water level data shall be made available to CGWA through web portal. Detailed guidelines for construction of piezometers are given in Annexure-II of the guidelines.
- 4) Proponents shall monitor quality of ground water from the abstraction structure(s) once in a year. Water samples from bore wells/ tube wells/ dug wells shall be collected during April/May every year and analysed in NABL accredited laboratories for basic parameters (cations and anions), heavy metals, pesticides/ organic compounds etc. Water quality data shall be made available to CGWA through the web portal.
- 5) In case of mining projects, additional key wells shall be established in consultation with the Regional Director, CGWB for ground water level monitoring four (4) times a year (January, May, August and November) in core as well as buffer zones of the mine.
- 6) In case of mining project the firm shall submit water quality report of mine discharge/ seepage from Govt. approved/ NABL accredited lab.
- 7) The firm shall report compliance of the NOC conditions online in the website (www.cgwa-noc.gov.in) within one year from the date of issue of this NOC.
- 8) Industries abstracting ground water in excess of 100 m³/d shall undertake annual water audit through certified auditors and submit audit reports within three months of completion of the same to CGWA. All such industries shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means.
- 9) Application for renewal can be submitted online from 90 days before the expiry of NOC. Ground water withdrawal, if any, after expiry of NOC shall be illegal & liable for legal action as per provisions of Environment (Protection) Act, 1986.
- 10) This NOC is subject to prevailing Central/State Government rules/laws/orders or Court orders related to construction of tube well/ground water abstraction structure / recharge or conservation structure/discharge of effluents or any such matter as applicable.

General conditions:

- 11) No additional ground water abstraction and/or de-watering structures shall be constructed for this purpose without prior approval of the Central Ground Water Authority (CGWA).
- 12) The proponent shall seek prior permission from CGWA for any increase in quantum of groundwater abstraction (more than that permitted in NOC for specific period).
- 13) Proponents shall install roof top rain water harvesting in the premise as per the existing building bye laws in the premise.
- 14) The project proponent shall take all necessary measures to prevent contamination of ground water in the premises falling which the firm shall be responsible for any consequences arising thereupon.
- 15) In case of industries that are likely to contaminate the ground water, no recharge measures shall be taken up by the firm inside the plant premises. The runoff generated from the rooftop shall be stored and put to beneficial use by the firm.
- 16) Wherever feasible, requirement of water for greenbelt (horticulture) shall be met from recycled / treated waste water.
- 17) Wherever the NOC is for abstraction of saline water and the existing wells (s) is/are yielding fresh water, the same shall be sealed and new tubewell(s) tapping saline water zone shall be constructed within 3 months of the issuance of NOC. The firm shall also ensure safe disposal of saline residue, if any.
- 18) Unexpected variations in inflow of ground water into the mine pit, if any, shall be reported to the concerned Regional Director, Central Ground Water Board.
- 19) In case of violation of any NOC conditions, the applicant shall be liable to pay the penalties as per Section 16 of Guidelines.
- 20) This NOC does not absolve the proponents of their obligation / requirement to obtain other statutory and administrative clearances from appropriate authorities.
- 21) The issue of this NOC does not imply that other statutory / administrative clearances shall be granted to the project by the concerned authorities. Such authorities would consider the project on merits and take decisions independently of the NOC.
- 22) In case of change of ownership, new owner of the industry will have to apply for incorporation of necessary changes in the No Objection Certificate with documentary proof within 60 days of taking over possession of the premises.
- 23) This NOC is being issued without any prejudice to the directions of the Hon'ble NGT/Court orders in cases related to ground water or any other related matters.
- 24) Proponents, who have installed/constructed artificial recharge structures in compliance of the NOC granted to them previously and have availed rebate of upto 50% (fifty percent) in the ground water abstraction charges/ground water restoration charges, shall continue to regularly maintain artificial recharge structures.
- 25) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, pharmaceutical, other hazardous units etc. (as per CPCB list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution as per Annexure III of the guidelines.
- 26) In case of new infrastructure projects having ground water abstraction of more than 20 m³/day, the firm/entity shall ensure implementation of dual water supply system in the projects.
- 27) In case of infrastructure projects, paved/parking area must be covered with interlocking/perforated tiles or other suitable measures to ensure groundwater infiltration/harvesting.
- 28) In case of coal and other base metal mining projects, the project proponent shall use the advance dewatering technology (by construction of series of dewatering abstraction structures) to avoid contamination of surface water.
- 29) The NOC issued is conditional subject to the conditions mentioned in the Public notice dated 27.01.2021 failing which penalty/EC/cancellation of NOC shall be imposed as the case may be.
- 30) This NOC is issued subject to the clearance of Expert Appraisal Committee (EAC) (if applicable).

(Non-compliance of the conditions mentioned above is likely to result in the cancellation of NOC and legal action against the proponent.)



ANNEXURE – 6 STACK MONITORING DETAILS

Month: OCTOBER 2023

SN	Parameter	Unit	Limit	Name of Stack	Coal Fired Heater (CP– 1, 2)	Steam Boiler (TPP)
1	Particular Matter	mg/Nm ³	150	Result	42.6	43.1
2	NO _x	ppm	50		8.90	9.80
3	SO ₂	ppm	100		20.7	34.2
4	CO	ppm	--		386	463

Month: NOVEMBER 2023

SN	Parameter	Unit	Limit	Name of Stack	Coal Fired Heater (CP– 1, 2)	Steam Boiler (TPP)
1	Particular Matter	mg/Nm ³	150	Result	44.3	43.1
2	NO _x	ppm	50		9.30	9.63
3	SO ₂	ppm	100		26.7	39.07
4	CO	ppm	--		412	532

Month: DECEMBER 2023

SN	Parameter	Unit	Limit	Name of Stack	Coal Fired Heater (CP– 1, 2)	Steam Boiler (TPP)
1	Particular Matter	mg/Nm ³	150	Result	47.8	44.8
2	NO _x	ppm	50		9.60	10.1
3	SO ₂	ppm	100		33.54	39.5
4	CO	ppm	--		456	567

Month: JANUARY 2024

SN	Parameter	Unit	Limit	Name of Stack	Coal Fired Heater (CP– 1, 2)	Steam Boiler (TPP)
1	Particular Matter	mg/Nm ³	150	Result	46.3	43.7
2	NO _x	ppm	50		9.90	9.50
3	SO ₂	ppm	100		35.3	37.7
4	CO	ppm	--		506	489

Month: FEBRUARY 2024

SN	Parameter	Unit	Limit	Name of Stack	Coal Fired Heater (CP– 1, 2)	Steam Boiler (TPP)
1	Particular Matter	mg/Nm ³	150	Result	52.9	44.3
2	NO _x	ppm	50		9.70	9.10
3	SO ₂	ppm	100		36.9	31.9
4	CO	ppm	--		527	416

Month: MARCH 2024

SN	Parameter	Unit	Limit	Name of Stack	Coal Fired Heater (CP– 1, 2)	Steam Boiler (TPP)
1	Particular Matter	mg/Nm ³	150	Result	49.2	41.6
2	NO _x	ppm	50		8.77	10.05
3	SO ₂	ppm	100		35.3	33.15
4	CO	ppm	--		498	386



ANNEXURE – 7 MEMBERSHIP CERTIFICATE WITH BEIL, ANKLESHWAR



BEIL INFRASTRUCTURE LIMITED
(Formerly Known As Bharuch Enviro Infrastructure Limited)

31ST MARCH 2024

To,
GARDEN SILK MILLS PRIVATE LIMITED (C. P. DIVISION - 20700)
PLOT No.196,197,124/A, 202-5,225/7,229,230,
VILAGE: JOLWAM
TAL: PALSANA
SURAT.

Sub: Name Changed Membership Certificate for Common Solid Waste Disposal Facility.

Dear Sir,

We hereby certify that you have become member for the common Solid/Hazardous waste disposal facility developed by **BEIL Infrastructure Limited**.(Formerly Known as Bharuch Enviro Infrastructure Ltd), at GIDC, Dahej. You have booked solid waste quantity of **180.6 MT/Year**. You have also paid your capacity commitment charges. Your Membership No. is **OTH/503**.

Waste will be accepted after submitting valid authorization of GPCB.

- 1) **Total TSDF Capacity of BEIL Dahej: 1900000 MT**
- 2) **Total Consented Capacity: 1900000 MT**
- 3) **Total Occupied Capacity: 1376628.989 MT**
- 4) **Spare Capacity: 0523371.011 MT**

Thanking you,

Yours faithfully,

For, BEIL Infrastructure Limited.
(Formerly Known as Bharuch Enviro Infrastructure Ltd)


Mr. Manoj Patel
(Vice President - Operations)



ANNEXURE – 8

AMBIENT AIR QUALITY MONITORING REPORT

Analysis report of Ambient Air Monitoring:-

Month: OCTOBER2023

SN	Parameters	Unit	Limit	Location	NEAR ADMIN OFFICE	NEAR D-TEX Plant	NEAR OHC	NEAR PFY UTILITY
1	PM10	µg/m ³	100	Result	80.6	112.3	92.7	104.6
2	PM2.5	µg/m ³	60		44.6	59.4	43.2	56.8
3	NO _x	µg/m ³	80		17.1	16.4	16.9	16.4
4	SO ₂	µg/m ³	80		12.4	13.7	12.1	11.6

Month: NOVEMBER 2023

SN	Parameters	Unit	Limit	Location	NEAR ADMIN OFFICE	NEAR D-TEX Plant	NEAR OHC	NEAR PFY UTILITY
1	PM10	µg/m ³	100	Result	121.3	118.6	114.7	97.8
2	PM2.5	µg/m ³	60		66.7	62.3	59.6	57.6
3	NO _x	µg/m ³	80		16.7	16.4	16.5	16.9
4	SO ₂	µg/m ³	80		12.4	13.7	12.1	11.6
5	CO	mg/m ³	4.0		1.80	1.50	1.40	1.00
6	Ammonia	µg/m ³	400		Nil	Nil	Nil	Nil
7	Ozone	µg/m ³	180		0.80	0.60	0.50	0.20
8	Lead	µg/m ³	1.0		ND	ND	ND	ND
9	Benzene	µg/m ³	5.0		ND	ND	ND	ND
10	Benzo Pyrene	ng/m ³	1.0		ND	ND	ND	ND
11	Arsenic	ng/m ³	6.0		<0.01	ND	ND	ND
12	Nickel	ng/m ³	2.0		<0.01	ND	ND	ND

Month: DECEMBER 2023

SN	Parameters	Unit	Limit	Location	NEAR ADMIN OFFICE	NEAR D-TEX Plant	NEAR OHC	NEAR PFY UTILITY
1	PM10	µg/m ³	100	Result	132.3	120.5	116.7	106.3
2	PM2.5	µg/m ³	60		73.2	67.8	52.4	59.8
3	NO _x	µg/m ³	80		15.9	16.4	16.7	16.1
4	SO ₂	µg/m ³	80		13.1	13.7	12.3	12.9

Month: JANUARY 2024

SN	Parameters	Unit	Limit	Location	NEAR ADMIN OFFICE	NEAR D-TEX Plant	NEAR OHC	NEAR PFY UTILITY
1	PM10	µg/m ³	100	Result	130.3	118.6	115.5	109.1
2	PM2.5	µg/m ³	60		78.6	69.1	64.2	57.5
3	NO _x	µg/m ³	80		16.4	16.3	16.7	16.7
4	SO ₂	µg/m ³	80		13.9	13.1	11.9	12.3

Month: FEBRUARY 2024

SN	Parameters	Unit	Limit	Location	NEAR ADMIN OFFICE	NEAR D-TEX Plant	NEAR OHC	NEAR PFY UTILITY
1	PM10	µg/m ³	100	Result	130.4	120.6	113.4	110.2
2	PM2.5	µg/m ³	60		76.1	57.1	56.8	52.6
3	NO _x	µg/m ³	80		16.9	16.7	17.1	16.1
4	SO ₂	µg/m ³	80		13.1	12.4	12.1	11.7
5	CO	mg/m ³	4.0		2.10	1.10	1.60	1.20
6	Ammonia	µg/m ³	400		Nil	Nil	Nil	Nil
7	Ozone	µg/m ³	180		0.60	0.40	0.30	0.30
8	Lead	µg/m ³	1.0		ND	ND	ND	ND
9	Benzene	µg/m ³	5.0		ND	ND	ND	ND
10	Benzo Pyrene	ng/m ³	1.0		ND	ND	ND	ND
11	Arsenic	ng/m ³	6.0		ND	ND	ND	ND
12	Nickel	ng/m ³	2.0		ND	ND	ND	ND



Month: MARCH 2024

SN	Parameters	Unit	Limit	Location	NEAR ADMIN OFFICE	NEAR D- TEX Plant	NEAR OHC	NEAR PFY UTILITY
1	PM10	µg/m ³	100	Result	139.8	129.4	115.1	118.7
2	PM2.5	µg/m ³	60		78.8	66.5	52.9	56.5
3	NO _x	µg/m ³	80		15.7	16.4	16.9	16.7
4	SO ₂	µg/m ³	80		13.1	12.9	11.7	12.3



ANNEXURE – 9

SOLID WASTE GENERATION IN LAST SIX MONTHS AND ETP SLUDGE
GENERATION DETAILS

DETAILS OF SOLID WASTE GENERATION: -

SR. NO.	SOLIDWASTE GENERATION	NAME OF THE MONTH					
		Oct 2023	Nov 2023	Dec 2023	Jan 2024	Feb 2024	March 2024
1.	Waste Oil (Litre)	400	0	0	0	600	0
2.	Sweep PTA Waste (Kgs)	9180	0	0	0	0	0
3.	Catalyst Drum (Nos.)	16	142	263	216	192	216
4.	PP Liner(Kgs)	2210	1030	2960	720	2880	2390
5.	Polymer Waste (Kgs)	234650	90150	69180	72880	57439	37846
6.	Chips Waste (Kgs)	14970	9270	2040	0	2140	0
7.	YARN Waste (Kgs)	54301	208230	360050	340465	420289	398292
8.	NYLON Waste (Kgs)	0	0	0	0	0	0
9.	Fly Ash (MT) for CP Div	325.280	438.570	368.730	542.350	653.924	309.560
	Fly Ash (MT) for CPP Div	862.54	1037.80	1135.50	1477.79	2406.36	2864

*Fly Ash disposed to following vendors:

1. Ramdev Bricks, Plot No. 51, Village. Tantithaiya, Tal. Palsana, Dist. Surat.
2. Classics Concretes Products, 435/3-5, Behind Hotel Bhagyoday, N.H.No. 8, BambhoraPatia, Kim Char Rasta, Tal. Mangrol, Dist. Surat.
3. Shree Hinglaj Bricks
4. Bhumi Sales
5. Kishan Bricks & Precast

DETAILS OF HAZARDOUS WASTE: -

SN	CATEGORY	NAME OF THE MONTH					
		Oct 2023	Nov 2023	Dec 2023	Jan 2024	Feb 2024	March 2024
1.	ETP Sludge (MT)	2.0	1.9	2.0	1.9	2.0	1.1



ANNEXURE – 10

NOISE MONITORING REPORT

Month: OCTOBER2023

Unit	Time	Limit	Results			
			South (PFY Utility)	North (CP ETP)	East (Main Gate)	West (Store Dept.)
dB(A)	Day Time 03:10 PM to 03:40 PM	75.0	62.3	74.1	71.2	63.3
	Night Time 10:10 PM to 10:40 PM	70.0	55.2	73.4	68.7	57.1

Month: NOVEMBER2023

Unit	Time	Limit	Results			
			South (PFY Utility)	North (CP ETP)	East (Main Gate)	West (Store Dept.)
dB(A)	Day Time 03:05 PM to 03:35 PM	75.0	63.1	75.3	72.4	65.8
	Night Time 10:00 PM to 10:30 PM	70.0	55.9	74.1	69.2	58.9

Month: DECEMBER2023

Unit	Time	Limit	Results			
			South (PFY Utility)	North (CP ETP)	East (Main Gate)	West (Store Dept.)
dB(A)	Day Time 03:20 PM to 03:40 PM	75.0	65.3	77.6	73.8	67.6
	Night Time 10:05 PM to 10:25 PM	70.0	56.5	73.4	71.1	59.5

Month: JANUARY2024

Unit	Time	Limit	Results			
			South (PFY Utility)	North (CP ETP)	East (Main Gate)	West (Store Dept.)
dB(A)	Day Time 03:15 PM to 03:35 PM	75.0	66.5	78.7	74.1	68.5
	Night Time 10:10 PM to 10:30 PM	70.0	57.1	72.8	70.7	59.6

Month: FEBRUARY2024

Unit	Time	Limit	Results			
			South (PFY Utility)	North (CP ETP)	East (Main Gate)	West (Store Dept.)
dB(A)	Day Time 03:15 PM to 03:35 PM	75.0	67.1	77.4	75.1	67.4
	Night Time 10:10 PM to 10:30 PM	70.0	57.7	73.5	71.8	58.9

Month: MARCH2024

Unit	Time	Limit	Results			
			South (PFY Utility)	North (CP ETP)	East (Main Gate)	West (Store Dept.)
dB(A)	Day Time 03:05 PM to 03:45 PM	75.0	67.6	76.7	74.6	66.9
	Night Time 10:20 PM to 11:00 PM	70.0	58.1	72.8	71.2	58.1



Our Corporate Social Responsibility (CSR) goals are fulfilled through independent activities as well as those in partnership with selected social development agencies.

- We prioritize Education on our CSR agenda, and we support multiple initiatives to create better learning opportunities for the communities we serve- e.g. Jolwa Gram Panchayat.
- We respond to humanitarian crises through government-led relief programmes- e.g. funds for COVID-19 Relief, Kerala Food Relief, and other disaster management initiatives.

Nurturing 'Today' For A Better 'Tomorrow'

Our continuous focus on Environment, Society and Governance (ESG) as a responsible Corporate Citizen keeps us ever vigilant towards the well-being of our People and Community.

MAJOR INITIATIVES TAKEN TOWARDS CER

- **Reducing Carbon footprint:** GSMPL is an active member of Emission trading scheme (ETS) from 2019 onwards. During this half yearly period Oct-23 to Mar-24 approx. 47243 emission permits have been sold in the market which shows the emission levels are well below the permissible limits.
- **Project for taking additional GEB power from the grid** has been implemented at site to reduce dependency on existing Captive Coal Power Plant. 220 KV Substation project @ 170 Cr investment at the final stage.
- **Compost pit** have been made for making compost from the trimmed trees in our green belt
- **Dedicated underground pipeline (3.5 kms)** for treated effluent discharge to Khadi
- **Modernization of ETP's** are being done with investment of 5 Cr
- **RO reject water** being used for Toilet flushing.
- **Roof top rainwater harvesting** already implemented for recharging of Borewells.
- **Awareness campaign** like World Environment Day, International Women's day, World Health Day, National Safety Week are being celebrated.
- **Achieved 100% 2nd dose COVID vaccination** for employees in association with local authorities. Cost @ 50 lakhs
- **Oxygen concentrator** purchased for COVID Management for employees and their families. Cost @20 Lakhs
- **Blood donation camp** organized at site every year through authorized agency.





Garden Occupation Health Center

Garden Silk Mills Ltd, Jolwa.



Date : 30/03/2024

Patient Name : _____

Age : _____

Sex : _____

Address : _____

C/o. Not for medicolegal purpose
"To whomsoever it may concern"

Rx

Ix

This is to certify that we had
examined 1702 employees of
our Company Garden Silk Mills Pvt
Ltd CCP division, Surat for the year
Oct-23 to March-2024.

I do hereby certify that no
disease found during my physical
examination & other relevant
occupational tests for above strength.

FACTORY MEDICAL OFFICER

Dr. ANKIT N. PARMAR

(M.B.B.S., PGCH, FFM)

REG. NO. : G-58184

Factory Medical Officer





Bipin J. Modi
B. Com, FCA, DISA
Alok A. Gandhi
M.Com, ACA

Bipinchandra J. Modi & Co.

Chartered Accountants

B.No. 18/A, Prakash Co-Op.Hsg.Society

B/h Intelligent Guidance Classes

Athwalines, Surat 395 001

Phone :- 2665349

Mobile : 9376322354/9099001224

Email : bjmodi@gmail.com

PAN : AAHFB2203M

STC No : AAHFB2203MST001

CERTIFICATE

We refer to the Company's Expansion projects envisaging capacity expansion in 21 M.W. Coal Based Captive Power Plant, covered under EC F. No. J-11011/624/2010-IA 11 (I) Dated 10/05/2013.

The total project cost was Rs.75 Crores, which was financed by IDBI Bank's Term Loan of Rs.56.25 Crores and Internal Accruals of Rs.18.75 Crores.

The total expenditure incurred towards this project was Rs 78.04 Crores and the Term Loan availed from IDBI Bank was Rs.56.25 Crores and the balance amount of Rs.21.79 was brought from Internal Cash Accruals.

The projects have already commenced production

The above have been verified on the basis of information and explanation given to us from the books of accounts maintained by the Company and found the same to be correct.

For BIPINCHANDRA J. MODI & CO.
Chartered Accountants,

Place : Surat
Date: 31st March, 2013


B. J. MODI

Partner

M. No. : 31687



ANNEXURE – 14 NABL CERTIFICATE



National Accreditation Board for
Testing and Calibration Laboratories

NABL

CERTIFICATE OF ACCREDITATION

**EN-VISION ENVIRONMENTAL SERVICES, TESTING
LABORATORY**

has been assessed and accredited in accordance with the standard

ISO/IEC 17025:2017

**"General Requirements for the Competence of Testing &
Calibration Laboratories"**

for its facilities at

301, UNION TRADE CENTER (UTC), UDHANA DARWAJA, SURAT, GUJARAT, INDIA

in the field of

TESTING

Certificate Number: TC-5304

Issue Date: 16/12/2023

Valid Until: 15/12/2024

This certificate remains valid for the Scope of Accreditation as specified in the annexure subject to continued satisfactory compliance to the above standard & the relevant requirements of NABL.
(To see the scope of accreditation of this laboratory, you may also visit NABL website www.nabl-india.org)

Name of Legal Identity : EN-VISION ENVIRONMENTAL SERVICES, TESTING LABORATORY

Signed for and on behalf of NABL



N. Venkateswaran
Chief Executive Officer



ANNEXURE – 15 CCA AMENDMENT PROVISIONAL ORDER COPY



Provisional Consent Order (CCA)

Consent No. AWH-132594 Valid upto: 07/01/2026

Gujarat Pollution Control Board
Paryavaran Bhavan, Sector-10 A,
Gandhinagar - 382010
Tele : 23222756

Application : CCoCCA-Amendment No. 304024 Dt. 11/01/2024. Granted On: 26/02/2024

PCB Id.20700

Besides streamlining and simplifying of regulatory regime Gujarat Pollution Control Board has taken initiative in form of introduction of Consolidated Consent and Authorization (CC&A) which provides for a one shot application and clearance of the consents under Water Act/Air Act and Authorization under Hazardous Wastes Rules for a period of 5 years.
Board issues consolidated consent and Authorization to an industrial unit for operation of plant carrying out industrial activity specifying following conditions.

Consolidated Consent and Authorisation

In exercise of the power conferred under section-25 of the Water (Prevention and Control of Pollution) Act-1974, under section-21 of the Air (Prevention and Control of Pollution) Act-1981 and Authorization under rule 3(c)& 5(5) of the Hazardous Waste (Management, Handling and Transboundary Movement) Rules/2008 framed under the E(P) Act-1986.
And whereas Board has received consolidated Application No.(CCoCCA-Amendment) 304024 and Dated 11/01/2024 for the consolidated consent and authorization(CC&A) of this Board under the provisions / rules of the aforesaid Acts Consent & Authorization is hereby granted as under.

CONSENT AND AUTHORISATION : (under the provisions / rules of the aforesaid environmental acts)

To,
M/s. M's. Garden Silk Mills Pvt.Ltd (Co Div/Old Name: Garden Silk Mills Ltd (Co Div.))
PLOT NO.196,197,124/A,202-5,225/7,229,230, PLOT NO.196,197,124/A,202-5,225/7,229,230,
JOLWA, City : Jolwa,
Dist : Surat, Tal : Palitana, SIDC : Not In Gidr
Phone : -

1. Consent Order No: AWH-132594 Valid Upto: 07/01/2026

2. All Conditions under the AIR ACT-1981 WATER ACT-1974 HAZARDOUS ACT-2008 shall be Applicable to you as mentioned in the detailed Consent Order ***

Consented CETP: Not Linked to any CETP

Consented TSDF: B.E.L.L. Ankleshwar [14983]

3. GENERAL CONDITIONS :-

- This order is provisional order and detailed order is considered as final.
- All the conditions & provisions under the Water Act 1974, the Air Act 1981 and the Environment (Protection) Act - 1986 and the rules made there under shall be complied with *.
- All the conditions & provisions under the Hazardous Waste (Management, Handling and Trans boundary Movement) Rules/ 2008 as amended shall be complied
- The applicant shall provide portholes, ladder, platform etc at chimney(s) for monitoring the air emissions and the same shall be open for inspection to and for use of Board's staff. The chimney(s) vent: attached to various sources of emission shall be designed by numbers such as S-1, S-2 etc. and these shall be painted/ displayed to facilitate identification
- The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standards in respect of noise to less than 75dB(A) during day time and 70dB(A) during night time. Daytime is reckoned in between 6 a.m. and 10 p.m. and nighttime is reckoned between 10 p.m. and 6 a.m.
- In case of change of ownership/management the name and address of the new owners/ partners/ directors/ proprietor or equipment or working conditions as mentioned in the consent form / order should immediately be intimated to the Board.
- Industry shall have to display data outside the main factory gate with regard to quantity and nature of hazardous chemical/ being handled in the plant, including waste water and air emissions and solid hazardous wastes generated within the factory premises.
- The CCA shall be produced for inspection at the request of an officer authorised by the Gujarat Pollution Control Board.
- Any unauthorized change in personnel, equipment or working conditions as mentioned in the CCA order by CCA holder shall constitute a breach of this CCA.
- Adequate plantation shall be carried out all along the periphery of the industrial premises in such a way that the density of plantation is atleast 1000 trees per acre of land and a green belt of 5 meters width is developed.
- The applicant shall have to submit the returns in prescribed form regarding water consumption and shall have to make payment of water cess to the Board under the Water Cess Act- 1977.

*** Note : ACT-Specific, Industry-specific, Area-specific Conditions alongwith Product, Waste water effluent details shall be precisely mentioned in the DETAILED Consent Order.

*** Note :This is only provisional communication. The final Consent/Authorization in hard copy with duly signed by competent authority shall the final and valid Consent/Authorization.

For and on behalf of
Gujarat Pollution Control Board

D. M. Thaker.

(Member Secretary)

Printed On : 27/02/2024

Computer generated Order thru XGN, does NOT require Physical Signature

N I C



ANNEXURE – 16 GPCB SCHEDULE-II AUDITOR CERTIFICATE



GUJARAT POLLUTION CONTROL BOARD

Paryavaran Bhavan

Sector - 10 A, Gandhinagar - 382 010.

Environment Audit Cell

R.P.A.D

No. GPCB/EA/283(2)/ 7189

Date:

To,
Ep-Vision Environmental Services,
201, 301, Union Trade Centre (UTC),
Near Apple Hospital,
Udhna Darwaja,
Surat-395002

24.11.2023

Subj: - Renewal of Recognition as Schedule-II Environmental Auditor with team member change.

Sir,

This refers to your application for renewal of recognition as Schedule-II Environmental Auditor along with team member change and subsequent interview by Environment Audit Committee members. It is recommended by the Environment Audit Committee members, to renew the recognition of your firm as Schedule-II Environmental Auditor along with one team member change for carrying out the Environmental Audit under Environment Audit Scheme with following conditions.

- 1) Recognition is valid upto 31/12/2024.
- 2) You shall have maximum Two teams for the Environment Audit.
- 3) You shall carry out maximum 30 nos. of Environment Audit in a year.
- 4) Team members shall be as under :

Sr. No.	Name	Designation
Team-1		
1	Mrs. Ripa Tailor	Environment Engineer
2	Mr. Virendra Joshi	Chemical Engineer
3	Mr. Piyush Modi	Chemist
4	Mr. Murtaza Hajoori	Microbiologist
Team-2		
1	Mr. Umang Shah	Environment Engineer
2	Mr. Ashish Tank	Chemical Engineer
3	Mr. Mahendrakumar Kapadiya	Chemist
4	Mr. Mukesh Ghoghari	Microbiologist

Clean Gujarat Green Gujarat
An ISO 9001: 2008 & ISO 14001: 2004 Certified Organization

P.T.O



ANNEXURE – 17 ENVIRONMENT STATEMENT (FORM – V)



GARDEN SILK MILLS PRIVATE LIMITED
(Formerly GARDEN SILK MILLS LIMITED)

DC / GSMPL / EC 23-24 / 23

September 26, 2023
GPCBID: 20700

The Member Secretary
Gujarat Pollution Control Board
Paryavaran Bhavan,
Sector 10 – A,
Gandhinagar – 382 043

SUB: SUBMISSION OF ENVIRONMENTAL STATEMENT (FORM-V)
FOR THE FINANCIAL YEAR 2022-2023 FOR CP DIVISION.

Dear Sir,

Please find enclosed herewith the Environmental Statement (Form-V) for the financial year ending 31st March, 2023 for CP DIVISION.

Thanking you,

Yours faithfully,
For M/s. GARDEN SILK MILLS PVT LTD
(erstwhile Garden Silk Mills Limited)
CP DIVISION-GPCB ID: 20700



Debdutta Chatterjee
(President- Finance & Commercial)

Encl: Form-V



Registered Office:
Bengal Eco Intelligent Park,
Tower-1, 3rd Floor, Block-EM,
Plot No. 3, Salt Lake City, Sector-V,
Kolkata - 700 091, West Bengal, India

Corporate Office:
1st Floor, Tulsī Krupa Arcade,
Puna-Kumbharia Road, Dumbhal,
Surat-395 010.
☎ +261 2311197, +91 261 2311615

Jolwa Factory:
Village: Jolwa, Taluka: Palsana,
Surat - 394 305
☎ +91 90990 01238, +91 90990 01612
✉ info@gardenvareli.com

Vareli Factory:
Village: Vareli, Taluka: Palsana,
Surat - 394 327
☎ +91 90990 01240
✉ customer.service.fabric@gardenvareli.com

FORM - V

(See rule 14)

From:

M/s. Garden Silk Mills Ltd. (CP Division)

PLOT NO.: 202-05, 225-7, 229, 230, 196, 197, & 124-A,

VILLAGE: JOLWA, TAL.: PALSANA,

DIST.: SURAT

To,

Member Secretary

Gujarat Pollution Control Board,

Paryavaran Bhavan

Sector: 10-A,

Gandhinagar 382 043

Environmental Statement for the financial year ending the 31st March 2023

PART: A

- i) Name and address of the Owner/Occupier of the industry, Operation or Process. : **M/s. GARDEN SILK MILLS LTD. (CP DIVISION)**
PLOT NO.: 202-05, 225-7, 229, 230, 196, 197, & 124-A, VILLAGE: JOLWA, TAL.: PALSANA,
DIST.: SURAT
RED/LARGE
- ii) Industry Category
- iii) Production Capacity Units (As per CC&A)
1. Polyester Chips (MT): 3,33,524 MT/year
 2. POY(MT): 2,28,192 MT/Year
 3. FDY(MT): 89788.8 MT/Year
 4. Electric Power
 - a. NG Based Power Plant (MW): 21.89 MW
 - b. Coal Based Power Plant (MW): 39 MW
- iv) Year of Establishment : January, 2006
- ii) Date of the last environmental statement submitted. : 28/09/2022



PART: E
Solid Wastes

	Total Quantity (kg.)	
	During the previous Financial year. (APR-21 TO MAR- 22)	During the current Financial year. (APR-22 TO MAR- 23)
(a) From Process	Nil Nil	Nil Nil
(b) From Pollution Control facilities		
(c) (1) Quantity recycled or re-utilized within the unit		
(2) Sold		
(3) *Disposed	Nil	60160

Remarks: * Insulation waste was disposed to TSDF after taking one time disposal approval vide letter no. GPCB/CCA-SRT-863(11)/ID-20700/, Outward No: 69062. 16/12/2022.

PART: F

Please specify the characteristics (in terms of concentration and quantum) of Hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.

- ◆ ETP SLUDGE IS STORED IN HAZARDOUSWASTE STORAGE AREA AND FINALLY DISPOSED TO M/s. BEIL. DISCARDED CONTAINERSARE STORED IN SEPARATE IDENTIFIED AREA AND SELLING TO ACTUAL END USERS. USED OIL IS STORE IN SEPARATE STORAGE AREA AND DISPOSED TO REGISTERED REFINERS.
- ◆ FOOD WASTE GENERATED FROM CANTEEN ARE DISPOSED THROUGH LOCAL AUTHORIZED VENDOR AS PER THE GUIDELINE
- ◆ INSULATION WASTE OF 60 TONS WAS DISPOSED TO TSDF SITE

PART: G

Impact of the pollution control measures on conservation of natural resources and consequently on the cost of production.

- WE HAVE PROVIDED ADEQUATE GREEN BELT AREA ACROSS THE SITE AND NEW PLANATATION ARE DONE ON PERIODIC BASIS.
- VARIOUS ENERGY CONSERVATION MEASURES ARE UNDERATKEN IN THE PROCESS TO REDUCE THE ENERGY CONSUMPTION IN THE PROCESS
- MONTHLY ENVIRONMENT MONITORING FROM RECOGNISED AND APPROVED PARTY IS BEING CONDUCTED AT SITE TO ASSESS THE LEVEL OF POLLUTION
- ROOF TOP RAIN WATER HARVESTING WITH RECHARGE WELLS ARE PROVIDED

PART: H

Additional investment proposal for environmental protection including abatement of pollution.
ETP'S ARE BEING RENOVATED AND REVAMPING WORK IS IN PROCESS FOR INCREASING THE EFFICIENCY OF ETP'S.



PART: C

Pollution Discharge to Environment/unit of output

(Parameter as specified in the consent issued)

(i) Pollutants	Quantity of pollutants Discharged (Mass/Day)	Concentration of Pollutants in Discharges (Mass/Volume)	Percentage of variation from prescribed standards with reasons.
(a) Water	COD: 99.53 Kg/Day	COD: 69.82 mg/l	NIL
(b) Air	PM: 50.58 Kg/Day	PM: 49.86 mg/Nm ³	NIL

PART: D
Hazardous Wastes

(As specified under Hazardous Wastes (Management and Handling) Rules, 1989)

Hazardous Wastes	Total Quantity (MT)	
	During the previous Financial year. (APR - 21 TO MAR - 22)	During the current Financial year. (APR - 22 TO MAR - 23)
(a) From Process		
(b) From Pollution control facilities		
1) ETP SLUDGE	21.1 MT/YEAR	28.5 MT/YEAR
2) Used Oil	0.202 MT/YEAR	0.129 MT/YEAR
3) Discarded Containers	9.42MT/YEAR (3769 NOS/YEAR)	9.51 MT/YEAR (3802 NOS/YEAR)



PART: B

Water and Raw Material Consumption

(1) Water Consumption in M³/Day.

Process +Washing:	262.9
Cooling +Boiler:	4394.5
Domestic:	70.9
Total (Industrial):	4728.4

Name of Products	Process water consumption per unit of product output	
	During the previous Financial year. (APR - 21 TO MAR- 22)	During the current Financial year. (APR - 22 TO MAR - 23)
	(1)	(2)
POLYESTER CHIPS, POY, FDY	0.26 M ³ /MT	0.31 M ³ /MT
NG & COAL BASED POWER PLANT (MW)	3.00 M ³ /MW	3.46 M ³ /MW
Remarks: Water used for cooling, Boiler & domestic not considered in Process water consumption.		

(ii) Raw Material consumption

Name of Raw Materials	Name of products	Consumption of raw material per unit of output. (MT/MT)	
		During the previous Financial year. (APR - 21 TO MAR - 22)	During the current Financial year. (APR - 22 TO MAR - 23)
PTA (TEREPHTHALIC ACID)	POLYESTER CHIPS	0.716	0.874
MEG (MONO ETHYLENE GLYCOL)		0.28	0.34
ANTIMONY		0.000289	0.000336
TIO ₂		0.00149	0.00155



PART: I
Miscellaneous

Any other particulars for improving the quality of the environment.

- INTEGRATED HSE (HEALTH, SAFETY & ENVIRONMENT) POLICY FRAMED AND BEING IMPLEMENTED.
- SITE IS CERTIFIED TO ISO 9001 AND ISO 45001.
- SITE IS PROVIDED WITH WELL ESTABLISHED OHC WITH FULL TIME DOCTOR AND TRAINED NURSE WITH INHOUSE AMBULANCE.
- SITE IS UNDER ETS SCHEME UNDER PHASE I INDUSTRIES AND EMISSION LEVELS ARE ALWAYS BELOW THE BENCHMARK HENCE FINANCIAL CREDIT IS OBTAINED BY SELLING THE PERMITS.
- ESP'S ARE INSTALLED IN COAL HEATERS AND THERMAL POWER PLANT BOILERS WITH CEMS SYSTEM.
- NEW TREES ARE PLANTED PERIODICALLY TO IMPROVE AND UPGRADE THE GREEN BELT.
- FULL FLEDGED FIRE FIGHTING TEAM AVAILABLE AT SITE WITH INHOUSE FIRE TENDER VEHICLE AND FIRE HYDRANT SYSTEM.
- WELL ESTABLISHED LAB FACILITY WITH INHOUSE CHEMIST AVAILABLE FOR DAY TO DAY ENVIRONMENT MONITORING JOBS.
- SEPARATE HSE DEPARTMENT WITH ENVIRONMENT MANAGER TO OVERSEE THE ENVIRONMENT MANAGEMENT SYSTEM.
- # CER (CORPORATE ENVIRONMENT RESPONSIBILITY) AWARD RECEIVED FOR EXCELLENCE IN CER. THE AWARD WAS PRESENTED BY SGCCI & GPCB IN ENVIRONMENT CONCLAVE HELD ON 15TH APRIL'2023
- THE COMPANY IS TAKING VARIOUS ESG INITIATIVES AND PLANNED AN ESG ROAD MAP.

Signature:

Name: **DEBDUTTA CHATTERJEE**

Designation: **President- Finance & Commercial**

Date: **26/09/2023**



ANNEXURE – 18 CER AWARD

